

# Galigan<sup>®</sup> 2E

OXYFLUORFEN HERBICIDE

**FOR AGRICULTURAL OR COMMERCIAL USE ONLY**

EPA REG. NO. 66222-28

EMERGENCY CALLS: 877-250-9291

**EPA 24(C) SPECIAL LOCAL NEEDS REGISTRATION**

**EPA SLN NO. CA- 040018**

**FOR USE AND DISTRIBUTION ONLY IN CALIFORNIA**

**IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING**

| CROP                  | PEST  | RATE OF APPLICATION                    |
|-----------------------|---|--|
| Non-dormant<br>Olives | Cheeseweed (Malva),<br>Fleabane,<br>Marestail (Horseweed) | 0.125-0.25 lbs. ai/A<br>(8-16 fl oz/A) |

**DIRECTIONS FOR USE:**

Galigan 2E herbicide provides effective vegetation management when applied to young broadleaf weed seedlings. For enhanced post-emergence activity on certain grassy and broadleaf weeds, a tank mixture of Galigan 2E herbicide with either paraquat or glyphosate can be used when applied with ground application equipment.

**DOSAGE**

Galigan 2E herbicide is recommended for postemergence suppression at 8-16 fl oz (0.125- 0.25 lbs. active) per broadcast acre when applied to susceptible weed seedlings less than 4 inches in height. Repeat applications may be required. For enhanced postemergence activity on a broader spectrum of grass weeds and broadleaf weeds in the tree row middles, a tank mixture of Galigan 2E herbicide with either paraquat or glyphosate can be used. Apply at the recommended rates and growth stages to susceptible weed species in a manner described on the respective label.

**TANK MIXTURES WITH GALIGAN 2E HERBICIDE**

**IMPORTANT:** Read and observe all label directions before using. When tank mixing, always read all individual manufacturers' labels. In interpreting all labels for the tank mixture, the most restrictive situations must apply.

**METHOD OF APPLICATION**

**GROUND APPLICATION:** Apply a minimum spray volume of 10 gallons of water per acre. Use higher volumes to ensure adequate coverage in high densities of emerged weeds or heavy trash. Use conventional low-pressure ground spray equipment with flat fan spray nozzles at 20 to 40 psi. An off-center nozzle positioned at the end of the boom may be desired. Spray equipment should be calibrated carefully before each use.

**CHEMIGATION APPLICATION:** Apply this product only through flood (basin) irrigation systems, or low-volume sprinkler (microsprinkler) and drip (trickle) irrigation systems designed to distribute irrigation water beneath the tree canopy. For flood (basin) irrigation systems, Galigan 2E herbicide should be continuously metered into the water during the entire irrigation period. Agitation in the pesticide supply tank is suggested. Best weed control results are obtained when a uniform distribution and flow of irrigation water is maintained over level land. Galigan 2E herbicide may be applied through low-volume sprinkler (microsprinkler) and drip (trickle) irrigation systems designed to distribute irrigation water beneath the tree canopy. The application of Galigan 2E is intended to supplement the pre-emergence weed control requirements of a broadcast (or directed) weed control program, where weed emergence is anticipated within the wetted area of a low-volume sprinkler (microsprinkler) or drip (trickle) irrigation system. Applications should be made prior to weed emergence since postemergence activity will be inconsistent due to partial coverage. Meter Galigan 2E herbicide at a continuous uniform rate during the middle one-third of the irrigation period to allow for uniform distribution to the soil surface.

**Supplemental Label**

For best results, Galigan 2E herbicide should be uniformly positioned across the wetted area to help reduce the "ring effect" of weed escapes, as other products begin to break down around the emitter. Continue irrigation during the final one-third of the irrigation period to insure proper flushing of the irrigation system. Irrigation water treated with Galigan 2E herbicide must be contained on the treated area until the water is absorbed by the soil. Do not apply when wind speed favors drift beyond the area intended for treatment.

**CULTURAL CONSIDERATIONS FOR ALL APPLICATIONS:** In order to provide maximum effectiveness of preemergence activity of Galigan 2E herbicide, the berm or soil surface should be level, smooth, and free of crop or weed trash (decaying leaves, clippings, dead weeds, etc.). Leaves and trash may be removed by blowing the area to be treated or by thoroughly mixing the trash into the soil through cultivation prior to herbicide applications.

Cultural practices that result in redistribution or disturbance of the soil surface after treatment will decrease the herbicidal effectiveness of Galigan 2E herbicide. Cutting water furrows or cultivations that mix untreated soil into treated areas will also reduce the effectiveness of the treatment. The best results are from applications to established berms or soil surfaces that are left undisturbed during the time period for which weed control is desired.


---

**RESTRICTIONS:**

- Follow the General Use Restrictions listed on the EPA-registered label.
- Read and observe all label directions before using. When tank mixing, always read all individual manufacturer labels. In interpreting all labels for the tank mixture, the most restrictive situations must apply.
- When applied as a non-dormant treatment, Galigan 2E herbicide can only be applied to olives after bloom.
- Do not apply Galigan 2E Herbicide within 14 days of harvest of fruit.
- Do not apply more than 6 pints (1.5 lbs ai) per broadcast acre of Galigan 2E Herbicide during the non-dormant season.
- Galigan should be applied only to healthy trees.
- Direct spray toward the base of the tree. Avoid direct herbicide contact with foliage and fruit.

- 
- ALL APPLICABLE DIRECTIONS, RESTRICTIONS AND PRECAUTIONS ON THE EPA REGISTERED LABEL ARE TO BE FOLLOWED.
  - THIS LABELING MUST BE IN THE POSSESSION OF THE USER AT THE TIME OF PESTICIDE APPLICATION.
- 

## 24c Registrant:



**Makhteshim Agan  
of North America, Inc**  
551 Fifth Avenue/Suite 1100  
New York, NY 10176

**M A N A**