



Technical Information Bulletin for South Carolina

Reduced rate of Headline[®] fungicide Tank mixed with a tebuconazole fungicide For Control of Asian Soybean Rust

EPA Reg. No. 7969-186

This recommendation is made as permitted under FIFRA section 2(ee) and has not been submitted to or approved by the EPA.

All applicable directions, restrictions, precautions, and Conditions of Sale and Warranty on the EPA label are to be followed. Refer to the container label for additional instructions. Always read and follow label directions.

Information contained in this Technical Information Bulletin is not intended to replace or amend any product labeling. Always read and follow all label directions when using any pesticide alone or in mix combinations.

The user must have this recommendation in their possession at the time of use.

This recommendation is for a reduced rate of Headline[®] fungicide tank mixed with a tebuconazole fungicide in soybeans for control of Asian soybean rust (*Phakopsora pachyrhizi*).

DIRECTIONS FOR USE:

Apply 4.5 oz/acre of Headline tank mixed with a tebuconazole fungicide to provide residual preventative and curative control of Asian soybean rust. Refer to the Headline label for optimum application timings. For rates, adjuvant and other restrictions, refer to directions for use associated with tebuconazole-containing Section 18 quarantine exemption products (such as Folicur[®] 3.6 F Foliar Fungicide) approved for use in your state.

BASF Corporation
Agricultural Products
26 Davis Drive
Research Triangle Park, NC 27709

© 2005 BASF Corporation
All rights reserved
Headline is a registered trademark of BASF Corporation
Folicur is a registered trademark of Bayer

007969-00186.20050207.NVA 2004-04-088-0038.pdf