

EPA Reg. No. 71512-10-279

FIFRA 2(ee) Recommendation

FOR DISTRIBUTION AND USE ONLY IN THE FOLLOWING STATES: CALIFORNIA and ARIZONA

THIS RECOMMENDATION, WHICH CONTAINS ADDITIONAL DIRECTIONS FOR USE, IS MADE AS PERMITTED UNDER FIFRA SECTION 2(ee) AND HAS NOT BEEN SUBMITTED TO OR APPROVED BY THE US EPA.

This recommendation for BELEAF® 50SG Insecticide is valid until February 28, 2028, or until withdrawn, cancelled or suspended.

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING. ALL APPLICABLE DIRECTIONS, RESTRICTIONS AND PRECAUTIONS ON THE EPA REGISTERED LABEL MUST BE FOLLOWED SUBJECT TO THE TERMS AND CONDITIONS OF THE PRODUCT LABELING. THESE USE DIRECTIONS MUST BE IN THE POSSESSION OF THE USER AT THE TIME OF PESTICIDE APPLICATION.

FOR THE MANAGEMENT OF CITRUS MEALYBUG AND CITRUS THRIPS IN CITRUS FRUIT GROUP

Directions For Use					
	CROP	PEST	RATE	APPLICATION DIRECTIONS	REI
	Citrus Fruit Group			GROUND and AERIAL:	
				Apply as required by scouting. Begin	
		Citrus Thrips	4.2 oz/a	applications before population begin	12
		Citrus Mealybug	(0.131 lbs ai/acre)	to build and before damage is	hrs.
				evident, according to local pest	
				management guidelines.	

RESTRICTIONS:

- Do not apply less than 4.2 oz/acre (0.131 lbs ai/acre) to manage citrus thrips and citrus mealybug.
- Do not apply more than 2 applications of Beleaf 50SG Insecticide at the maximum single application rate of 4.2 oz/acre (0.131 lbs ai/acre) per year to manage citrus thrips and citrus mealybug.
- Do not apply more than a total of 8.4 oz/acre of Beleaf 50SG Insecticide (0.263 lbs. ai/acre) per year.
- Do not apply more than 3 applications of Beleaf 50SG Insecticide at the minimum single application rate of 2.8 oz/acre (0.088 lbs ai/acre) per year on citrus.
- Do not apply more than 3 applications of Beleaf 50SG Insecticide per year.
- Allow a minimum of 7 days between applications.
- This product is moderately toxic to bees exposed to direct treatment on blooming crops or weeds.

 Do not apply this product or allow it to drift to blooming crops or weeds while bees are foraging in the treatment area.



R-4786 050123 02-28-23