

Imazamox

Group

2

Herbicide

Supplemental Label

Beyond[®]

Herbicide

For Vangro™ Production System

For use in Vangro™ canola

This supplemental label expires October 30, 2023, and must not be used or distributed after this date.

Active Ingredient:

ammonium salt of imazamox: 2-[4,5-dihydro-4-methyl-4-(1-methylethyl)-5-oxo-1*H*-imidazol-2-yl]-5-(methoxymethyl)-3-pyridinecarboxylic acid* 12.1%

Other Ingredients: 87.9%

Total: 100.0%

* Equivalent to 11.4% 2-[4,5-dihydro-4-methyl-4-(1-methylethyl)-5-oxo-1*H*-imidazol-2-yl]-5-(methoxymethyl)-3-pyridinecarboxylic acid
1 gallon contains 1.0 pound of active ingredient as the free acid.

EPA Reg. No. 241-441

CAUTION/PRECAUCION

Directions For Use

- It is a violation of federal law to use this product in a manner inconsistent with its labeling.
- The supplemental labeling and the entire **Beyond[®] herbicide** container label, EPA Reg. No. 241-441, must be in possession of the user at the time of application.
- Read the label affixed to the container for **Beyond** before applying.
- Use of **Beyond** according to this labeling is subject to the use precautions and limitations imposed by the label affixed to the container for **Beyond**.

Product Information

Beyond, a soluble liquid, is a postemergence herbicide to control and suppress many broadleaf and grass weeds and sedges.

When used as directed, **Beyond** will control or suppress weeds in **Vangro** canola, as listed in the **Weeds Controlled** section of the **Beyond** container label.

Refer to the **Beyond** container label for complete **Precautionary Statements; Directions For Use; Product Information; Use Precautions; Use Restrictions; Mixing, Spraying and Application Instructions; Weeds Controlled; Crop Specific Information; and Rotational Crop Restrictions.**

When applied by either ground or air, **Beyond** spray drift or other indirect contact may injure sensitive crops, including non-**Vangro** canola.

Occasionally, in the case of **Vangro** canola, internode shortening and/or temporary yellowing of crop plants may occur following **Beyond** application. These effects, which occur infrequently and are temporary, can be more pronounced if crops are growing in a stressful environmental or hot and humid condition. Normal growth and appearance should resume within 1 to 2 weeks.

Crop-specific Information

Beyond[®] herbicide is effective in controlling weeds in conservation tillage and conventional tillage production systems. **Beyond** can be applied early postemergence in **Vangro**[™] canola but before the bloom stage.

Use Rate

Apply **Beyond** postemergence at 4 fl ozs/acre (0.031 lb ae imazamox/acre). At this rate, 1 gallon of **Beyond** will treat 32 acres of **Vangro** canola. Use of a soil-applied grass herbicide is advised before **Beyond** application.

An adjuvant and nitrogen fertilizer **MUST** be added to the spray solution for optimum weed control. See **Adjuvants** section under **Mixing Instructions** on the **Beyond** container label for specific instructions.

Vangro Canola Restrictions

- **DO NOT** apply more than 4 fl ozs/acre **Beyond** (0.031 lb ae imazamox/acre) in **Vangro** canola per year.
- The maximum single use rate (ai) of **Beyond** on **Vangro** canola is 4 fl ozs/acre (0.031 lb ae imazamox/acre).
- The maximum number of applications of **Beyond** on **Vangro** canola per year is one.
- The re-entry interval after treatment of **Vangro** canola with **Beyond** is 4 hours.
- There is no preharvest interval for **Vangro** canola that has been treated with **Beyond**.
- **DO NOT** plant **Vangro** canola in consecutive years in the same field except in the case of crop failure. In the case of crop failure, **Vangro** canola may be replanted in the same year; but the 4 fl ozs per acre (0.031 lb ae imazamox/acre) annual maximum still applies even if an application was made prior to crop failure.

Specific Weed Problems

Canada thistle. For enhanced activity on Canada thistle, add **Stinger**[®] herbicide (clopyralid) to the tank mix. Apply to Canada thistle in the rosette stage.

Conditions of Sale and Warranty

The **Directions For Use** of this product reflect the opinion of experts based on field use and tests. The directions are believed to be reliable and must be followed carefully. However, it is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or use of the product in a manner inconsistent with its labeling, all of which are beyond the control of BASF CORPORATION ("BASF") or the Seller. To the extent consistent with applicable law, all such risks shall be assumed by the Buyer.

BASF warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the **Directions For Use**, subject to the inherent risks, referred to above.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BASF MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY OR ANY OTHER EXPRESS OR IMPLIED WARRANTY.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BUYER'S EXCLUSIVE REMEDY AND BASF'S EXCLUSIVE LIABILITY, WHETHER IN CONTRACT, TORT, NEGLIGENCE, STRICT LIABILITY, OR OTHERWISE, SHALL BE LIMITED TO REPAYMENT OF THE PURCHASE PRICE OF THE PRODUCT.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BASF AND THE SELLER DISCLAIM ANY LIABILITY FOR CONSEQUENTIAL, EXEMPLARY, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

BASF and the Seller offer this product, and the Buyer and User accept it, subject to the foregoing **Conditions of Sale and Warranty** which may be varied only by agreement in writing signed by a duly authorized representative of BASF.

1108

Registered trademarks of BASF:
Beyond® herbicide, EPA Reg. No. 241-441

Trademark of BASF:
Vangro™

Registered trademarks of Dow AgroSciences LLC:
Stinger® herbicide, EPA Reg. No. 62719-73

© 2020 BASF Corporation
All rights reserved.

000241-00441.20190520c.**NVA 2019-04-191-0098**
Based on: NVA 2019-04-191-0059

BASF Corporation
26 Davis Drive
Research Triangle Park, NC 27709


We create chemistry