

DREXEL MALATHION 5EC

SECTION 1: MATERIAL IDENTIFICATION

Product Name: Drexel Malathion 5EC Insecticide / Miticide

EPA Reg. No.: 19713-217

Product Usage: Insecticide, Miticide

Manufacturer: **Drexel Chemical Company** Address: 1700 Channel Avenue

PO Box 13327

Memphis, Tennessee, 38113-0327, USA

901-774-4370

Emergency Telephone CHEMTREC 800-424-9300 **Numbers:** DREXEL CHEMICAL COMPANY 901-774-4370

This product is an EPA FIFRA registered pesticide. Some of the classifications on this SDS are not the same as the FIFRA label. Certain sections of this SDS are superseded by federal law governed by EPA for a registered pesticide. Refer to SECTION 15: REGULATORY INFORMATION for explanation.

SECTION 2: HAZARD IDENTIFICATION

(As defined by the OSHA Hazard Communication Standard, 29)

Label Elements: Signal Word:

DANGER



Classifications: **Hazard Class:**

Toxicity Study:	Category:
Acute Toxicity, Oral	Category 4
Skin corrosion/irritation	Category 2
Serious eye damage / irritation	Category 2B
Specific Target Organs: Single	Category 1
Specific Target Organs: Repeated	Category 2
Aspiration Liquids	Category 1
Hazard to Aquatic Environment, short term (Acute)	Category 1
Hazard to Aquatic Environment, long-term (Chronic)	Category 1

Hazard Statements: H Code: **Statement:**

H302	Harmful if swallowed
H315	Causes skin irritation
H332	Harmful if inhaled
H320	Causes eye irritation
H304	May be fatal if swallow

ed and enters airways

H370 Causes damage to nervous system

H373 May cause damage to nervous system through prolonged or repeated exposure

H400 Very toxic to aquatic life

H410 Very toxic to aquatic life with long lasting effects

Precautionary Statements:

Prevention:

P Code: **Statement:**

Obtain special instructions before use. P201

P202 Do not handle until all safety precautions have been read and understood.

Drexel Malathion 5EC Page 1 of 9



P261	Avoid breathing dust/fume/gas/mist/vapors/spray.
P262	Do not get in eyes, on skin, or on clothing.
P264	Wash face, hands and any exposed skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P273	Avoid release into the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P281	Use personal protective equipment as required.
P285	In case of inadequate ventilation, wear respiratory protection.

Response:

If in Eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do so. Continue rinsing. Get immediate medical advice/attention.

If Swallowed: Immediately call a POISON CENTER or doctor/physician. Rinse mouth. Do NOT induce

vomiting.

If Inhaled: Remove person to fresh air and keep comfortable for breathing. Call POISON CENTER or

doctor if you feel unwell.

None available/ None known.

If on Skin or Clothing: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention.

Take off contaminated clothing and wash it before reuse.

If exposed or concerned: Get medical attention. NOTE TO PHYSICIAN: This product is a cholinesterase inhibitor.

Atropine is antidotal. 2-PAM may be effective as an adjunct to atropine. Malathion is an Organophosphate. Contains Petroleum distillate. May pose an aspiration pneumonia

hazard.

Material released or spilled: Collect spillage

Storage: Store in a well-ventilated place. Keep container tightly closed (HDPE container). Store

locked up. Store in a cool, dry, and secure area designated specifically for pesticides and

away from heat sources. Always use oldest stock first.

Disposal: Dispose of contents/container in accordance with your local or area regulatory authorities.

SECTION 3: COMPOSITION INFORMATION ON INGRREDIENTS

HNOC (Hazard not otherwise

classified):

Chemical Name: Active Ingredient:	<u>Synonym:</u>	CAS No.:	EC No.:	RTECS:	<u>% By Wt.:</u>
Malathion	Diethyl (dimethoxythio phosphorylthio)succinate	121-75-5	204-497-7	WM8400000	57.0 %
Inert Ingredients:	N/A	N/A	N/A	N/A	43.0 %

SECTION 4: FIRST-AID MEASURES

Have the product container, label and / or Safety Data Sheets (SDS) with you when calling a poison control center or doctor or going for treatment. You may also call CHEMTREC at 800-424-9300 for emergency medical treatment information.

Eye Contact: Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove

contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison

control center or doctor for treatment advice.

If Swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a

glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

Skin/Clothing Contact: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20

minutes. Call a poison control center or doctor for treatment advice.

Drexel Malathion 5EC Page 2 of 9



If Inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give

artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or

doctor for further treatment advice.

Indication of Medical Attention and Special Treatment Needed:

Treat symptomatically.

If medical advice is needed, have product container or label at hand.

Note to Physician: This product is a cholinesterase inhibitor. Atropine is antidotal. 2-PAM may be effective as

an adjunct to Atropine. Malathion is an Organophosphate. Contains petroleum distillate.

May pose an aspiration pneumonia hazard.

SECTION 5: FIRE FIGHTING MEASURES

Fire Fighting Media: Dry chemical, CO₂, Foam, Water fog. Do not use water jet, as this may spread burning

material. Minimize the use of water to avoid environmental contamination. Contain all

runoff.

Fire Fighting Procedures: Keep people away. Isolate fire and deny unnecessary entry. Evacuate the area and fight the

fire from upwind at a safe distance to avoid hazardous vapors or decomposition products. Cool closed containers exposed to fire with water spray, if possible. Dike and collect fire-extinguishing water to prevent environmental damage and excessive waste runoff. Contact your State Pesticide or Environmental Control Agency, or nearest EPA Regional Office for

guidance on disposal.

Special Protective Equipment

for Firefighters:

Wear positive-pressure self-contained breathing apparatus (SCBA) and protective firefighting clothing (includes firefighting helmet, coat, trousers, boots, and gloves). Use full face shield and operate in positive pressure mode. Avoid contact with this material during firefighting operations. If contact is likely, change to full chemical resistant firefighting clothing with self-contained breathing apparatus. If this is not available, wear full chemical resistant clothing with self-contained breathing apparatus and fight fire from a remote location. For protective equipment in post-fire or non-fire clean-up situations, refer to the

relevant sections.

Specific Fire Hazards: Closed containers may rupture if exposed to excess heat or flame due to a build-up of

internal pressure. Material will decompose rapidly when exposed to heat (>212°F/100°C) and flame, increasing the risk of explosion. Thermal decomposition during a fire can

produce fumes and irritating gases.

Flammability classification (OSHA 29 CFR 1910.1200): Combustible

Flash point: 155°F (68.3°C)

Lower flammable limit (% by volume): N/A Upper flammable limit (% by volume): N/A

Hazardous Combustion

Products:

Oxides of sulfur and phosphorus-containing compounds. Incomplete combustion may lead

to formation of carbon monoxide and/or other asphyxiants.

National Fire Protection Association:

NFPA:	Health	Fire	Reactivity
320	3	2	0

Ratings: 4-Extreme 3-High 2-Moderate 1-Slight 0-Insignificant

Drexel Malathion 5EC Page 3 of 9



SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions:

Isolate area. Keep unnecessary and unprotected personnel from entering the area. Refer to SECTION 7: HANDLING AND STORAGE, for additional precautionary measures. Ventilate area of leak or spill. Use appropriate safety equipment. For additional information, refer to SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION.

Environmental Precautions:

Do not flush into surface water or sanitary sewer system. Prevent from entering soil, ditches, sewers, waterways and/or groundwater. Refer to SECTION 12: ECOLOGICAL INFORMATION.

Steps to be taken if Material is Released or Spilled:

Control the spill at its source.

Small spills: Stop the flow of material, if this is without risk. Apply suitable absorbent and sweep up. Collect in suitable

and properly labeled containers. Prevent entry into waterways, sewers, basements or confined areas.

Large spills: Stop the flow of material, if this is without risk. Apply suitable absorbent and sweep up. Collect in suitable

> and properly labeled containers. Contact Drexel Chemical Company for clean-up assistance. Refer to SECTION 13: DISPOSAL CONSIDERATIONS, for additional information. Prevent entry into waterways, sewers,

basements or confined areas.

SECTION 7: HANDLING AND STORAGE

KEEP OUT OF REACH OF CHILDREN

Handling: General Handling: Avoid contact with eyes, skin and clothing. Wash thoroughly after handling. Do not

> swallow. Avoid breathing dust. Avoid breathing vapors. Do not eat, drink or smoke when using this product. Use with adequate ventilation. Wear chemical protective equipment when handling. Wear long-sleeved shirt, long pants and shoes with socks when handling. Keep away from heat, sparks and flame. Do not reuse

this container. Refer to SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION.

Store in a cool, dry, ventilated and secure area designated specifically for pesticides and away from heat Storage:

sources. Keep in original containers and keep containers closed when not in use. Do not store in excessive heat. Never heat above 131°F (55°C), and do not store for long periods of time at a temperature in excess of 77°F (25°C). Do not store near children, food, foodstuffs, drugs or potable water supplies. Always use oldest

stock first.

Incompatible

Malathion can corrode iron, steel, tin plate and copper.

Materials:

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

Occupational Exposure Limits:

Components:	OSHA PEL	ACGIH TLV	OTHER (8-hour TWA)
Malathion	N/A	N/A	15 mg/m³ (skin)
			1 mg/m³ (Inhalable)

THIS SECTION IS FOR MANUFACTURING, COMMERCIAL BLENDING AND PACKAGING WORKERS. APPLICATORS AND HANDLERS SHOULD REFER TO THE PRODUCT LABEL FOR PROPER PERSONAL PROTECTIVE EQUIPMENT AND CLOTHING.

Engineering Controls:

Ventilation:

Investigate engineering techniques to reduce exposures. When handling this product proper ventilation is required to maintain exposure below the TLV. Ventilate all transport vehicles prior to unloading. Facilities storing or utilizing this material should be equipped with an eyewash facility / station and safety shower.

Drexel Malathion 5EC Page 4 of 9



Use engineering controls to maintain airborne level below exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, use only with adequate ventilation. Local exhaust ventilation may be necessary for some operations.

Personal Protection:

Hand

Protection:

Eye/Face Eye contact should be avoided through the use of chemical safety glasses, goggles, or a face shield selected in **Protection**: regard to exposure potential. Wear chemical splash goggles to prevent vapors or mists from entering the eyes.

Where there is potential for eye contact have eye flushing equipment available. Safety glasses with side-

shields.

Ingestion: Avoid ingestion of even very small amounts; do not consume or store food or tobacco in the work area; wash

hands and face thoroughly with soap and water before smoking or eating. Avoid getting wash water in eyes. Use gloves chemically resistant to this material. Examples of preferred glove barrier materials include:

Neoprene, Nitrile/butadiene rubber ("nitrile" or "NBR") or Viton, Polyvinyl chloride ("PVC" or "vinyl"). The selection of gloves for a particular application and duration of use in the workplace should also be taken into account all relevant workplace factors such as, but not limited to: other chemicals which may be handled, physical requirements (cut/ puncture protection, dexterity, thermal protection), potential body reactions to

gloves materials, as well as the instructions / specs provided by the supplier of gloves.

SkinUse protective clothing chemically resistant to this material. Selection of specific items such as face shield, **Protection:**boots, apron. or full body suit will depend on the task. Safety shower should be located in immediate work

boots, apron, or full body suit will depend on the task. Safety shower should be located in immediate work area. Remove contaminated clothing immediately, wash skin area with soap and water, and launder clothing before reuse or dispose of properly. Items which cannot be decontaminated, such as shoes, belts and

watchbands, should be removed and disposed of properly.

Respiratory Respiratory protection should be worn when there is a potential to exceed the exposure limit requirements **Protection**: or guidelines. If there are no applicable exposure limit requirements or guidelines, use an approved respirator.

or guidelines. If there are no applicable exposure limit requirements or guidelines, use an approved respirator. Selection of air-purifying or positive-pressure supplied-air will depend on the specific operation and the potential airborne concentration of the material. When handling in enclosed areas, when large quantities of dusts are generated or prolonged exposure is possible in excess of the TLV, use a respirator with either an organic vapor-removing cartridge with a prefilter approved for pesticides (MSHA/NIOSH approval number

prefix TC-23C) or a canister approved for pesticides (MSHA/NIOSH approval number prefix TC-14G).

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Property Reported Value

Physical State Liquid
Appearance / Color Golden

Odor Mercaptan Odor
Odor threshold Not available
pH 3.0 – 5.0
Melting point Not available
Freezing point <20°F
Boiling point >300°F

Flash point 155°F Evaporation rate Not available Not available Flammability Upper flammability/explosive limits Not available Lower flammability/explosive limits Not available Vapor pressure <24.8 (mmHg) Vapor density Not available Relative density 8.91 lbs. / gal. Emulsifies in water Solubility in water Solubility in organic solvents Not available Partition coefficient (n-octanol/water) Not available

Auto-ignition temperature

Decomposition temperature

Drexel Malathion 5EC Page 5 of 9

Not available

Not available



 $\begin{array}{lll} \mbox{Viscosity} & \mbox{Not available} \\ \mbox{Explosive properties} & \mbox{Not available} \\ \mbox{Oxidizing properties} & \mbox{Not available} \\ \mbox{Dissociation Constant} & \mbox{Not available} \\ \mbox{\% Volatiles} & \mbox{\le} 20\% \\ \end{array}$

Property Note: The physical properties and reported values are typical values based on materials tested but may vary from sample to sample. Thus, typical values should not be construed as a guaranteed analysis of any specific lot/ batch or specification items.

SECTION 10: STABILITY AND REACTIVITY

Reactivity: Thermally stable at typical use temperatures and in closed containers.

Chemical Stability: Stable under recommended storage conditions.

Hazardous Polymerization: The decomposition reactions involve rearrangements and polymerization.

Conditions to Avoid: Avoid heat of open flame. Avoid high temperatures above 130°F (54.4°C). Avoid reducing

agents.

Incompatible Materials: Malathion can corrode iron, steel, tin plate and copper.

Hazardous Decomposition Can include oxides of sulfur and phosphorus-containing compounds. Incomplete

Products: combustion may lead to formation of carbon monoxide and/or other asphyxiants.

SECTION 11: TOXICOLOGICAL INFORMATION

ACUTE TOXICITY

Potential routes of exposure/potential health effects: Skin contact, Eye contact, Ingestion, Inhalation

Acute Oral: LD₅₀ (Rat): >550 mg/kg LD₅₀ (Rat): **Acute Dermal:** >2,000 mg/kg LC₅₀ (Rat): Acute Inhalation: >5.2 mg/L Eye Irritation: (Rabbit): Slightly irritating Skin Irritation: (Rabbit): Slightly irritation Skin Sensitization: (Guinea Pig): Non-sensitizer

Chronic Toxicity: No data available

Carcinogenicity: This product does not contain any materials which are classified as carcinogenic by

OSHA, ACGIH, or NTP.

IARC Malathion is classified by the IARC as probable carcinogen (Group 2A)

Mutagenicity: No data available

Teratogenicity: No data available

Reproductive Toxicity: No data available

Developmental Toxicity: No data available

Specific target organ toxicity- single exposure: No data available / Not classified

Specific target organ toxicity- repeated exposure: No data available / Not classified

Other Hazards Effects: No data available

Drexel Malathion 5EC Page 6 of 9



SECTION 12: ECOLOGICAL INFORMATION

ENVIRONMENTAL FATE

Malathion The information presented below is for the active ingredient Malathion.

ECO-ACUTE TOXICITY

Aquatic Toxicity: Rainbow Trout, LC₅₀ 96 hour 0.18 mg/kg

Bluegill Sunfish, LC₅₀ 96 hour No data available

Daphnia magna, LC₅₀ 48 hour 0.72 mg/L

Arthropod Toxicity: Bees, Acute LD₅₀ Highly toxic to bees

Bird Toxicity: Mallard Duck, LD₅₀ 1,485 mg/kg

Bobwhite Quail, LD₅₀ 359 mg/kg

Algal Toxicity: Green Algae, LC₅₀ 72 hour 4.06 mg/L

Soil Organism Toxicity: Earthworm acute toxicity No data available

Persistence and degradability: Readily biodegradable
Bioaccumulation: No data available
Mobility in soil: Medium mobility

Other adverse effects: Do not contaminate water supplies, lakes, streams, ponds or drains with this product.

SECTION 13: DISPOSAL CONSIDERATIONS

If wastes and/or containers cannot be disposed of according to the product label directions, disposal of this material must be in accordance with your local or area regulatory authorities. This information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. If the material as supplied becomes a waste, follow all applicable regional, national and local laws.

SECTION 14: TRANSPORT INFORMATION

DOT: Packages ≤ 20 gallons Not Regulated

Packages > 20 gallons UN 3082, Environmentally hazardous substances, liquid, n.o.s.,

(Malathion), 9, PG-III, Marine pollutant, RQ 100 lbs.

IMDG: UN 3082, Environmentally hazardous substances, liquid, n.o.s., (Malathion), 9, PG-III, RQ

100 lbs., Marine pollutant

IATA / ICOA: UN 3082, Environmentally hazardous substances, liquid, n.o.s., (Malathion), 9, PG-III, RQ

100 lbs., Marine pollutant

UN Identification No.: UN 3082

Proper Shipping Name: Environmentally hazardous substances, liquid, n.o.s., (Malathion)

Hazard Class: 9
Packing Group: III
Reportable Quantity: 100 lbs.

Environmental Hazard: Marine Pollutant

Freight Description: Agricultural Insecticide, Liquid, N.O.S.

ERG Guide No.: 171

Transport Information Note: Packages ≤ 20 gallons: Not Regulated per Search Results 49 CFR § 171.8

Drexel Malathion 5EC Page 7 of 9



This information is not intended to convey all specific regulatory or operational requirements/information relating to this product. Additional transportation system information can be obtained through an authorized sales or customer service representative. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material.

SECTION 15: REGULATORY INFORMATION

OSHA Hazard Communication

Standard:

This product contains hazardous components as defined under the criteria of the

Federal OSHA Hazardous Communication Standard 29 CFR 1910.1200.

Pesticide Registration: This product is a pesticide registered by the Environmental Protection Agency (EPA) and is

subject to certain FIFRA labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for

safety data sheets (SDS), and for workplace labels of non-pesticide chemicals.

EPA Reg. No.: 19713-217 **FIFRA Label Signal Word:** WARNING

FIFRA Label Information: KEEP OUT OF REACH OF CHILDREN

FIFRA Label Information: HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING: Causes substantial but temporary eye injury. Harmful if swallowed. Harmful if absorbed through skin. Do not get in eyes or on clothing. Avoid contact with skin.

Prolonged or frequently repeated skin contact may cause allergic reactions in some

individuals.

EPCRA SARA Title III Classification:

Section 302: Extremely Hazardous Substance Notification: This material is not known to contain any

Extremely Hazardous Substances.

Sections 311 and 312: Immediate (Acute) Health Hazard: Yes

Delayed (Chronic) Health Hazard: Yes

Fire Hazard: Yes Reactive Hazard: No

Sudden Release of Pressure Hazard: No

Section 313 Toxic Release Inventory (TRI): Malathion, CAS No. 121-75-5, 57%, 313

CERCLA Reportable Quantity (RQ): Malathion, CAS No. 121-75-5, 100 lbs.

SARA 304 Reportable Quantity (RQ): Not listed / Not available

RCRA Hazardous Waste Classification (40 CFR 261): Not listed / Not available

US EPA Toxic Substances Control Act (TSCA): All components of this product are on the TSCA Inventory or are

exempt from TSCA Inventory requirements under 40 CFR 720.30.

California Proposition 65 (Safe Drinking Water and

Toxic Enforcement Act of 1986):

Malathion Listed as causing: Cancer

Listing date: 05/20/2016

Listing basis: LC

This product contains chemicals known to the State of California to cause cancer, birth defects or any other reproductive harm.

Drexel Malathion 5EC Page 8 of 9



SECTION 16: OTHER INFORMATION

Date Issued: June 02, 2020 Date Supersedes: December 03, 2018 Revision: 0

For all non-emergency questions about 1700 Channel Avenue Phone: 901-774-4370 **this product, please contact:** PO Box 13327 Fax: 901-774-4666

Memphis, Tennessee 38113-0327, USA Website: www.drexchem.com

Drexel Chemical Company recommends that each customer or recipient of this SDS to study it carefully and consult appropriate expertise, as necessary or appropriate, to become aware of and understand the data contained in this SDS and any hazards associated with the product. The information herein is provided in good faith and believed to be accurate as of the effective date shown above. However, no warranty, express or implied, is given. Regulatory requirements are subject to change and may differ between various locations. It is the buyer's/user's responsibility to ensure that his activities comply with all federal, state, provincial or local laws. The information presented here pertains only to the product as shipped. Since conditions for use of the product are not under the control of the manufacturer, it is the buyer's/user's duty to determine the conditions necessary for the safe use of this product. Due to the proliferation of sources for information such as manufacturer-specific SDSs, we are not and cannot be responsible for SDSs obtained from any source other than ourselves. If you have obtained an SDS from another source or if you are not sure that the SDS you have is current, please contact us for the most current version.

Drexel Malathion 5EC Page 9 of 9