



The MSDS format adheres to the standards and regulatory requirements of the United States and may not meet regulatory requirements in other countries.

DuPont
Material Safety Data Sheet

Page 1

"DuPont" "HARMONY" EXTRA HERBICIDE (with "TotalSol" soluble granules)
M0000674 Revised 24-AUG-2006

CHEMICAL PRODUCT/COMPANY IDENTIFICATION

Material Identification

"HARMONY" is a registered trademark of DuPont.

"DuPont", "TotalSol" are trademarks of DuPont.

Tradenames and Synonyms

THIFENSULFURON METHYL 50SG
TRIBENURON METHYL 50SG

Company Identification

MANUFACTURER/DISTRIBUTOR
DuPont
1007 Market Street
Wilmington, DE 19898

PHONE NUMBERS

Product Information : 1-800-441-7515 (outside the U.S.
302-774-1000)
Transport Emergency : CHEMTREC 1-800-424-9300(outside U.S.
703-527-3887)
Medical Emergency : 1-800-441-3637 (outside the U.S.
302-774-1000)

COMPOSITION/INFORMATION ON INGREDIENTS

Components

Material	CAS Number	%
THIFENSULFURON METHYL (METHYL 3-[[[(4-METHOXY-6-METHYL-1,3,5- TRIAZIN-2-YL)AMINO]CARBONYL]AMINO] SULFONYL]-2-THIOPHENECARBOXYLATE)	79277-27-3	33.33
*TRIBENURON METHYL (METHYL 2-[[[N-(4-METHOXY-6-METHYL-1,3,5- TRIAZIN-2-YL)METHYLAMINO]CARBONYL]AMINO] SULFONYL]BENZOATE)	101200-48-0	16.67
INERT INGREDIENTS		50

* Disclosure as a toxic chemical is required under Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR part 372.

HAZARDS IDENTIFICATION

Emergency Overview

CAUTION! Causes moderate eye irritation. Avoid contact with eyes, skin, or clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wash thoroughly with soap and water after handling.

Potential Health Effects

Based on animal data, eye contact with Harmony Extra may cause eye irritation with discomfort, tearing, or blurring of vision.

Based on animal data, skin contact with Harmony Extra may cause skin irritation with discomfort or rash.

Carcinogenicity Information

None of the components present in this material at concentrations equal to or greater than 0.1% are listed by IARC, NTP, OSHA or ACGIH as a carcinogen.

FIRST AID MEASURES

First Aid

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF INHALED: No specific intervention is indicated, as the compound is not likely to be hazardous by inhalation. Consult a physician if necessary.

IF INGESTED: No specific intervention is indicated, as the compound is not likely to be hazardous by ingestion. Consult a physician if necessary.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-441-3637 for emergency medical treatment information.

FIRE FIGHTING MEASURES

Flammable Properties

Like most organic powders or crystals, under severe dusting conditions, this material may form explosive mixtures in air.

Extinguishing Media

Water Spray, Foam, Dry Chemical, CO2.

Fire Fighting Instructions

Wear self-contained breathing apparatus. Wear full protective equipment. Runoff from fire control may be a pollution hazard.

ACCIDENTAL RELEASE MEASURES

Safeguards (Personnel)

NOTE: Review FIRE FIGHTING MEASURES and HANDLING (PERSONNEL) sections before proceeding with clean-up. Use appropriate PERSONAL PROTECTIVE EQUIPMENT during clean-up.

Spill Clean Up

Shovel or sweep up.

HANDLING AND STORAGE

Handling (Personnel)

USERS SHOULD: Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.

Storage

Store product in original container only. Do not contaminate water, other pesticides, fertilizer, food or feed in storage.

EXPOSURE CONTROLS/PERSONAL PROTECTION

Personal Protective Equipment

Always follow label instructions when using this product.

Some of the materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for Category A on an EPA chemical-resistance category selection chart.

(EXPOSURE CONTROLS/PERSONAL PROTECTION - Continued)

Applicators and other handlers must wear:

Long-sleeved shirt and long pants.

Chemical Resistant Gloves Category A (such as butyl rubber, natural rubber, neoprene rubber or nitrile rubber) all greater than or equal to 14 mils.

Shoes plus socks.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is:

Coveralls.

Chemical Resistant Gloves Category A (such as butyl rubber, natural rubber, neoprene rubber or nitrile rubber) all greater than or equal to 14 mils.

Shoes plus socks.

Exposure Guidelines

Applicable Exposure Limits

THIFENSULFURON METHYL

PEL (OSHA) : None Established
TLV (ACGIH) : None Established
AEL * (DuPont) : 5 mg/m³, 8 & 12 Hr. TWA

TRIBENURON METHYL

PEL (OSHA) : None Established
TLV (ACGIH) : None Established
AEL * (DuPont) : 1 mg/m³, 8 Hr. TWA

* AEL is DuPont's Acceptable Exposure Limit. Where governmentally imposed occupational exposure limits which are lower than the AEL are in effect, such limits shall take precedence.

PHYSICAL AND CHEMICAL PROPERTIES

Physical Data

Odor : Faint, slightly sour
Form : Solid Granules
Color : Light brown
Density : 0.656 g/mL
pH : 9.5

STABILITY AND REACTIVITY

Chemical Stability

Stable at normal temperatures and storage conditions.

Incompatibility with Other Materials

None reasonably foreseeable.

Decomposition

Decomposes slowly in water.

Polymerization

Polymerization will not occur.

TOXICOLOGICAL INFORMATION

Animal Data

Thifensulfuron Methyl 50SG

Oral LD50:	> 5000 mg/kg in rats
Dermal LD50:	> 5000 mg/kg in rats
4-Hour Inhalation LC50:	> 7.9 mg/L in rats (technical material)

Thifensulfuron Methyl 50SG is not a skin or eye irritant, and is not a skin sensitizer in animals.

THIFENSULFURON METHYL:

The effects in animals from short inhalation exposure to Thifensulfuron Methyl include nonspecific effects such as weight loss, and irritation when compared to the control group.

Repeated ingestion exposures to Thifensulfuron Methyl caused decreased body and organ weights, and some blood chemistry changes, including increased blood urea nitrogen and decreased protein and globulins. Long-term exposures caused

an increase in liver and gall bladder weights, decreased body weight gain, and a decreased level of sodium in the blood when compared to the control group.

No carcinogenic effects were observed in animal tests with Thifensulfuron Methyl. Animal data show developmental effects only at exposure levels producing toxic effects in the adult animal. Tests in animals demonstrate no reproductive toxicity. Thifensulfuron Methyl does not produce genetic damage in bacterial or mammalian cell cultures or animals.

(TOXICOLOGICAL INFORMATION - Continued)

Tribenuron Methyl 50SG

Oral LD50: > 5000 mg/kg in rats
Dermal LD50: > 5000 mg/kg in rats
4-Hour Inhalation LC50: > 6.0 mg/L in rats
(technical material)

Tribenuron Methyl 50SG is not a skin or eye irritant, but is a skin sensitizer in animals.

TRIBENURON METHYL:

The effects in animals from a single ingestion exposure to Tribenuron Methyl include severe weight loss and decreased food consumption. Repeated ingestion of high doses of Tribenuron Methyl caused body weight loss, increased liver and thyroid/parathyroid weights, altered clinical chemical parameters, but no significant gross or microscopic treatment related effects were noted. Long-term dosing caused body weight loss, alteration in clinical chemical parameters, and testicular atrophy (considered to be biologically insignificant).

Tribenuron Methyl produced an increased incidence of mammary tumors in female rats at dose levels also producing other significant effects. Developmental effects occurred in the rat, but only at a dose also toxic to the dam. No reproductive effects were observed in rats. Tribenuron Methyl did not produce genetic damage in bacterial or mammalian cell cultures or in animals.

ECOLOGICAL INFORMATION

Ecotoxicological Information

AQUATIC TOXICITY:

THIFENSULFURON METHYL

96 hour LC50 - Rainbow trout: > 100 mg/L.
96 hour LC50 - Bluegill sunfish: > 100 mg/L.
96 hour EC50 - Freshwater algae: 0.840 - 1.03 mg/L.

AVIAN TOXICITY:

Acute Oral LD50 - Mallard Duck: > 2510 mg/kg.
Acute Dietary LC50 - Mallard Duck: > 5620 mg/kg.
Acute Dietary LC50 - Bobwhite Quail: > 5620 mg/kg.

AQUATIC TOXICITY:

TRIBENURON METHYL

96 hour LC50 - Rainbow trout: > 1000 mg/L.
120 hour, EC50, Freshwater algae: 2.6 - 13.1 mg/L.

AVIAN TOXICITY:

TRIBENURON METHYL

Acute Oral LD50 - Bobwhite Quail: > 2250 mg/kg.
Acute Dietary LC50 - Bobwhite Quail: > 5620 ppm.

(ECOLOGICAL INFORMATION - Continued)

Acute Dietary LC50 - Mallard Duck: > 5620 ppm

DISPOSAL CONSIDERATIONS

Waste Disposal

Do not contaminate water, food, or feed by disposal. Waste resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

ENVIRONMENTAL HAZARDS

Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment washwaters.

Container Disposal

For Plastic Containers: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

For Fiber Sacks: Completely empty fiber sack by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into manufacturing or application equipment. Then dispose of sack in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of out smoke.

Container Refilling and Disposal (For Containers up to 250 gal): REFER TO THE PRODUCT LABEL FOR INSTRUCTIONS.

Container Disposal for Bulk Containers: REFER TO THE PRODUCT LABEL FOR INSTRUCTIONS.

The container must only be refilled with this product. DO NOT REUSE THE CONTAINER FOR ANY OTHER PURPOSE. Do not transport if container is damaged or leaking.

Disposal must be in compliance with state and local regulations.

TRANSPORTATION INFORMATION

Shipping Information

DOT/IMO
Proper Shipping Name : NOT REGULATED

REGULATORY INFORMATION

U.S. Federal Regulations

TITLE III HAZARD CLASSIFICATIONS SECTIONS 311, 312

Acute : Yes
Chronic : No
Fire : No
Reactivity : No
Pressure : No

In the United States this product is regulated by the US Environmental Protection Agency under the Federal Insecticide, Fungicide and Rodenticide Act. It is a violation of federal law to use this product in a manner inconsistent with its labeling.

EPA Reg. No. 352-714

OTHER INFORMATION

NFPA, NPCA-HMIS

NFPA Rating
Health : 1
Flammability : 1
Reactivity : 0

NPCA-HMIS Rating
Health : 1
Flammability : 1
Reactivity : 0

Personal Protection rating to be supplied by user depending on use conditions.

The data in this Material Safety Data Sheet relates only to the specific material designated herein and does not relate to use in combination with any other material or in any process.

Responsibility for MSDS: DuPont Crop Protection
Address : Wilmington, DE 19898
Telephone : 1-888-638-7668

(Continued)

This information is based upon technical information believed to be reliable. It is subject to revision as additional knowledge and experience is gained.

End of MSDS