

**RESTRICTED USE PESTICIDE**

**Toxic to fish and aquatic organisms.**

For retail sale to and use only by certified applicators, or persons under their direct supervision and only for the uses covered by the certified applicator's certification.

**THIS RECOMMENDATION IS MADE AS PERMITTED UNDER FIFRA SECTION 2(ee) AND HAS NOT BEEN SUBMITTED TO OR APPROVED BY THE EPA.**



**2(ee) Recommendation**

**FOR DISTRIBUTION AND USE ONLY IN CALIFORNIA**

THIS PRODUCT BULLETIN CONTAINS NEW OR ADDITIONAL DIRECTIONS FOR USE WHICH ARE RECOMMENDED BY FMC CORPORATION UNDER FIFRA SECTION 2(ee)

**IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH IT LABELING**

**For Agricultural or Commercial Use Only**

CROP	PEST	RATE OF APPLICATION
<b>Caneberries</b> including: Blackberries, Bingleberries, Dewberries, Lowberries, Marionberries, Olallieberries, Youngberries, Loganberries, Raspberries <b>(3 Day PHI)</b>	<b><i>Vinegar Flies (adults)</i></b> <b>(<i>Drosophila spp.</i> Including</b> <b>Spotted-wing <i>Drosophila</i>)</b>	<b>8 - 16 oz / acre.</b>

**DIRECTIONS FOR USE:** Through coverage is essential to achieve control. Use a minimum spray volume of 10 gallons by air or 50 gallons by ground to obtain full coverage of foliage. Multiple applications may be required.

**RESTRICTIONS:**

Do not apply more than 32 ounces product (0.2 lbs active ingredient) per acre per season. One application may be made pre-bloom and a second application may be made post bloom.

**ALL APPLICABLE DIRECTIONS, RESTRICTIONS, AND PRECAUTIONS ON THE EPA REGISTERED BRIGADE® WSB INSECTICIDE/MITICIDE LABEL (EPA REG. NO. 279-3108) MUST BE FOLLOWED. THIS RECOMMENDATION SHOULD BE IN THE POSSESSION OF THE USER AT THE TIME OF PESTICIDE APPLICATION.**



FMC Corporation  
Agriculture Products Group  
1735 Market Street  
Philadelphia, PA 19103

Mustang and FMC - FMC Trademarks  
©2009 FMC Corporation