

# Supplemental Labeling

---



EPA Reg. No.: 279-3158

Expiration Date: This supplemental label expires on February 2, 2020 and must not be used or distributed after this date

## DIRECTIONS FOR USE

### ASPARAGUS and EDAMAME

**IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING. ALL APPLICABLE DIRECTIONS, RESTRICTIONS AND DIRECTIONS ON THE EPA REGISTERED LABEL ARE TO BE FOLLOWED.**

**It is a violation of Federal law to use this product in a manner inconsistent with its labeling. The labeling must be in possession of the user at the time of application. Read the label affixed to the container for Command 3ME Microencapsulated Herbicide before applying. Use of Command 3ME Microencapsulated Herbicide according to this labeling is subject to the use directions and limitations imposed by the label affixed to the container for Command 3ME Microencapsulated Herbicide.**

### ASPARAGUS

Command 3ME Microencapsulated Herbicide may be applied as a soil applied treatment prior to weed emergence for suppression or control of annual grass and broadleaf weeds in asparagus. For a list of weeds controlled, refer to the Weeds Controlled table in the Vegetable Crops section on the packaging label.

Apply 2.6 pints of Command 3ME Microencapsulated Herbicide (1.0 lb ai clomazone) in a minimum of 10 gallons of water per treated acre as a broadcast application to the soil prior to spear emergence. If spears have emerged, make an application after a clean harvest. Cover exposed plants with soil prior to application. Make application at least 14 days prior to harvest.

#### RESTRICTIONS

- Do not apply more than 1.0 lb ai clomazone per acre (2.6 pts per acre Command 3ME Microencapsulated Herbicide) per application.
- Do not apply more than 1.0 lb ai clomazone per acre per year.
- Do not apply within 14 days of harvest for asparagus.
- Do not make more than one application per year.

## **VEGETABLE SOYBEAN (EDAMAME)**

Command 3ME Microencapsulated Herbicide may be applied as a soil applied treatment prior to weed emergence and after seeding for suppression or control of annual grass and broadleaf weeds in edamame. For a list of weeds controlled, refer to the Weeds Controlled table in the Vegetable Crops section on the packaging label.

Apply 1.3 pints of Command 3ME Microencapsulated Herbicide (0.5 lb ai clomazone) in a minimum of 10 gallons of water per treated acre as a broadcast application to the soil prior to weed emergence and after seeding.

### **VEGETABLE SOYBEAN (EDAMAME) RESTRICTIONS**

- Do not apply more than 0.5 lb ai clomazone per acre (1.3 pts per acre Command 3ME Microencapsulated Herbicide) per application.
- Do not apply more than 0.5 lb ai clomazone per acre per year.
- Do not apply within 14 days of harvest.
- Do not make more than one application per year.

**FMC Corporation**  
2929 Walnut Street  
Philadelphia, Pennsylvania 19104

Label code: 031617

Command and FMC - Trademark of FMC Corporation  
©2017 FMC Corporation All Rights Reserved