FIFRA §2(ee) RECOMMENDATION FOR USE IN CONNECTICUT, DELAWARE, ILLINOIS, INDIANA, MAINE, MARYLAND, MASSACHUSETTS, MICHIGAN, MINNESOTA, NEW JERSEY, OHIO, PENNSYLVANIA, RHODE ISLAND, VERMONT, VIRGINIA, WEST VIRGINIA, AND WISCONSIN.

FOR REDUCED RATE ON STRAWBERRIES

Savey[®] 50 DF Ovicide/Miticide

EPA Reg. No. 10163-250

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

All applicable directions, restrictions, and precautions on the EPA-registered label are to be followed.

This labeling must be in the possession of the user at the time of pesticide application.

CROP

Strawberries

PEST

Twospotted spider mite

RATE

Use 3 to 6 ounces per acre

COMMENTS

Use higher rates when pest pressure is heavy or extended residual control is desired.

RESTRICTIONS

- Do not apply more than a total of 6 ozs. formulated product per acre per year.
- Do not make more than one application per year.
- Do not use in strawberry nurseries.
- Do not harvest within 3 days of application.

For more information, please contact your regional Gowan Company sales representative or your local agrichemical dealer. Savey is a registered trademark of Nippon Soda Company, Ltd. March 1, 2001(01-03-02)