



**Special Local Need (SLN) Supplemental Label
FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE OF OREGON**

**CURBIT EC
HERBICIDE**

EPA Reg. No. 34704-610

EPA SLN No. OR-120002

This label is valid until December 31, 2017, or until otherwise amended, withdrawn, or canceled.

**FOR CONTROL OF ANNUAL GRASS AND BROADLEAF WEEDS IN
DILL GROWN FOR OIL**

ACTIVE INGREDIENT: Ethalfluralin	35.4%
OTHER INGREDIENTS:	64.6%
	TOTAL 100.0%

Contains 3 pounds active ingredient per gallon.

***Contains petroleum distillates.**

**KEEP OUT OF REACH OF CHILDREN
DANGER—PELIGRO**

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand this label, find someone to explain it to you in detail.)

- It is a violation of federal law to use this product in a manner inconsistent with its labeling.
- This labeling must be in the possession of the user at the time of application.
- Follow all applicable directions, restrictions, Worker Protection Standard requirements, and precautions on this label and the main EPA label.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic invertebrates. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters or rinsate. Runoff or erosion from treated areas may be hazardous to fish in neighboring areas. Due to risk to plants and animals in aquatic habitats that receive runoff containing this product, use of controls such as a vegetative buffer strip to filter such water flow from recently treated fields is recommended.

DIRECTIONS FOR USE

Specific Use Directions

- Apply Curbit EC as a postplant surface applied herbicide prior to emergence of dill crop and weeds. Broadcast the following rates in at least 20 gallons of water per acre by ground equipment only.

Coarse Soils: 1.5 - 2 pints per acre

Medium Soils: 2 - 2.5 pints per acre

Fine Soils: 2.5 - 3 pints per acre

- Using overhead sprinkler irrigation, activate Curbit EC with a minimum of one-half inch ($\frac{1}{2}$ ") of irrigation water within two (2) days after application. Irrigated fields may be shallowly cultivated without loss of Curbit EC activity.
- Weeds controlled by Curbit EC include barnyardgrass, common lambsquarters, and redroot pigweed.
-

RESTRICTIONS / PRECAUTIONS:

- Do not make more than one application of Curbit EC per season.
- For use under this SLN label do not apply this product through any type of irrigation system or by air.
- Do not apply within 91 days of harvest.
- Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 24 hours.
- Follow all crop rotational crop restrictions on main label.
- Do not apply Curbit EC to soils which are wet, cloddy, or subject to prolonged periods of flooding because poor weed control or crop injury may result.
- Under cool temperature conditions that can delay early seedling emergence or growth, Curbit EC can cause plant injury or crop failure. Be especially cautious during first planting of season when this condition is likely to occur.
- Due to risk to plants and animals in aquatic habitats that receive runoff containing this product, use of controls such as a vegetative buffer strip to filter such water flow from recently treated fields is recommended.

Loveland Products, Inc., Special Conditions and Disclaimer for use of Curbit EC on Dill Grown for Oil

Loveland Products, Inc., intends that this Section 24(c) label be distributed only to end users and/or growers who agree in writing to the terms and conditions required by Loveland Products, Inc. including a waiver and release from all liability and indemnification by the user and/or grower of Loveland Products, Inc., and others for failure to perform and crop damage from the use of Curbit EC on dill grown for oil. If such terms and conditions are unacceptable, return Curbit EC at once unopened.

This product when used on dill grown for oil may lead to crop injury, loss, or damage. Loveland Products, Inc., recommends that the user and/or grower test this product in order to determine its suitability for such intended use. Loveland Products, Inc., make this product available to the user and/or grower solely to the extent the benefit and utility, in the sole opinion of the user and/or grower, outweigh the extent of potential injury associated with the use of this product. The decision to use or not to use Curbit EC must be made by each individual Curbit EC user and/or grower on the basis of possible crop injury from Curbit EC, the severity of weed infestation, the cost of alternative weed controls, and other factors. Loveland Products, Inc., intends that because of the risk of failure to perform or crop damage that all such use is at the user's and/or grower's risk, to the extent consistent with applicable law.

This Special Conditions and Disclaimer statement is required by Loveland Products, Inc. and is not required or enforced by the USEPA or the WSDA.

FIFRA Sec. 24c Registrant:

Loveland Products, Inc.
P.O. Box 1286
Greeley, CO 80632-1286