## RESTRICTED USE PESTICIDE

For retail sale to and use only by certified applicators, or persons under their direct supervision and only for those uses covered by the certified applicator's certification.

THIS RECOMMENDATION IS MADE AS PERMITTED UNDER FIFRA SECTION 2(ee)
AND HAS NOT BEEN SUBMITTED TO OR APPROVED BY THE EPA.



EPA REG. NO. 279-3313

## 2(ee) Recommendation

FOR DISTRIBUTION AND USE ONLY IN THE STATES OF Alabama, Arkansas, Florida, Georgia, Louisiana, Mississippi, Missouri, and Tennessee

THIS PRODUCT BULLETIN CONTAINS NEW OR ADDITIONAL DIRECTIONS FOR THE USE WHICH ARE RECOMMENDED BY FMC CORPORATION UNDER FIFRA SECTION 2(ee).

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

CROP	PEST	RATE OF APPLICATION
Soybeans	Kudzu bug or Bean Plataspid	5.12-6.4 fl oz / acre. (0.08 – 0.1 lb ai/acre)

## **DIRECTIONS FOR USE:**

Apply 5.12-6.4 fl oz/acre (0.08-0.1 lb ai/acre) Brigade Insecticide/Miticide by ground or aerial equipment using sufficient spray volume to obtain full coverage of the plant and foliage. Use a minimum of 2 gallons of finished spray per acre by air or 10 gallons of finished spray per acre by ground. The addition of 1-2 quarts of emulsified oil per acre to the spray solution may improve spray deposition and insect control. Apply as required by scouting. Timing and frequency of applications should be based upon insect populations reaching locally determined economic thresholds.

## **RESTRICTIONS:**

Do not apply more than 19.2 fluid ounces product (0.3 lbs active ingredient) per season. Do not apply within 18 days of harvest.

ALL APPLICABLE DIRECTIONS, RESTRICTIONS, WORKER PROTECTION STANDARDS REQUIREMENTS AND PRECAUTIONS ON THE EPA REGISTERED BRIGADE 2EC INSECTICIDE, EPA REG.NO.279-3313, LABEL MUST BE FOLLOWED. THIS LABEL MUST BE IN THE POSSESSION OF THE USER AT THE TIME OF PESTICIDE APPLICATION.

