

SUPPLEMENTAL LABELING

DuPont Crop Protection

DUPONT™ EXPRESS® HERBICIDE (WITH TOTALSOL™ SOLUBLE GRANULES)

DUPONT™ EXPRESS® HERBICIDE (WITH TOTALSOL™ SOLUBLE GRANULES)

EPA Reg. No. 352-632

FOR WEED CONTROL IN GRASS GROWN FOR SEED ONLY IN THE STATES OF IDAHO, OREGON, WASHINGTON AND UTAH

GENERAL INFORMATION

DuPont™ EXPRESS® Herbicide (with TotalSol™ soluble granules), referred to below as EXPRESS® is recommended for selective postemergence control/suppression of certain broadleaf weeds in seedling and established stands of bentgrass, bluegrass, annual ryegrass, orchardgrass, tall fescue, and fine fescue grown for seed. EXPRESS® may be used on seedling and established perennial ryegrass providing user accepts all risk of possible crop injury and/or reduced seed yield. See the "Use Rates" section of the EPA approved label.

EXPRESS® may cause temporary yellowing and stunting of grass. Best results are obtained when EXPRESS® is applied to young, actively growing weeds. The degree of control and duration of effect are dependent on the rate used, sensitivity and size of target weeds and environmental conditions at the time of and following application.

Note: Certain varieties of grass may be sensitive to EXPRESS®. When using EXPRESS® for the first time on a particular variety, limit use to one 10 ounce container.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

USE RATES AND TANK MIXES WITH OTHER HERBICIDES

BENTGRASS, BLUEGRASS, ANNUAL RYEGRASS, ORCHARDGRASS, FINE FESCUE AND TALL FESCUE

Seedling Stands: For best results apply EXPRESS® in a tank mix with another suitable broadleaf herbicide.

For use on annual ryegrass, orchardgrass, tall fescue and fine fescue, apply at 1/4 oz/A after stand is in 4-leaf stage.

For use on bentgrass, apply at 1/4 oz/A after stolens are 3 to 5 inches across.

For use on bluegrass, apply at 1/4 to 1/2 oz/A after stand is in 4-leaf stage.

Established Stands: For stands that have been established for at least one growing season (fall or spring), apply EXPRESS® at 1/4 to 1/2 oz/A in a tank mix with another suitable broadleaf herbicide. Use the higher rate for larger weeds and hard to control weeds like wild carrot. Apply prior to jointing.

PERENNIAL RYEGRASS

Perennial ryegrass is more sensitive to EXPRESS® than other grass species. Crop injury in the form of stunting and possible reduced seed yield may occur. To minimize the risk of crop injury, use the 1/4 oz/A rate and always use either 2,4-D or dicamba and liquid nitrogen with EXPRESS®.

Seedling Stands: Apply EXPRESS® at 1/4 oz/A in a tank mix with another suitable broadleaf herbicide after grass is in 5- to 6-leaf stage.

Established Stands: For stands that have been established for one growing season (fall or spring) apply EXPRESS® at 1/4 oz/A to 1/2 oz/A in a tank mix with another suitable broadleaf herbicide. Apply prior to jointing.

Note: The 1/2 oz rate of EXPRESS® should be used only for the control or suppression of problem weeds like wild carrot where the benefit of weed control can be offset by possible crop injury including possible yield reduction.

TANK MIXTURES

Always use EXPRESS® in a tank mix with another broadleaf herbicide such as 2,4-D, MCP or dicamba as these herbicides safen the effects of EXPRESS® on grasses while improving weed control performance on most broadleaf weeds. Testing has

shown that 2,4-D and dicamba are more effective in a tank mix with DuPont™ EXPRESS® than MCP. The addition of liquid fertilizer is also recommended. See “With Liquid Nitrogen Solution Fertilizer” section of the EPA approved label.

Use a minimum of 1/4 to 1/2 lb. ai/A of 2,4-D or MCP (8 to 16 fluid ounces of 4 lb/gal product).

Use a minimum of 1/8 to 1/4 lb ai/A of dicamba (such as 4 to 8 fluid ounces of "Banvel" or “Clarity”).

Liquid Fertilizer

EXPRESS® can be applied with liquid fertilizers. Liquid fertilizers (20%, 28%, 32% N at a minimum of 4 gallons/100 gallons of spray solution) enhance the performance of EXPRESS® and improve crop safety. Always use a surfactant and another broadleaf herbicide when using liquid fertilizer with EXPRESS®.

“Banvel” is a registered trademark of BASF Corporation

IMPORTANT

BEFORE USING THIS HERBICIDE, READ AND CAREFULLY NOTE THE CAUTIONARY STATEMENTS AND OTHER PROCEDURAL INFORMATION APPEARING ON THE EPA REGISTERED LABEL OR ON OTHER SUPPLEMENTAL LABELS.

This bulletin contains new or supplemental instructions for use of these products in combination which does not appear on the package label. Follow the instructions carefully.

This labeling must be in the possession of the user at the time of pesticide application.

(Replaces H-65352)

R-341-3 30706 03-01-04