

THIS RECOMMENDATION IS MADE AS PERMITTED UNDER FIFRA SECTION 2(ee) AND HAS NOT BEEN SUBMITTED TO OR APPROVED BY THE EPA.

RESTRICTED USE PESTICIDE
Toxic to fish and aquatic organisms.
 For retail sale to and use only by certified applicators, or persons under their direct supervision and only for the uses covered by the certified applicator's certification.



2(ee) Recommendation
FOR CONTROL OF KUDZU BUG OR BEAN PLATASPID ON SOYBEANS
Not for use in AK, CA, DC, IN, NH, NM, NY & TX
IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING

EPA Registration No. 279-3315

CROP	PEST	RATE OF APPLICATION
Soybeans	Kudzu bug or Bean Plataspid	6.4 to 10.3 oz/A

DIRECTION FOR USE: Apply 6.4 to 10.3 oz/A HERO insecticide by ground or air equipment using sufficient water to obtain full coverage of foliage (minimum of 10 gallons by ground and 2 gallons by air). Thorough coverage is essential to achieve control. Apply as required by scouting. Timing and frequency of applications should be based upon insect populations reaching locally determined economic threshold levels. Under heavy outbreak conditions tankmixing with another insecticide or use of HERO in a sequential insecticide program with an insecticide labeled for this insect pest is recommended. HERO may be used in a sequential insecticide program with STALLION insecticide where sequential applications are made no earlier than 7 days apart.

RESTRICTIONS: Do not apply more than 10.3 fluid ounces of product or 0.10 pound active ingredient per acre per season. Do not apply more than 41.2 fluid ounces of product or 0.40 pound active ingredient per acre per season. Do not sequentially apply HERO less than 30 days apart. Do not graze or harvest treated soybean forage, straw, or hay for livestock feed. Do not harvest soybeans within 21 days of a HERO application.

ALL APPLICABLE DIRECTIONS, RESTRICTIONS, WORKER PROTECTION STANDARDS REQUIREMENTS AND PRECAUTIONS ON THE EPA REGISTERED HERO INSECTICIDE LABEL MUST BE FOLLOWED. THIS RECOMMENDATION MUST BE IN THE POSSESSION OF THE USER AT THE TIME OF PESTICIDE APPLICATION.