

RESTRICTED USE PESTICIDE

Toxic to fish and aquatic organisms.

For retail sale to and use only by certified applicators, or persons under their direct supervision and only for the uses covered by the certified applicator's certification.

THIS RECOMMENDATION IS MADE AS PERMITTED UNDER FIFRA SECTION 2(ee) AND HAS NOT BEEN SUBMITTED TO OR APPROVED BY THE EPA.



2(ee) Recommendation

FOR DISTRIBUTION AND USE ONLY IN OREGON

THIS PRODUCT BULLETIN CONTAINS NEW OR ADDITIONAL DIRECTIONS FOR USE WHICH ARE RECOMMENDED BY FMC CORPORATION UNDER FIFRA SECTION 2(ee)

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH IT LABELING

For Agricultural or Commercial Use Only

CROP	PEST	RATE OF APPLICATION
Bushberries including: blueberry; Caneberries Grape	<i>Vinegar Flies (adults)</i> <i>(Drosophila spp.)</i>	10.3 fl oz / acre. (0.10 lb ai/A)

DIRECTIONS FOR USE: Thorough coverage is essential to achieve control. Apply by ground or air using sufficient spray volume to obtain full coverage of foliage. Multiple applications may be required

BUSHBERRIES (1 Day PHI): Use a minimum spray volume of 20 gallons by ground and 2 gallons by air. Do not make applications less than 7 days apart.

CANE BERRIES (3 Day PHI): Use a minimum spray volume of 50 gallons by ground and 10 gallons by air. Do not make applications less than 7 days apart

GRAPES (30 Day PHI): Use a minimum spray volume of 25 gallons by ground and 10 gallons by air. Do not make applications less than 7 days apart

RESTRICTIONS:

Refer to Hero section 3 label for restrictions.

ALL APPLICABLE DIRECTIONS, RESTRICTIONS, AND PRECAUTIONS ON THE EPA REGISTERED HERO INSECTICIDE LABEL (EPA REG. NO.279-3315) MUST BE FOLLOWED. THIS RECOMMENDATION SHOULD BE IN THE POSSESSION OF THE USER AT THE TIME OF PESTICIDE APPLICATION.



FMC Corporation
Agriculture Products Group
1735 Market Street
Philadelphia, PA 19103

Hero and FMC -FMC Trademarks
©2010 FMC Corporation