

RESTRICTED USE PESTICIDE

Toxic to fish and aquatic organisms.

For retail sale to and use only by certified applicators, or persons under their direct supervision and only for the uses covered by the certified applicator's certification.

THIS RECOMMENDATION IS MADE AS PERMITTED UNDER FIFRA SECTION 2(ee) AND HAS NOT BEEN SUBMITTED TO OR APPROVED BY THE EPA.



EPA Registration No. 279-3315

2(ee) Recommendation
FOR DISTRIBUTION AND USE ONLY IN Pennsylvania,
IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING
THIS PRODUCT BULLETIN CONTAINS NEW OR ADDITIONAL DIRECTIONS FOR USE WHICH ARE RECOMMENDED BY FMC CORPORATION UNDER FIFRA SECTION 2(ee)

CROP	PEST	RATE OF APPLICATION
Sweet Corn (Grain and Silage), Sweet Corn Grown For Seed.	Brown Marmorated Stinkbug	7.1 to 10.3 oz/A

DIRECTION FOR USE: Apply 7.1 to 10.3 oz/A HERO insecticide by ground or air equipment using sufficient water to obtain full coverage of foliage (minimum of 20 gallons by ground and 2-5 gallons by air). When applying by air, 1-2 quarts of emulsifiable oil may be substituted for 1-2 quarts of water in the finished spray. Thorough coverage is essential to achieve control. Timing and frequency of applications should be based upon insect populations reaching locally determined economic threshold levels. Apply as required by scouting. Apply at a minimum 3 to 5 day intervals or as needed for control under heavy insect pressure. Under heavy outbreak conditions tankmixing with another insecticide or use of HERO in a sequential insecticide program with an insecticide labeled for this insect pest is recommended. HERO may be used in a sequential insecticide program with STALLION insecticide where sequential applications may be warranted.

RESTRICTIONS: Do not apply more than 10.3 fluid ounces of product or 0.10 pound active ingredient per acre per season. Do not apply more than 27.39 ounces of product or 0.266 pounds active per acre per season. Do not harvest sweet corn within 3 days of last application. Do not graze livestock in treated areas or cut treated crops for feed within 3 days of the last application. Use of ultra low volume (ULV) application on corn is prohibited. Do not make aerial or ground applications to corn if heavy rainfall is imminent.

ALL APPLICABLE DIRECTIONS, RESTRICTIONS, WORKER PROTECTION STANDARDS REQUIREMENTS AND PRECAUTIONS ON THE EPA REGISTERED HERO INSECTICIDE LABEL MUST BE FOLLOWED.