

RESTRICTED USE PESTICIDE

Toxic to fish and aquatic organisms.

For retail sale to and use only by certified applicators, or persons under their direct supervision and only for the uses covered by the certified applicator's certification.

THIS RECOMMENDATION IS MADE AS PERMITTED UNDER FIFRA SECTION 2(ee) AND HAS NOT BEEN SUBMITTED TO OR APPROVED BY THE EPA.



2(ee) Recommendation

FOR DISTRIBUTION AND USE ONLY IN ARIZONA

THIS PRODUCT BULLETIN CONTAINS NEW OR ADDITIONAL DIRECTIONS FOR USE WHICH ARE RECOMMENDED BY FMC CORPORATION UNDER FIFRA SECTION 2(ee)

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH IT LABELING

For Agricultural or Commercial Use Only

CROP	PEST	RATE OF APPLICATION
Cotton Cucurbit Tomato Eggplant Okra Pepper, bell and non-bell Head lettuce Head & Stem Brassica Leafy Brassica Succulent Peas and Beans Dry Peas and Beans Root and Tuber Vegetables Group 1 (except sugar beets)	Bagrada bug (<i>Bagrada hilaris</i>)	5.6 -11.2 fl oz / acre.

DIRECTIONS FOR USE: Through coverage is essential to achieve control. Apply by ground or air using sufficient spray volume to obtain full coverage of foliage. Multiple applications may be required.

COTTON (14 Day PHI): Use a minimum spray volume of 5 gallons by ground and 1 gallon by air. Restrictions: Do not apply more than 50.5 fl oz Hero EW (0.45 pounds active ingredient) per acre per season.



FMC Corporation
Agriculture Products Group
1735 Market Street
Philadelphia, PA 19103

Hero EW and FMC -FMC Trademarks
©2009 FMC Corporation

CUCURBITS (3 day PHI)

Use a minimum spray volume of 20 gallons by ground and 5 gallon by air.

Restrictions:

- Do not apply more than 44.8 fl oz Hero EW (0.4 pounds active ingredient) per acre per season.

Do not make applications less than 7 days apart.

Tomato (1 Day PHI):

Use a minimum spray volume of 15 gallons by ground and 2 gallons by air.

Restrictions:

- Do not apply more than 47.2 fl oz Hero EW (0.42 pounds active ingredient) per acre per season.
- Do not make applications less than 10 days apart.

EGGPLANT; OKRA; and PEPPERS, bell and non-bell (7 day PHI):

Use a minimum spray volume of 10 gallons by ground and 2 gallon by air.

Restrictions:

- Do not apply more than 29.9 fl oz Hero EW (0.266 pounds active ingredient) per acre per season.
- Do not make applications less than 7 days apart.

HEAD LETTUCE; HEAD & STEM BRASSICA; & LEAFY BRASSICA (7 day PHI):

Use a minimum spray volume of 15 gallons by ground and 5 gallon by air.

Restrictions:

- Do not apply more than 50.4 fl oz Hero EW (0.45 pounds active ingredient) per acre per season.
- Do not make applications less than 7 days apart.

SUCCULENT PEAS AND BEANS (3 day PHI)

Use a minimum spray volume of 10 gallons by ground and 2 gallon by air.

Restrictions:

- Do not apply more than 29.86 fl oz Hero EW (0.266 pounds active ingredient) per acre per season.
- Do not make applications less than 5 days apart.

DRY PEAS AND BEANS (21 day PHI)

Use a minimum spray volume of 10 gallons by ground and 2 gallon by air.

Restrictions:

- Do not apply more than 29.86 fl oz Hero EW (0.266 pounds active ingredient) per acre per season.
- Do not make applications less than 7 days apart.

ROOT AND TUBER VEGETABLES GROUP 1 (except sugar beet and potato)

Use a minimum spray volume of 25 gallons by ground and 3 gallon by air.

Restrictions:

- Do not apply more than 50.4 fl oz Hero EW (0.45 pounds active ingredient) per acre per season.
- Do not make applications less than 21 days apart.

ALL APPLICABLE DIRECTIONS, RESTRICTIONS, AND PRECAUTIONS ON THE EPA REGISTERED HERO EW INSECTICIDE LABEL (EPA REG. NO. 279-3329) MUST BE FOLLOWED. THIS RECOMMENDATION SHOULD BE IN THE POSSESSION OF THE USER AT THE TIME OF PESTICIDE APPLICATION.



FMC Corporation
Agriculture Products Group
1735 Market Street
Philadelphia, PA 19103

Hero EW and FMC -FMC Trademarks
©2009 FMC Corporation