

# FIFRA Section 24 (c) Special Local Need FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE OF FLORIDA

## Fyfanon® ULV AG ULTRA LOW VOLUME CONCENTRATE INSECTICIDE

FIFRA 24 (c)  
Special Local Need Label  
For Control of Caribbean Fruit Fly in Peaches  
EPA SLN. No. FL-180002

EPA Reg. No. 279-3540  
EPA SLN No. FL-180002

Active Ingredients  
Malathion\*\* .....96.5%  
Inert Ingredients.....3.5%  
100.00%  
Fyfanon® ULV AG contains 9.9 pounds active  
Ingredients per gallon  
\*\*O,O-dimethyl phosphorodithioate of diethyl  
mercaptosuccinate

It is a violation of State and Federal Law to use this product in a manner inconsistent with its labeling. Persons using this product must comply with all applicable directions, restrictions, and precautions found on this labeling and that of the label of the federally registered product upon which this amendment is based. This label and the federal label for this product must be in the possession of the user at the time of pesticide application. Follow all applicable directions, restrictions, and precautions on this Supplemental label and the main EPA-registered label.

### **CAUTION** **PRECAUTIONARY STATEMENTS** **Hazards to Humans and Domestic Animals** **Keep Out of Reach of Children**

Harmful by swallowing, inhalation or skin contact. Avoid contact with skin. Avoid breathing spray mist. Do not contaminate food or feed products.

IN CASE OF A MEDICAL EMERGENCY INVOLVING THIS PRODUCT, CALL TOLL FREE, DAY OR NIGHT, 1-(800)-331-3148.

### **FIRST AID**

**This product is an organophosphate and is a cholinesterase inhibitor.**

- IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
- IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.
- IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
- IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

**NOTE TO PHYSICIAN:** This pesticide is a cholinesterase inhibitor. Treat symptomatically. Atropine is antidotal.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-(800)-331-3148 for emergency medical treatment information.

**PERSONAL PROTECTIVE EQUIPMENT:** Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for category F on an EPA chemical-resistance category selection chart.

Applicators and other handlers must wear:

- Long sleeved shirt and long pants
- Chemical-resistant gloves such as Barrier-Laminate, Butyl Rubber, Nitrile Rubber, or Viton.
- Shoes plus socks

Follow manufacturer's instructions for cleaning/maintain PPE. If not such instructions for washable, use detergent and hot water. Keep and wash PPE separately from other laundry.

**ENGINEERING CONTROLS STATEMENTS:** When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240 (d) (4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

**User Safety Recommendations:**

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

**ENVIRONMENTAL HAZARDS**

This pesticide is toxic to fish, aquatic invertebrates, and aquatic life stages of amphibians. For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Drift and runoff may be hazardous to aquatic organisms in areas near the application site. Do not contaminate water when disposing of equipment washwaters.

This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area. Protective information may be obtained from your Cooperative Agricultural Extension Service.

**IMPORTANT NOTICE**

All applicable directions, restrictions, Worker Protection Standard requirements and precautions on the EPA registered label are to be followed. Undiluted spray droplets of Fyfanon ULV will permanently damage vehicle paint finishes.

This labeling contains supplemental instructions and restrictions for use of this product which may not appear on the package label.

**DIRECTIONS FOR USE**

Crop/Site	Target Pest	Application Rate	Droplet Size	Method of Application	Frequency and Timing of Application
Peaches	Caribbean Fruit Fly	2.4 oz. Malathion formulation to 9.6 oz. protein hydrolysate per acre	6-8 mm	Aerial or ground	7 – 10 day intervals

Peach foliage must be dry when application is made  
Apply to underside of canopy if treatment by ground

**Use Restriction:** Aerial application is prohibited to adjacent non-croplands containing humans, domestic animals or occupied structures unless prior written informed consent is obtained from landowner(s) and occupant(s). Group application to adjacent non-croplands containing humans, domestic animals or occupied structures must be made with spray application directed away from occupied structures/humans/animals

The interaction of equipment and weather-related factors determines the potential for spray drift. Apply only when weather conditions are favorable. Wind and rising air currents may cause undesirable spray drift and reduce insect control. Temperature inversions can restrict vertical air mixing. Do not make aerial applications during temperature inversions due to the high potential for drift.

This product may not be applied through any type of irrigation equipment.

Fyfanon® ULV is registered trademark of FMC Corporation  
©2018 All rights reserved.  
Version: 1-25-2018

**FMC**

24(c) Registrant  
FMC Corporation  
2929 Walnut Street  
Philadelphia, PA 19104