

An Employee-Owned Company

Issue Date 15-Jan-2015

Revision Date 24-Jan-2020

Version 4

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier. Product Name

Gordon's® BRUSHMASTER® Herbicide

Other means of identificationProduct CodePBI FP 774-1EPA Pesticide Registration Number2217-774

Recommended use of the chemical and restrictions on useRecommended UseHerbicideUses advised againstNo information available

Details of the supplier of the safety data sheet

Supplier Address PBI-Gordon Corporation P.O. Box 860350 Shawnee, KS 66286 Company Name PBI-Gordon Corporation P.O. Box 860350 Shawnee, KS 66286 Manufacturer PBI-Gordon Corporation P.O. Box 860350 Shawnee, KS 66286

SAFETY DATA SHEET

Emergency telephone number

24 Hour Emergency Phone Number Chemtrec 1-800-424-9300

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute Inhalation Toxicity - Dusts and Mists	Category 4
Skin Corrosion/Irritation Category	Category 2
Serious eye damage/eye irritation	Category 2B
Aspiration hazard	Category 1
Acute Aquatic Toxicity	Category 2
Chronic Aquatic Toxicity	Category 2
Flammable liquids	Category 4

Label elements

Signal word

Emergency Overview

Danger
Hazard statements • Harmful if inhaled • Causes skin irritation • Causes eye irritation • May be fatal if swallowed and enters airways • Toxic to aquatic life with long lasting effects • Combustible liquid

Appearance Clear

Physical state Liquid

Odor Esters

Precautionary Statements - Prevention

Avoid breathing dust/fume/gas/mist/vapors/spray Use only outdoors or in a well-ventilated area Contaminated work clothing must not be allowed out of the workplace Keep away from flames and hot surfaces. - No smoking Keep cool Wear protective gloves/protective clothing/eve protection/face protection

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing IF ON SKIN: Wash with plenty of water and soap Call a POISON CENTER or doctor if you feel unwell Take off contaminated clothing and wash it before reuse If skin irritation or rash occurs: Get medical advice/attention IF INHALED: Remove person to fresh air and keep comfortable for breathing Call a POISON CENTER or doctor IF SWALLOWED: Immediately call a POISON CENTER or doctor Do NOT induce vomiting In case of fire: Use CO2, dry chemical, or foam to extinguish

Precautionary Statements - Storage

Store locked up Store in a well-ventilated place. Keep container tightly closed

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Have the product label with you when calling a poison control center or doctor or going in for treatment. You may also contact 1-877-800-5556 for emergency medical treatment advice.

The low flash point of this product is due to a minor component in the mixture. Based on independent laboratory testing of similar products, this product would not sustain combustion as specified in DOT Regulation 49 CFR 173 Appendix H; however OSHA HCS 2012 flammable classifications are solely based on tested mixture flash points and boiling points.

Other information

Not applicable.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not applicable.

Mixture

Chemical name	CAS-No	Weight-%
Trade Secret	Trade secret	20-30*
2,4-D, 2-ethylhexyl ester	1928-43-4	18.85
2,4-DP-p, 2-ethylhexyl ester	865363-39-9	9.24
3,6-Dichloro-o-anisic acid (Dicamba)	1918-00-9	3.01
Trade Secret	Trade secret	0-1*

* The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures

General advice

Show this safety data sheet to the doctor in attendance.

Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Remove contact lenses, if present and easy to do. Continue rinsing. If symptoms persist, call a physician.	
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If symptoms persist, call a physician.	
Inhalation	Remove to fresh air. Aspiration into lungs can produce severe lung damage. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Delayed pulmonary edema may occur. If breathing has stopped, give artificial respiration. Get medical attention immediately.	
Ingestion	Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. ASPIRATION HAZARD IF SWALLOWED - CAN ENTER LUNGS AND CAUSE DAMAGE. If vomiting occurs spontaneously, keep head below hips to prevent aspiration. Call a physician.	
Self-protection of the first aider	Avoid contact with skin, eyes or clothing. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Use personal protective equipment as required.	
Most important symptoms and effe	ects, both acute and delayed	
Symptoms	No information available	
Indication of any immediate medic	al attention and special treatment needed	
Note to physicians	Treat symptomatically. Because of the danger of aspiration, emesis or gastric lavage should not be employed unless the risk is justified by the presence of additional toxic substances. May pose an aspiration pneumonia hazard. Contains petroleum distillates.	
	5. FIRE-FIGHTING MEASURES	
Suitable Extinguishing Media	Dry chemical. Carbon dioxide (CO2). Alcohol resistant foam.	
Unsuitable extinguishing media	Water spray.	
Specific hazards arising from the chemical	In the event of fire and/or explosion do not breathe fumes. Thermal decomposition can lead to release of irritating and toxic gases and vapors.	
Explosion data Sensitivity to mechanical impace Sensitivity to static discharge		
Special protective equipment for fire-fighters	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.	
	6. ACCIDENTAL RELEASE MEASURES	
Personal precautions, protective e	quipment and emergency procedures	
Personal precautions	Evacuate personnel to safe areas. Use personal protective equipment as required. See section 8 for more information. Do not touch or walk through spilled material. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak.	
Environmental precautions		
Environmental precautions	Prevent entry into waterways, sewers, basements or confined areas Do not flush into surface water or sanitary sewer system Prevent further leakage or spillage if safe to do so Prevent product from entering drains See Section 12 for additional ecological information Avoid release to the environment Dispose of contents/container to an approved waste disposal plant Collect spillage	

Other information	Refer to protective measures listed in Sections 7 and 8.			
Methods and material for containm	Methods and material for containment and cleaning up			
Methods for containment	Stop leak if you can do it without risk. Do not touch or walk through spilled material. Dike far ahead of liquid spill for later disposal.			
Methods for cleaning up	Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.			
7. HANDLING AND STORAGE				
Precautions for safe handling				
Advice on safe handling	Use personal protection equipment. Do not breathe vapor or mist. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.			

Conditions for safe storage, including any incompatibilities

Storage ConditionsKeep containers tightly closed in a dry, cool and well-ventilated place. Keep in properly
labeled containers. Keep out of the reach of children. Keep from freezing.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Limits

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
2,4-D, 2-ethylhexyl ester	TWA: 10 mg/m ³ inhalable fraction	TWA: 10 mg/m ³	IDLH: 100 mg/m ³ , TWA: 10 mg/m ³
1928-43-4	S^		
Trade Secret	TWA: 20 ppm	TWA: 100 ppm	IDLH: 1400 ppm
		TWA: 300 mg/m ³	Ceiling: 50 ppm
		(vacated) S*	Ceiling: 150 mg/m ³
		(vacated) Ceiling: 50 ppm	
		(vacated) Ceiling: 150 mg/m ³	

Other Information

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Appropriate engineering controls

Engineering controls	Showers
	Eyewash stations
	Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection	Tight sealing safety goggles.
Hand protection	Chemical resistant gloves.
Skin and body protection	Wear long-sleeved shirt, long pants, socks and shoes.
Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.
General hygiene considerations	Do not eat, drink or smoke when using this product. Contaminated work clothing should not

be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Appearance Color Odor Odor threshold

Property pН Melting point/freezing point Boiling point / boiling range Flash point Evaporation rate Flammability (solid, gas) Flammability Limit in Air Upper flammability limit: Lower flammability limit: Vapor pressure Vapor density **Specific Gravity** Water solubility Solubility in other solvents Partition coefficient Autoignition temperature **Decomposition temperature**

Other Information Liquid Density Bulk density Liquid Clear Yellow to Light brown Esters No information available

Values No data available <35 °F No data available 88 °C / 190 °F < 1 No data available No data available No data available <10 mm Hg <1 0.95247 Emulsifiable No data available No data available No data available

7.93 pounds/gallon No information available

No data available

Remarks • Method None known

None known CC (closed cup)

None known None known

None known None known None known

Reactivity

No information available.

Stability

Stable under recommended storage conditions

Possibility of hazardous reactions None under normal processing.

Hazardous polymerization

Will not occur.

<u>Conditions to avoid</u> Keep out of reach of children.

Incompatible materials

Strong acids. Strong bases. Strong oxidizing agents.

Hazardous decomposition products

May emit toxic fumes under fire conditions. Hydrogen chloride. Carbon monoxide. Organochlorides.

11. TOXICOLOGICAL INFORMATION

10. STABILITY AND REACTIVITY

Information on likely routes of exposure

Product Information	
Inhalation	Harmful if inhaled.
Eye contact	Causes eye irritation.
Skin contact	Causes skin irritation.
Ingestion	Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Potential for aspiration if swallowed. May cause lung damage if swallowed. Aspiration may cause pulmonary edema and pneumonitis.

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Trade Secret	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 5.2 mg/L (Rat)4 h
2,4-D, 2-ethylhexyl ester 1928-43-4	= 300 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 5.4 mg/L (Rat)4 h
3,6-Dichloro-o-anisic acid (Dicamba) 1918-00-9	= 1039 mg/kg (Rat)	= 1716 mg/kg (Rabbit)> 1 g/kg (Rat)> 2 g/kg (Rabbit)	-
Trade Secret	= 700 mg/kg (Rat)= 790 mg/kg (Rat)	= 3400 mg/kg (Rabbit)= 3402 mg/kg (Rabbit)	> 8000 ppm (Rat)4 h

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms

No information available.

Acute toxicity

Numerical measures of toxicity - Product Information

<u>Unknown Toxicity</u>	
96 % of the mixture consists of i	ngredient(s) of unknown toxicity

LD50 Oral	2154 mg/kg (rat)
LD50 Dermal	> 2000 mg/kg (rabbit)
LC50 Inhalation (DUST)	> 5.29 mg/L (rat, 4 hr)

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	Causes skin irritation.		
Serious eye damage/eye irritation	Causes eye irritation.		
Respiratory or skin sensitization	Not a skin sensitizer.		
Germ cell mutagenicity	No information available.		
Carcinogenicity	The International Agency for Research on Cancer (IARC) lists chlorophenoxy herbicides in its Group 2B (limited evidence for Carcinogenicity in humans.) The US EPA has given the chlorophenoxy Herbicides 2,4-D, 2,4-DP, MCPP, and MCPA a Class D classification (not classifiable as to human carcinogenicity.) More current 2,4-D lifetime feeding studies in rats and mice did not show carcinogenic effects and a recent World Health Organization (WHO) review of 2,4-D toxicology has concluded that 2,4-D is not a carcinogen.		

Chemical name	ACGIH	IARC	NTP	OSHA
2,4-D, 2-ethylhexyl ester	-	Group 2B	-	Х
1928-43-4				

Legend

IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans OSHA (Occupational Safety and Health Administration of the US Department of Labor) X - Present

Reproductive toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Aspiration hazard	May be fatal if swallowed and enters airways.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Toxic to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Trade Secret	-	45: 96 h Pimephales promelas mg/L LC50 flow-through 2.4: 96 h Oncorhynchus mykiss mg/L LC50 static 2.2: 96 h Lepomis macrochirus mg/L LC50 static	-	4720: 96 h Den-dronereides heteropoda mg/L LC50
2,4-D, 2-ethylhexyl ester 1928-43-4	30: 120 h Pseudokirchneriella subcapitata mg/L EC50 30: 120 h Pseudokirchneriella subcapitata mg/L EC50 static	7.8: 96 h Oncorhynchus mykiss mg/L LC50 static 11.5: 96 h Lepomis macrochirus mg/L LC50 static 6 - 8.7: 96 h Oncorhynchus mykiss mg/L LC50 flow-through	-	-
Trade Secret	500: 96 h Desmodesmus subspicatus mg/L EC50 500: 72 h Desmodesmus subspicatus mg/L EC50	1740: 96 h Pimephales promelas mg/L LC50 flow-through 1730 - 1910: 96 h Pimephales promelas mg/L LC50 static 100000 - 500000: 96 h Lepomis macrochirus μg/L LC50 static 1910000: 96 h Pimephales promelas μg/L LC50 static	EC50 = 2041.4 mg/L 5 min EC50 = 2186 mg/L 30 min EC50 = 3980 mg/L 24 h EC50 = 4400 mg/L 17 h	1897 - 2072: 48 h Daphnia magna mg/L EC50 Static 1983: 48 h Daphnia magna mg/L EC50
Persistence and degrad	ability No information	on available.		
Bioaccumulation	No information	on available.		
Other adverse effects	No information	on available.		
	13. DIS	POSAL CONSIDERA	TIONS	
Waste treatment method	ds			

Waste from residues/unused products	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated packaging	Do not reuse empty containers.

14. TRANSPORT INFORMATION

Note:

Products under 67 gallons not regulated by DOT. Below are designations for products over 67 gallons. See RQ

DOT	UN3082
UN/ID no.	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Proper shipping name	9
Hazard class	III
Packing group	2,4-D, 2-ethylhexyl ester: RQ (lb)= 531.00= 67 gallons
Reportable Quantity (RQ)	8, 146, 173, 335, IB3, T4, TP1, TP29
Special Provisions	UN3082, Environmentally hazardous substance, liquid, n.o.s. (2,4-D, 2-ethylhexyl ester), 9,
Description	III, RQ
TDG	UN3082
UN/ID no.	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Proper shipping name	9
Hazard class	III
Packing group	UN3082, Environmentally hazardous substance, liquid, n.o.s. (2,4-D, 2-ethylhexyl ester), 9,
Description	III
MEX	UN3082
UN/ID no.	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Proper shipping name	9
Hazard class	274, 331, 335
Special Provisions	III
Packing group	UN3082, Environmentally hazardous substance, liquid, n.o.s. (2,4-D, 2-ethylhexyl ester), 9,
Description	III
ICAO (air)	UN3082
UN/ID no.	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Proper shipping name	9
Hazard class	III
Packing group	A97, A158, A197
Special Provisions	UN3082, Environmentally hazardous substance, liquid, n.o.s. (2,4-D, 2-ethylhexyl ester), 9,
Description	III
IATA UN number UN proper shipping name Transport hazard class(es) Packing group Special Provisions Description	Limited quantity applies with an inner packaging less than 5 L or gross package weight less than 30 kg. UN3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. 9 III A97, A158, A197 UN3082, Environmentally hazardous substance, liquid, n.o.s. (2,4-D, 2-ethylhexyl ester), 9, III
IMDG UN number UN proper shipping name Transport hazard class(es) Packing group EmS-No. Special Provisions Description	Limited quantity applies with an inner packaging less than 5 L or gross package weight less than 30 kg. UN3082 Environmentally hazardous substance, liquid, n.o.s. 9 III F-A, S-F 274, 335, 969 UN3082, Environmentally hazardous substance, liquid, n.o.s. (2,4-D, 2-ethylhexyl ester), 9, III

15. REGULATORY INFORMATION

U.S. EPA Label Information

EPA Pesticide Registration Number 2217-774

Federal Insecticide, Fungicide, Rodenticide Act Regulations

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

EPA Pesticide Label

Caution

Keep out of the reach of children PRECAUTIONARY STATEMENTS Hazards to Human and Domestic Animals

CAUTION: Harmful if swallowed, absorbed through skin or inhaled. Causes moderate eye injury. Avoid contact with eyes, skin or clothing, or inhaling spray mist. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Environmental Hazards: This pesticide may be toxic to fish and aquatic invertebrates. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. Do not contaminate water when disposing of equipment wash waters or rinsate. This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in ground water contamination. Application around a cistern or well may result in contamination of drinking water or groundwater. Physical or Chemical Hazards: Do not use or store near heat or open flame.

International Inventories

TSCA	Not Listed
DSL/NDSL	Not Listed
EINECS/ELINCS	Not Listed
ENCS	Not Listed
IECSC	Not Listed
KECL	Not Listed
PICCS	Not Listed
AICS	Not Listed

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical name	SARA 313 - Threshold Values %
2,4-D, 2-ethylhexyl ester - 1928-43-4	0.1
3,6-Dichloro-o-anisic acid (Dicamba) - 1918-00-9	1.0

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
2,4-D, 2-ethylhexyl ester 1928-43-4	100 lb	-	-	-
3,6-Dichloro-o-anisic acid (Dicamba) 1918-00-9	1000 lb	-	-	Х

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs
2,4-D, 2-ethylhexyl ester	100 lb	-
1928-43-4		
3,6-Dichloro-o-anisic acid (Dicamba)	1000 lb	-
1918-00-9		
Trade Secret	5000 lb	-

US State Regulations

U.S. State Right-to-Know Regulations

US State Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
2,4-D, 2-ethylhexyl ester 1928-43-4	Х	-	-
3,6-Dichloro-o-anisic acid (Dicamba) 1918-00-9	Х	X	Х
Trade Secret	Х	X	Х

16. OTHER INFORMATION

<u>NFPA</u>	Health hazards 3	Flammability 1	Instability 0	Physical and Chemical Properties -
HMIS	Health hazards 3	Flammability 1	Physical hazards 0	Personal protection X

Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of PBI Gordon Corporation's knowledge, information and belief at the date of this publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process, unless specified in the text. PBI GORDON CORPORATION MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. Given the variety of factors that can affect the use and application of this product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the product to determine whether it is fit for a particular purpose and suitable for user's method of use or application. Each user is also responsible for evaluating the conditions of use and designing the appropriate protective mechanisms to prevent employee exposures, property damage, or release to the environment. PBI Gordon Corporation assumes no responsibility for injury to the recipient or third persons, or for any damage to any property resulting from misuse of the product.

End of Safety Data Sheet