

# **SAFETY DATA SHEET**

## 1. Identification

Product identifier Basamid® G

Other means of identification

SDS number 431
CAS number 533-74-4
Product registration 5481-9027

number

Synonyms Dazomet \* Tetrahydro-3,5-dimethyl-2H-1,3,5-thiadiazine-2-thione

\* Temozad

**Recommended use** For pre-planting control of listed weeds, nematodes and solid diseases (see label).

**Recommended restrictions** This is a Restricted Use Pesticide and is for use by licensed applicators only.

Do not get this product in contact with water except after incorporation into the soil. Contact with

Category 4

water generates toxic fumes of Methyl isothiocyanate (MITC).

**EPA Registration number** EPA: 5481-9027

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name AMVAC Chemical Corporation

Address 4695 MacArthur Court

**Suite 1200** 

Newport Beach, CA 92660

**Telephone** AMVAC Chemical Corp 949-260-1200

AMVAC Chemical Corp 949-260-6270(FAX)

Website www.amvac.com
E-mail CustServ@amvac.com

E-IIIaii Custoerv@aiiivac.com

 Emergency phone number
 Medical
 888-681-4261

 CHEMTREC®
 800-424-9300

(USA+Canada)

Product Use 888-462-6822 CHEMTREC® (Outside +1-703-527-3887

USA)

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Acute toxicity, oral

Environmental hazards Not classified.

OSHA defined hazards Not classified.

Label elements



Signal word Warning

Hazard statement Harmful if swallowed.

**Precautionary statement** 

**Prevention** Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Do not breathe dust.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Use personal protective equipment as required.

Material name: Basamid® G 989 Version #: 3.0 Revision date: Aug-30-2018 Issue date: May-01-2015 Response Call a POISON CENTER or doctor/physician if you feel unwell.

If swallowed: Rinse mouth. Do NOT induce vomiting.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

If skin irritation or rash occurs: Get medical advice/attention.

If inhaled: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

Collect spillage.

Storage Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

Store away from incompatible materials.

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise classified (HNOC)

May form combustible dust concentrations in air.

Very toxic to aquatic life.

Very toxic to aquatic life with long lasting effects.

**Supplemental information**Basamid G is relatively non-toxic in the granular form, but dilution with water causes multiple

toxicity concerns due to the formation of Methyl isothiocyanate (MITC), a lachrymator and poison. Solutions have the following health hazards associated with them: Fatal in contact with the skin; Fatal if inhaled; Causes severe skin and eye damage; Causes severe eye damage; May cause

an allergic skin reaction; Suspected of damaging the fertility or the unborn child.

# 3. Composition/information on ingredients

#### **Substances**

Chemical name	Common name and synonyms	CAS number	%	
Dazomet	Dazomet Tetrahydro-3,5-dimethyl-2H-1,3,5-thiadiaz ine-2-thione Temozad	533-74-4	≥ 99.0	
Decomposition				
Chemical name	Common name and synonyms	CAS number	%	
Methyl isothiocyanate (MITC) Impurities		556-61-6		
Chemical name	Common name and synonyms	CAS number	%	
Related Compound		N/A	≤ 1.0	

# 4. First-aid measures

**Inhalation** Remove victim to fresh air and keep at rest in a position comfortable for breathing. Oxygen or

artificial respiration if needed. Do not use mouth-to-mouth method if victim inhaled the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other

proper respiratory medical device. Call a physician if symptoms develop or persist.

**Skin contact** Wash off with soap and water. Get medical attention if irritation develops and persists. Wash

contaminated clothing before reuse. Do not breathe fumes generated by the solution of the solids

in water.

**Eye contact** Do not rub eyes. Immediately flush eyes with plenty of water for at least 15 minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists. Do not breathe fumes generated by the solution of the solids in water.

Ingestion Get medical advice/attention if you feel unwell. Rinse mouth. Do not induce vomiting. If vomiting

occurs, keep head low so that stomach content doesn't get into the lungs. Never give anything by

mouth to a victim who is unconscious or is having convulsions.

Most important

symptoms/effects, acute and

delayed

Dazomet granules: None known.

Dazomet solution in water (generates MITC): Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and

blurred vision. Permanent eye damage including blindness could result.

Indication of immediate medical attention and special treatment needed

treatment needed
General information

Exposure to Basamid G (Dazomet) granules is minimally toxic and patient should be treated symptomatically. If patient is exposed to solutions of Basamid G in water, the patient should be treated for MITC poisoning. Contact a poison control center for additional information.

Take off immediately all contaminated clothing. IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before reuse. Discard any shoes or clothing items that cannot be decontaminated.

Material name: Basamid® G

### 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Dilution with water may cause generation of flammable and toxic fumes of MITC. See Chemical

Stability information in SECTION 10.

Powder. Foam. Carbon dioxide (CO2).

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

and precautions for firefighters

Fire fighting

equipment/instructions Specific methods

General fire hazards

Use water spray to cool unopened containers.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire. This product will produce vapors of Methyl isothiocyanate (MITC), a flammable and toxic

compound, when diluted with water.

### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. For personal protection, see section 8 of the SDS. Do not breathe dust. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up Do not get water on spilled substance or inside containers. Wear appropriate protective equipment and clothing during clean-up. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). This material is classified as a water pollutant under the Clean Water Act and should be prevented from contaminating soil or from entering sewage and drainage systems which lead to waterways. Prevent product from entering drains.

Large Spills: Shovel the material into waste container. Treat the remaining spill as a small spill.

Small Spills: Absorb in vermiculite, dry sand or earth and place into containers. Sweep up or vacuum up spillage and collect in suitable container for disposal.

**Environmental precautions** 

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground. Inform appropriate managerial or supervisory personnel of all environmental releases.

## 7. Handling and storage

Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Minimize dust generation and accumulation. Do not breathe dust. Do not get in eyes, on skin, or on clothing. Do not taste or swallow. When using, do not eat, drink or smoke. Pregnant or breastfeeding women must not handle this product. Should be handled in closed systems, if possible. Use only outdoors or in a well-ventilated area. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Avoid release to the environment. Wash contaminated clothing before reuse.

Conditions for safe storage, including any incompatibilities Store in a cool, dry place out of direct sunlight. Store locked up. Store in original tightly closed container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS). Keep away from food, drink and animal feedingstuffs.

### 8. Exposure controls/personal protection

Occupational exposure limits

This substance has no PEL, TLV, or other recommended exposure limit.

**Biological limit values** 

No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

### Individual protection measures, such as personal protective equipment

Eye/face protection

Wear safety glasses with side shields (or goggles) and a face shield.

Skin protection

Hand protection

Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove supplier.

Other

Wear appropriate chemical resistant clothing (see label).

Material name: Basamid® G

**Respiratory protection** Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels

exceeding the exposure limits. Use a positive-pressure air-supplied respirator if there is any potential for an uncontrolled release, exposure levels are not known, or any other circumstances where air-purifying respirators may not provide adequate protection. The label should be consulted

for more specific information with regards to respiratatory protection.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

## 9. Physical and chemical properties

**Appearance** 

Physical state Solid.

Form Solid. Dry flowable granules.

Color White

Odor Minor sulfur-like odor

Odor threshold Not available. pH Not available.

Melting point/freezing point 222.8 °F (106 °C) (decomposes)

Initial boiling point and boiling

range

Not available.

Flash point 199 °F (93 °C)
Evaporation rate Not available.
Flammability (solid, gas) Not available.
Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

Not available.

(%)

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure 4.00E-07 kPa at 20 °C

Vapor density

Not available.

Relative density

1.3 g/cm3 at 20 °C

Solubility(ies)

Solubility (water) Not available.

Partition coefficient 0.15

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.

Other information

**Density** 1.30 g/cm3 estimated at 20 °C

Molecular formulaC5-H10-N2-S2Molecular weight162.28 g/mol

## 10. Stability and reactivity

**Reactivity** The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Dazomet decomposes, when diluted with water, to methyl isothiocyanate (MITC, a lachrymator and moderate poison). Use the solution promptly after mixing. Do not allow the solution to stand. Dazomet can also decompose to carbon disulfide, monomethylamine, and formaldehyde (all highly

flammable) if contacted with a strong acid.

Material name: Basamid® G sps us

Possibility of hazardous

reactions

Hazardous polymerization does not occur.

Conditions to avoid

Contact with incompatible materials.

Incompatible materials

Hazardous decomposition

Acids. Water.

products

Dazomet will decompose in water solutions to give MITC. In contact with strong acids it will

decompose to carbon disulfide (CS2), methylamine, and formaldehyde.

### 11. Toxicological information

### Information on likely routes of exposure

Inhalation Dazomet granules: No adverse effects due to inhalation are expected.

Dazomet solution in water (generates MITC): Fatal if inhaled.

Skin contact Dazomet granules: Not a skin irritant or skin sensitizer. Dazomet solution in water (generates

MITC): Fatal in contact with skin. Causes severe skin burns. May cause an allergic skin reaction.

Dazomet granules: Not an eye irritant. Eye contact

Dazomet solution in water (generates MITC): Causes serious eye damage.

Ingestion Dazomet granules: Harmful if swallowed.

Dazomet solution in water (generates MITC): Toxic if swallowed. Causes digestive tract burns.

Symptoms related to the physical, chemical and toxicological characteristics Dazomet granules: None known.

Dazomet solution in water (generates MITC): Burning pain and severe corrosive skin damage.

Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and

blurred vision. Permanent eye damage including blindness could result.

#### Information on toxicological effects

Dazomet granules: Harmful if swallowed. Acute toxicity

Dazomet aqueous solution (generates MITC): Fatal if inhaled. Fatal in contact with skin. Toxic if

swallowed. May cause an allergic skin reaction.

**Product Species Test Results** 

Dazomet (CAS 533-74-4)

Acute

**Dermal** 

LD50 Rabbit > 2000 mg/kg

Inhalation

Mist

LC50 Rat 8.4 mg/l/4h

Oral

LD50 Rat 519 mg/kg

Decomposition **Species Test Results** 

Methyl isothiocyanate (MITC) (CAS 556-61-6)

**Acute** 

**Dermal** 

LD50 Rabbit 33 mg/kg

Inhalation

LC50 Rat 1.9 mg/l, 1 Hours

Oral

LD50 Rat 175 mg/kg

Skin corrosion/irritation Dazomet granules: Non irritating to skin.

Dazomet solution in water (generates MITC): Causes severe skin burns and eye damage.

Serious eve damage/eve

irritation

Dazomet granules: Non-irritating (rabbit).

Dazomet solution in water (generates MITC): Causes serious eye damage.

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Material name: Basamid® G 989 Version #: 3.0 Revision date: Aug-30-2018 Issue date: May-01-2015 Skin sensitization Dazomet granules: Not a skin sensitizer.

Dazomet solution in water (generates MITC): May cause an allergic skin reaction.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

**US. National Toxicology Program (NTP) Report on Carcinogens** 

Not listed.

Reproductive toxicity Dazomet granules: Not classified.

Dazomet solution in water (generates MITC): Suspected of damaging fertility or the unborn child.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified

**Aspiration hazard** Not an aspiration hazard.

# 12. Ecological information

**Ecotoxicity** Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.

Product		Species	Test Results
Dazomet (CAS 533-74-4)			
Aquatic			
Crustacea	LC50	Harpacticoid copepod (Nitocra spinipes)	1.4 - 2 mg/l, 96 hours
Fish	LC50	Bleak (Alburnus alburnus)	45 - 50 mg/l, 96 hours
		Harlequinfish, red rasbora (Rasbora heteromorpha)	0.28 mg/l, 48 hours
Decomposition		Species	Test Results
Methyl isothiocyanate (MITC	C) (CAS 556-61-6)		

Aquatic

Crustacea LC50 Water flea (Daphnia magna) 0.18 - 0.56 mg/l, 48 hours

0.032 - 0.1 mg/l, 14 days

Persistence and degradability Product decomposes rapidly in wet environments.

Bioaccumulative potential Bioaccumulation is unlikely.

Partition coefficient n-octanol / water (log Kow)

Dazomet 0.15

This product decomposes when diluted with water and the decomposition products will leach from Mobility in soil

the soil.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

## 13. Disposal considerations

**Disposal instructions** Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow

this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches

with chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations

Dispose in accordance with all applicable regulations. Local disposal regulations

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of container and residues in accordance with all applicable regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal methods/information). Avoid discharge into water courses or onto

the ground.

Material name: Basamid® G SDS US Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

# 14. Transport information

DOT

UN number UN3077

**UN proper shipping name** Environmentally hazardous substances, solid, n.o.s. (Dazomet)

Transport hazard class(es)

Class 9
Subsidiary risk Label(s) 9
Packing group III
Environmental hazards

Marine pollutant No

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

**Special provisions** 8, 146, 335, A112, B54, IB8, IP3, N20, T1, TP33

Packaging exceptions155Packaging non bulk213Packaging bulk240

**IATA** 

UN number UN3077

**UN proper shipping name** Environmentally hazardous substance, solid, n.o.s. (Dazomet)

Transport hazard class(es)

Class 9
Subsidiary risk Packing group III

**Environmental hazards** Yes, when transported over large bodies of water

ERG Code 9L

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Other information

Passenger and cargo Allowed with restrictions.

aircraft

Cargo aircraft only Allowed with restrictions.

Read safety instructions, SDS and emergency procedures before handling.

**IMDG** 

UN number UN3077

UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Dazomet), MARINE

POLLUTANT

Transport hazard class(es)

Class 9
Subsidiary risk Packing group III

**Environmental hazards** 

Marine pollutant Yes EmS F-A, S-F


Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78 and

the IBC Code

DOT; IATA; IMDG



Material name: Basamid® G
989 Version #: 3.0 Revision date: Aug-30-2018 Issue date: May-01-2015

SDS US

## Marine pollutant



**General information** 

IMDG Regulated Marine Pollutant.

This product is not regulated when shipped by highway, rail, or air in non-bulk packaging (maximum capacity of 450 L (119 gallons) or less. When shipped by vessel or in bulk packaging this product is regulated according to the data shown.

# 15. Regulatory information

### **US federal regulations**

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

This product is registered under EPA/FIFRA Regulations as a RESTRICTED USE PESTICIDE. It is a violation of Federal Law to use this product in any manner inconsistent with its labeling. Read and follow all label directions. This product is excluded from listing requirements under EPA/TSCA.

This is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced below. The pesticide label also includes other important information, including directions for use.

#### HAZARD TO HUMANS AND DOMESTIC ANIMALS.

DANGER: Restricted Use Product. Fatal if absorbed through skin. Corrosive. Causes skin burns and irreversible eye damage, Do not get in eyes, on skin, or on clothing. Do not breathe vapors or spray mist. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

#### **ENVIRONMENTAL HAZARDS**

This pesticide is toxic to fish and invertebrates. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Drift and runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not apply when weather conditions favor drift from the treated area. Do not contaminate water when disposing of equipment washwaters.

Dazomet has certain properties and characteristics in common with chemicals that have been detected in groundwater Dazomet is highly soluble in water and has low adsorption to soil).

For untarped applications, leaching and runoff may occur if there is heavy rainfall after soil fumigation.

#### **Toxic Substances Control Act (TSCA)**

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

Material name: Basamid® G sps us

### Superfund Amendments and Reauthorization Act of 1986 (SARA)

#### SARA 302 Extremely hazardous substance

Chemical name	CAS number	Reportable quantity (pounds)	Threshold planning quantity (pounds)	Threshold planning quantity, lower value (pounds)	Threshold planning quantity, upper value (pounds)
Methyl isothiocyanate	556-61-6	500	500		

Methyl isothiocyanate

(MITC)

SARA 311/312 Hazardous Yes

chemical

Classified hazard

Acute toxicity (any route of exposure)

categories

SARA 313 (TRI reporting)

**Chemical name CAS** number % by wt. 533-74-4 Dazomet ≥ 99.0

## Other federal regulations

#### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

#### Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

#### **US** state regulations

### California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to www.P65Warnings.ca.gov.

#### **International Inventories**

Country(s) or region	Inventory name	On inventory (yes/no)*
Canada	Domestic Substances List (DSL)	Yes
Europe	European Inventory of Existing Commercial Chemical	Yes

Substances (EINECS)

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory Yes

# 16. Other information, including date of preparation or last revision

May-01-2015 Issue date Aug-30-2018 **Revision date** 

References ACGIH®: American Conference of Governmental Industrial Hygienists

> Comprehensive Environmental Response, Compensation, and Liability Act CERCLA:

EPA: **Environmental Protection Agency** 

Federal Insecticide, Fungicide, and Rodenticide Act FIFRA:

IARC: International Agency for Research on Cancer

NTP: National Toxicology Program

OSHA: Occupational Safety and Health Agency

Superfund Amendments and Reauthorization Act SARA:

Toxic Substances Control Act TSCA: DOT: Department of Transportation

IMDG: International Maritime Dangerous Goods International Air Transport Association IATA:

Version # 3.0

Health: 2 **HMIS®** ratings Flammability: 0

Physical hazard: 0

NFPA ratings Health: 2

> Flammability: 0 Instability: 0

Material name: Basamid® G SDS US

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

#### **Disclaimer**

This information is provided for the limited guidance to the user. While AMVAC believes that the information is, as of the date hereof, reliable, it is the user's responsibility to determine the suitability of the information for its purposes. The user is advised not to construe the information as absolutely complete since additional information may be necessary or desirable when particular, exceptional, or variable conditions or circumstances exist (like combinations with other materials), or because of applicable regulations. No express or implied warranty of merchantability or fitness for a particular purpose or otherwise is made hereunder with respect to the information or the product to which the information relates.

AMVAC Chemical Corporation cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use.

©2018 AMVAC Chemical Corporation. All Rights Reserved. AMVAC and the AMVAC Logo are trademarks owned by AMVAC Chemical Corporation.

Basamid is a U.S. registered trademark of Kanesho Soil Treatment SPRL/BVBA.

ACGIH is a trademark of the American Conference of Governmental Industrial Hygienists.

CHEMTREC is a trademark of the American Chemistry Council, Inc.

HMIS is a trademark of the American Coatings Association.

NFPA is a trademark of the National Fire Protection Association, Inc.

Product and Company Identification: Product and Company Identification

Toxicological information: Eye contact
Toxicological information: Eye contact
Transport information: IMDG classification
Transport information: IATA classification
Regulatory information: California Proposition 65

Other information, including date of preparation or last revision: Disclaimer

**Revision information** 

Material name: Basamid® G sps us