

SAFETY DATA SHEET
STALLION® BRAND INSECTICIDE

SDS # : 6675-A
Revision date: 2017-11-13
Format: NA
Version 1.04



1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier

Product Name STALLION® BRAND INSECTICIDE

Other means of identification

Product Code(s) 6675-A

Synonyms ZETA-CYPERMETHRIN: (S)-cyano(3-phenoxyphenyl)methyl 3-(2,2-dichloroethenyl)-2,2-dimethylcyclopropanecarboxylate (CAS name); mix of (S)- α -cyano-3-phenoxybenzyl (1RS,3RS;1RS,3SR)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate (IUPAC name);

, CHLORPYRIFOS: O,O-Diethyl O-3,5,6-trichloropyridin-2-yl phosphorothioate

Active Ingredient(s) Chlorpyrifos, Zeta-cypermethrin

Chemical Family Organophosphate Pesticide, Pyrethroid Pesticide

Alternate Commercial Name F9047-2 Insecticide

Recommended use of the chemical and restrictions on use

Recommended Use: Insecticide

Restrictions on Use: Use as recommended by the label

Supplier Address

FMC Corporation
2929 Walnut Street
Philadelphia, PA 19104
(215) 299-6000 (General Information)
msdsinfo@fmc.com (E-Mail General Information)

Emergency telephone number

For leak, fire, spill or accident emergencies, call:
1 800 / 424 9300 (CHEMTREC - U.S.A.)
1 703 / 741-5970 (CHEMTREC - International)
1 703 / 527 3887 (CHEMTREC - Alternate)

Medical Emergencies:
1 800 / 331-3148 (ProPharma Group - U.S.A. & Canada)
1 651 / 632-6793 (ProPharma Group - All Other Countries - Collect)

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

STALLION® BRAND INSECTICIDE

SDS # : 6675-A
Revision date: 2017-11-13
Version 1.04

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Category 3
Acute toxicity - Inhalation (Dusts/Mists)	Category 3
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2A
Skin sensitization	Category 1B
Carcinogenicity	Category 2
Specific target organ toxicity (single exposure)	Category 3
Specific target organ toxicity (repeated exposure)	Category 2
Aspiration toxicity	Category 1
Flammable liquids	Category 3


GHS Label elements, including precautionary statements

EMERGENCY OVERVIEW

Danger

Hazard Statements

H301 - Toxic if swallowed
H304 - May be fatal if swallowed and enters airways
H315 - Causes skin irritation
H317 - May cause an allergic skin reaction
H319 - Causes serious eye irritation
H331 - Toxic if inhaled
H351 - Suspected of causing cancer
H335 - May cause respiratory irritation
H373 - May cause damage to organs through prolonged or repeated exposure
H226 - Flammable liquid and vapor



Precautionary Statements - Prevention

- P201 - Obtain special instructions before use
- P202 - Do not handle until all safety precautions have been read and understood
- P264 - Wash face, hands and any exposed skin thoroughly after handling
- P270 - Do not eat, drink or smoke when using this product
- P271 - Use only outdoors or in a well-ventilated area
- P272 - Contaminated work clothing should not be allowed out of the workplace
- P260 - Do not breathe dust/fume/gas/mist/vapors/spray
- P210 - Keep away from heat/sparks/open flames/hot surfaces. No smoking
- P233 - Keep container tightly closed
- P240 - Ground/bond container and receiving equipment
- P241 - Use explosion-proof electrical/ventilating/lighting equipment
- P242 - Use only non-sparking tools
- P243 - Take precautionary measures against static discharge
- P235 - Keep cool
- P280 - Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

- P308 + P311 - If exposed or concerned: Call a POISON CENTER or doctor
- P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- P337 + P313 - If eye irritation persists: Get medical advice/ attention
- P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention
- P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

STALLION® BRAND INSECTICIDE

SDS # : 6675-A
Revision date: 2017-11-13
Version 1.04

P363 - Wash contaminated clothing before reuse
P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing
P311 - Call a POISON CENTER or doctor
P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor
P331 - Do NOT induce vomiting
P330 - Rinse mouth
P370 + P378 - In case of fire: Use Foam, Carbon dioxide (CO₂), Dry chemical, Soft stream or water fog for extinction

Precautionary Statements - Storage

P405 - Store locked up
P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

Precautionary Statements - Disposal

P501 - Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

No hazards not otherwise classified were identified.

Other Information

Very toxic to aquatic life with long lasting effects.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Family Organophosphate Pesticide, Pyrethroid Pesticide.

Chemical name	CAS-No	Weight %
Naphtha (petroleum), heavy aromatic	64742-94-5	40-50
Chlorpyrifos	2921-88-2	30.8
Naphthalene	91-20-3	<5
Isobutyl alcohol	78-83-1	1-5
Zeta-cypermethrin (F2700)	52315-07-8	3.08

Synonyms are provided in Section 1.

4. FIRST AID MEASURES

Eye Contact	Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for further treatment advice.
Skin Contact	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for further treatment advice.
Inhalation	Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.
Ingestion	Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Never give anything by mouth to an unconscious person.
Most important symptoms and effects, both acute and delayed	Central nervous system effects.
Indication of immediate medical attention and special treatment needed, if necessary	Contains petroleum distillate Vomiting may cause aspiration pneumonia This product is a pyrethroid If large amounts have been ingested, the stomach and intestines should be evacuated Treatment is symptomatic and supportive This product contains a reversible cholinesterase inhibitor Atropine sulfate is antidotal Observe patient to ensure that these symptoms do not recur as atropinization wears off Support respiration as needed with removal of secretions, maintenance of a patent airway and, if necessary, artificial ventilation Treatment is otherwise controlled removal of exposure followed by symptomatic and

supportive care

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media Foam, carbon dioxide (CO₂), Dry chemical, Soft stream or water fog only if necessary.

Specific Hazards Arising from the Chemical None known

Hazardous Combustion Products Carbon oxides (COx), Hydrogen cyanide, Hydrogen chloride, Sulfur oxides, Phosphorus oxides, Chlorine.

Explosion data

Sensitivity to Mechanical Impact No information available.

Sensitivity to Static Discharge No information available.

Protective equipment and precautions for firefighters As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions Isolate and post spill area. Remove all sources of ignition. Wear suitable protective clothing, gloves and eye/face protection. For personal protection see section 8.

Other For further clean-up instructions, call FMC Emergency Hotline number listed in Section 1 "Product and Company Identification" above.

Environmental Precautions Keep people and animals away from and upwind of spill/leak. Keep material out of lakes, streams, ponds, and sewer drains.

Methods for Containment Dike to prevent runoff. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.

Methods for cleaning up Clean and neutralize spill area, tools and equipment by washing with water and soap. Absorb rinsate and add to the collected waste. Waste must be classified and labeled prior to recycling or disposal. Dispose of waste as indicated in Section 13.

7. HANDLING AND STORAGE

Handling Do not contaminate other pesticides, fertilizers, water, food, or feed by storage or disposal.

Storage Keep in a dry, cool and well-ventilated place. Keep away from open flames, hot surfaces and sources of ignition. Keep out of reach of children and animals. Keep/store only in original container.

Incompatible products None known

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Chemical name	ACGIH TLV	OSHA PEL	NIOSH	Mexico
Chlorpyrifos (2921-88-2)	TWA: 0.1 mg/m ³	-	TWA: 0.2 mg/m ³ STEL: 0.6 mg/m ³	Mexico: TWA 0.2 mg/m ³ Mexico: STEL 0.6 mg/m ³
Naphthalene (91-20-3)	TWA: 10 ppm	TWA: 10 ppm TWA: 50 mg/m ³	IDLH: 250 ppm TWA: 10 ppm TWA: 50 mg/m ³ STEL: 15 ppm STEL: 75 mg/m ³	Mexico: TWA 10 ppm Mexico: TWA 50 mg/m ³ Mexico: STEL 15 ppm Mexico: STEL 75 mg/m ³
Chemical name	British Columbia	Quebec	Ontario TWAEV	Alberta
Chlorpyrifos	TWA: 0.1 mg/m ³	TWA: 0.2 mg/m ³	TWA: 0.1 mg/m ³	TWA: 0.1 mg/m ³

STALLION® BRAND INSECTICIDE

SDS # : 6675-A
 Revision date: 2017-11-13
 Version 1.04

(2921-88-2)	Skin	Skin	inhalable fraction and vapor	Skin
Naphthalene (91-20-3)	TWA: 10 ppm STEL: 15 ppm Skin	TWA: 10 ppm TWA: 52 mg/m ³ STEL: 15 ppm STEL: 79 mg/m ³	TWA: 10 ppm STEL: 15 ppm Skin	TWA: 10 ppm TWA: 52 mg/m ³ STEL: 15 ppm STEL: 79 mg/m ³ Skin

Appropriate engineering controls

Engineering measures Apply technical measures to comply with the occupational exposure limits. When working in confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for breathing and wear the recommended equipment.

Individual protection measures, such as personal protective equipment

Eye/Face Protection For dust, splash, mist or spray exposure, wear chemical protective goggles.

Skin and Body Protection Coveralls worn over long-sleeved shirt and long pants with socks. Wear chemical-resistant footwear, gloves and headgear.

Hand Protection Rubber/latex/neoprene or other suitable chemical resistant gloves.

Respiratory Protection For dust, splash, mist or spray exposures wear a filtering facepiece respirator (N95, R95, or P95) which is approved for pesticides (U.S. NIOSH/MSHA, EU CEN or comparable certification organization).

Hygiene measures Clean water should be available for washing in case of eye or skin contamination. Wash skin prior to eating, drinking, chewing gum or using tobacco. Shower or bathe at the end of working. Remove and wash contaminated clothing before re-use. Launder work clothing separately from regular household laundry.

General information If the product is used in mixtures, it is recommended that you contact the appropriate protective equipment suppliers. These recommendations apply to the product as supplied

9. PHYSICAL AND CHEMICAL PROPERTIES**Information on basic physical and chemical properties**

Appearance	Amber Liquid
Physical State	Liquid
Color	Amber
Odor	Petroleum solvent
Odor threshold	No information available
pH	4.3
Melting point/freezing point	Not applicable
Boiling Point/Range	No information available
Flash point	58 °C / 136 °F
Evaporation Rate	No information available
Flammability (solid, gas)	No information available
Flammability Limit in Air	
Upper flammability limit:	No information available
Lower flammability limit:	No information available
Vapor pressure	No information available
Vapor density	No information available
Density	8.94 lb/gal
Specific gravity	No information available
Water solubility	No information available
Solubility in other solvents	No information available
Partition coefficient	No information available
Autoignition temperature	No information available
Decomposition temperature	No information available

Viscosity, kinematic	15.9 mm ² /s @ 44.5°C (calculated)
Viscosity, dynamic	22.4 mPa s @ 23.5 °C; 17 mPa s @ 44.5 °C
Explosive properties	No information available
Oxidizing properties	No information available
Molecular weight	No information available
Bulk density	No information available

10. STABILITY AND REACTIVITY

Reactivity	None under normal use conditions
Chemical Stability	Stable under recommended storage conditions.
Possibility of Hazardous Reactions	None under normal processing.
Hazardous polymerization	Hazardous polymerization does not occur.
Conditions to avoid	Heat, flames and sparks
Incompatible materials	None known.
Hazardous Decomposition Products	Carbon oxides (COx), Hydrogen cyanide, Hydrogen chloride, Sulfur oxides, Phosphorous oxides, Chlorine.

11. TOXICOLOGICAL INFORMATION

Product Information

LD50 Oral	98.11 mg/kg (rat)
LD50 Dermal	> 5,000 mg/kg (rabbit)
LC50 Inhalation	> 0.52 mg/L (4-hr) (rat)
Serious eye damage/eye irritation	Severely irritating (rabbit).
Skin corrosion/irritation	Severely irritating (rabbit).
Sensitization	May cause sensitization by skin contact

Information on toxicological effects

Symptoms	Large doses of zeta-cypermethrin, ingested by laboratory animals, may produce signs of toxicity including tremors, incoordination, convulsions, staggered gait, and oral discharge.
-----------------	---

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Chronic toxicity	Zeta-cypermethrin: Long-term exposure caused neurotoxicity (body tremors, decreased motor activity), decreased body weight and increased liver weight.
Mutagenicity	Chlorpyrifos, Zeta-cypermethrin: Not genotoxic in laboratory studies
Carcinogenicity	Chlorpyrifos: No evidence of carcinogenicity from animal studies. Cypermethrin caused an increase in benign lung tumors in mice, but not in rats. EPA has classified cypermethrin as a possible human carcinogen based on this information, but does not regulate based on its low cancer risk. There was no evidence of carcinogenic activity of naphthalene in male mice, but there was some evidence of carcinogenic activity in female mice and clear evidence of carcinogenic activity in male and female rats in 2-year inhalation studies conducted by the National Toxicology Program (NTP).
Neurological effects	Chlorpyrifos: Chronic exposure to animals has caused decreased cholinesterase activity (erythrocyte, plasma, and/or brain). Zeta-cypermethrin: Causes neurotoxicity (tremors and decreased motor activity) following acute, subchronic or chronic exposure.
Reproductive toxicity	Chlorpyrifos, Zeta-cypermethrin: No toxicity to reproduction in animal studies.
Developmental toxicity	Chlorpyrifos, Zeta-cypermethrin: Not teratogenic in animal studies.
STOT - single exposure	May cause respiratory irritation. See listed target organs below.
STOT - repeated exposure	May cause damage to organs through prolonged or repeated exposure. See listed target organs below.
Target organ effects	Zeta-cypermethrin: Central Nervous System (CNS),
Neurological effects	Chlorpyrifos: Chronic exposure to animals has caused decreased cholinesterase activity (erythrocyte, plasma, and/or brain). Zeta-cypermethrin: Causes neurotoxicity (tremors and decreased motor activity) following acute, subchronic or chronic exposure.
Aspiration hazard	No information available.

Chemical name	ACGIH	IARC	NTP	OSHA
Chlorpyrifos 2921-88-2		Group 2A		
Naphthalene 91-20-3	A3	Group 2B	Reasonably Anticipated	X
Zeta-cypermethrin (F2700) 52315-07-8		Group 2A		

Legend:

ACGIH (American Conference of Governmental Industrial Hygienists)
 A3 - Animal Carcinogen
 IARC (International Agency for Research on Cancer)
 Group 2A - Probably Carcinogenic to Humans
 Group 2B - Possibly Carcinogenic to Humans
 NTP (National Toxicology Program)
 Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen
 OSHA (Occupational Safety and Health Administration of the US Department of Labor)
 X - Present

12. ECOLOGICAL INFORMATION

Ecotoxicity

Chlorpyrifos (2921-88-2)				
Active Ingredient(s)	Duration	Species	Value	Units
Chlorpyrifos	LD50 acute oral	Honey bees	0.36	µg/bee
	LD50 topical	Honey bees	0.070	µg/bee

Zeta-cypermethrin (F2700) (52315-07-8)					
Active Ingredient(s)	Duration	Species	Value	Units	
Zeta-cypermethrin	48 h EC50	Crustacea	0.14	µg/L	
	96 h LC50	Fish	0.69	µg/L	
	72 h EC50	Algae	>1	mg/L	
	21 d NOEC	Crustacea	0.01	µg/L	
	21 d NOEC		Fish	0.015	µg/L

Persistence and degradability Chlorpyrifos: Does not readily hydrolyze. Zeta-cypermethrin: Non-persistent. Readily hydrolyzed. Not readily biodegradable.

Bioaccumulation Chlorpyrifos: The substance has a potential for bioconcentration. Zeta-cypermethrin: The substance does not have a potential for bioconcentration.

Mobility Chlorpyrifos, Zeta-cypermethrin: Immobile, Not expected to reach groundwater.

13. DISPOSAL CONSIDERATIONS

Waste disposal methods Improper disposal of excess pesticide, spray mixture, or rinsate is prohibited. If these wastes cannot be disposed of by use according to label instructions, contact appropriate disposal authorities for guidance. Proper personal protective equipment, as described in Sections 7 and 8, must be worn while handling materials for waste disposal.

Contaminated Packaging Containers must be disposed of in accordance with local, state and federal regulations. Refer to the product label for container disposal instructions.

14. TRANSPORT INFORMATION

DOT Classification pertains to the shipment of Bulk or Non-Bulk packages (except where indicated).

STALLION® BRAND INSECTICIDE

SDS # : 6675-A
Revision date: 2017-11-13
Version 1.04

UN/ID no UN3017
Proper Shipping Name Organophosphorous pesticides, liquid, toxic, flammable
Hazard class 6.1
Subsidiary class 3
Packing Group III
Marine Pollutant Chlorpyrifos, Zeta-cypermethrin.
Description UN3017, Organophosphorus pesticides, liquid, toxic, flammable, 6.1 (3), III, RQ (Chlorpyrifos)

TDG

UN/ID no UN3017
Proper Shipping Name Organophosphorus pesticides, liquid, toxic, flammable
Hazard class 6.1
Subsidiary class 3
Packing Group III
Marine Pollutant Chlorpyrifos, Zeta-cypermethrin.
Description UN3017, Organophosphorus pesticides, liquid, toxic, flammable (Chlorpyrifos, Isobutyl alcohol), 6.1 (3), PG III, Marine Pollutant, RQ

ICAO/IATA

UN/ID no UN3017
Proper Shipping Name Organophosphorous pesticides, liquid, toxic, flammable
Hazard class 6.1
Subsidiary Hazard Class 3
Packing Group III
Description UN3017, Organophosphorus pesticides, liquid, toxic, flammable (Chlorpyrifos, Isobutyl alcohol), 6.1 (3), PG III, Marine Pollutant, RQ

IMDG/IMO

UN/ID no UN3017
Proper Shipping Name Organophosphorous pesticides, liquid, toxic, flammable
Hazard class 6.1
Subsidiary Hazard Class 3
Packing Group III
Marine Pollutant Chlorpyrifos, Zeta-cypermethrin
Description UN3017, Organophosphorus pesticides, liquid, toxic, flammable (Chlorpyrifos, Isobutyl alcohol), 6.1 (3), PG III, Marine Pollutant, RQ

15. REGULATORY INFORMATION**U.S. Federal Regulations****SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical name	CAS-No	Weight %	SARA 313 - Threshold Values %
Naphthalene - 91-20-3	91-20-3	<5	0.1

SARA 311/312 Hazard Categories

Acute health hazard Yes
Chronic health hazard Yes
Fire hazard No
Sudden release of pressure hazard No
Reactive Hazard No

Clean Water Act

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

Chemical name	CWA - Reportable	CWA - Toxic Pollutants	CWA - Priority	CWA - Hazardous
---------------	------------------	------------------------	----------------	-----------------

STALLION® BRAND INSECTICIDE

SDS #: 6675-A
 Revision date: 2017-11-13
 Version 1.04

	Quantities		Pollutants	Substances
Chlorpyrifos 2921-88-2	1 lb			X
Acetic Acid 64-19-7	5000 lb			X
Phosphoric acid 7664-38-2	5000 lb			X
Naphthalene 91-20-3	100 lb	X	X	X

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs
Chlorpyrifos 2921-88-2	1 lb 0.454 kg	
Acetic Acid 64-19-7	5000 lb 2270 kg	
Phosphoric acid 7664-38-2	5000 lb 2270 kg	
Naphthalene 91-20-3	100 lb 45.4 kg	

FIFRA Information

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

WARNING

May be fatal if swallowed. Causes substantial but temporary eye injury. Causes skin irritation. Harmful if inhaled. This pesticide is extremely toxic to fish, aquatic invertebrates, oysters and shrimp and toxic to small mammals and birds.

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

Chemical name	California Prop. 65
Naphthalene - 91-20-3	Carcinogen

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Chlorpyrifos 2921-88-2	X	X	X
Naphthalene 91-20-3	X	X	X
Zeta-cypermethrin (F2700) 52315-07-8		X	

International Inventories

Chemical name	TSCA (United States)	DSL (Canada)	EINECS/ELINCS (Europe)	ENCS (Japan)	China (IECSC)	KECL (Korea)	PICCS (Philippines)	AICS (Australia)
Naphtha (petroleum),	X	X	X		X	X	X	X

STALLION® BRAND INSECTICIDE

SDS # : 6675-A
 Revision date: 2017-11-13
 Version 1.04

heavy aromatic 64742-94-5								
Chlorpyrifos 2921-88-2		X	X	X	X	X	X	X
Naphthalene 91-20-3	X	X	X	X	X	X	X	X
Zeta-cypermethrin (F2700) 52315-07-8			X		X	X	X	X

Mexico - Grade Serious risk, Grade 3

Chemical name	Carcinogen Status	Mexico
Chlorpyrifos		Mexico: TWA 0.2 mg/m ³ Mexico: STEL 0.6 mg/m ³
Naphthalene		Mexico: TWA 10 ppm Mexico: TWA 50 mg/m ³ Mexico: STEL 15 ppm Mexico: STEL 75 mg/m ³

Chemical name	Mexico - Pollutant Release and Transfer Register - Reporting Emissions for Fabrication, Process or Use - Threshold Quantities	Pollutant Release and Transfer Register - Reporting Emissions - Threshold Quantities
Chlorpyrifos	100 2500 kg/yr	100 kg/yr

WHMIS Statement

This product has been classified in accordance with the Hazardous Products Regulations (HPR) and the SDS contains all the information required by the HPR.

WHMIS Hazard Class

- D1B - Toxic materials
- D2A - Very toxic materials
- D2B - Toxic materials



16. OTHER INFORMATION

NFPA	Health Hazards 3	Flammability 2	Instability 0	Special Hazards -
HMIS	Health Hazards 3*	Flammability 2	Physical hazard 0	Personal Protection X

*Indicates a chronic health hazard.

NFPA/HMIS Ratings Legend

Severe = 4; Serious = 3; Moderate = 2; Slight = 1; Minimal = 0

Revision date:

2017-11-13

Reason for revision:

(M)SDS sections updated

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, IS MADE CONCERNING THE INFORMATION PROVIDED HEREIN. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. Use of this product is regulated by the U.S. Environmental Protection Agency (EPA). It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Further, since the conditions and methods of use are beyond the control of FMC Corporation, FMC corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

STALLION® BRAND INSECTICIDE

SDS # : 6675-A
Revision date: 2017-11-13
Version 1.04

Prepared By:

FMC Corporation

FMC Logo - Trademark of FMC Corporation

© 2017 FMC Corporation. All Rights Reserved.

End of Safety Data Sheet