


NFPA HAZARD RATING				U.S. TRANSPORT SUMMARY	
0	Least				
1	Slight	2	Health		Not regulated by the U.S. DOT as a hazardous material. See Section 14 for additional information.
2	Moderate	0	Flammability		
3	High	0	Reactivity		
4	Severe				

SECTION 1: IDENTIFICATION	
Product Name:	Gainer 10-52-10
EPA Registration #:	Exempt
Product ID/Unity #:	10016736, 10136357
Common Name:	Soluble fertilizer mixture
Chemical Description:	Macro and micro nutrient soluble fertilizer
Recommended Uses:	Fertilizer product – See product label for full directions for use.
Restrictions for Use:	See product label for any potential restrictions on use.
Manufactured For: WINFIELD SOLUTIONS, LLC P. O. Box 64589 St. Paul, MN 55164-0589	MEDICAL EMERGENCY TELEPHONE NUMBER: 1-877-424-7452 (24hrs) Non-Emergency Business Inquiries: 1-855-494-6343 Mon – Fri 8am – 5pm (Central Standard Time)
FOR EMERGENCY, SPILL, LEAK, FIRE, EXPOSURE, OR ACCIDENT, CALL: CHEMTREC 1-800-424-9300 (24 hours)	

SECTION 2: HAZARDS IDENTIFICATION	
EMERGENCY OVERVIEW: Dark blue granules with fertilizer like odor. Causes eye irritation. Harmful if inhaled.	
POTENTIAL HEALTH EFFECTS:	
Eyes: Causes moderate but reversible eye irritation.	
Skin: May cause mild skin irritation.	
Inhalation: Harmful if inhaled.	
Ingestion: May cause gastric discomfort.	
Preexisting Conditions: Preexisting respiratory conditions may be aggravated by exposure to dust.	
Chronic Health Effects: Repeated or prolonged inhalation of dust may affect the blood, respiration and kidneys.	
Carcinogenicity	NTP: Not listed IARC: Not listed OSHA: Not listed
OSHA HCS 2012 CLASSIFICATION: Eye Irritation Category 2B; Specific Target Organ Toxicity – Repeated Exposure Category 2	
SIGNAL WORD: WARNING	
HAZARD STATEMENTS:	
Causes eye irritation. May cause damage to blood, respiration and kidneys through prolonged or repeated inhalation or ingestion.	
Percent of product with unknown toxicity: 0.05%	
PRECAUTIONARY STATEMENTS:	
Prevention:	Wash hands thoroughly after handling. Do not breathe dust.
Response:	If in eyes: Rinse cautiously with water for 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention. Get medical attention if you feel unwell.
Storage:	See Section 7 for storage information.
Disposal:	Dispose of contents/container in accordance with Federal, state and local regulations.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS		
Ingredient	% (wt)	CAS Reg. #
Monoammonium phosphate	65.0 – 70.0%	7722-76-1
Potassium nitrate	5.0 – 7.0%	7757-79-1
Urea	2.5 – 3.5%	57-13-6
Monopotassium phosphate	19.0 – 23.0%	7778-77-0
Copper EDTA	<0.4%	14025-15-1
Manganese EDTA	<0.4%	15375-84-5
Zinc EDTA	<0.4%	14025-21-9
*Ingredients not specifically listed are non-hazardous and are considered to be confidential business information under 29 CFR 1910.1200(j).		
See Section 8 for exposure limits.		

SECTION 4: FIRST AID MEASURES	
Inhalation:	Remove person from contaminated area to fresh air and assist breathing as needed. Seek medical attention if irritation occurs.
Ingestion:	Seek medical attention or call a poison control center for treatment advice. Do not induce vomiting unless instructed to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
Eyes:	Flush eyes with clean water for at least 15 minutes. Lift eyelids to facilitate irrigation. If present, remove contact lenses after 5 minutes and continue rinsing. Seek medical attention if irritation persists.
Skin:	Remove contaminated clothing and wash before re-using. Flush skin with water and then wash with soap and water. Seek medical attention if irritation persists.

SECTION 5: FIRE FIGHTING MEASURES	
Suitable Extinguishing Media:	Chemical type foam, Carbon dioxide, Dry chemical, Water fog
Unsuitable Extinguishing Media:	Water jet
Special Fire Fighting Procedures:	Wear NIOSH/MSHA approved self-contained breathing apparatus and full bunker gear. Dike area to prevent runoff and contamination of water sources. Dispose of fire control water later. Avoid breathing vapors; keep upwind.
Hazardous Combustion Products:	Carbon oxides, Sulfur oxides, some metallic oxides, Ammonia
Unusual Fire and Explosion Hazards:	During a fire, irritating/toxic gases may be generated.

SECTION 6: ACCIDENTAL RELEASE MEASURES	
Personal Precautions:	Refer to Section 8 for personal protective equipment to be worn during containment and clean-up of a spill involving this product.
Environmental Precautions:	Keep spilled product and any rinse water from entering sewers or waterways.
Methods for Containment:	Contain spilled product by sweeping up if a small spill or by diking area with sand or earth if a large spill.
Methods for Clean-up:	Avoid dust formation. Vacuum, scoop or sweep up material and place in a container for disposal. If product is uncontaminated, spilled material may be applied at the rate recommended on the label. Never return spills to original containers for re-use. After removal of spilled product, flush contaminated area thoroughly with water.
Other Information:	None known

SECTION 7: HANDLING AND STORAGE	
Handling:	Avoid breathing dust. Use only outdoors or in a well-ventilated area. Immediately clean up spills that occur during handling. Keep containers closed when not in use. Practice good hygiene after using this material, especially before eating, drinking, smoking, using the toilet, or applying cosmetics.
Storage:	Store in a cool, dry area away from children, feed and food products. Store away from incompatible materials. Protect packaging from physical damage. Protect from exposure to fire conditions.
Minimum Storage Temperature:	Not applicable
Other Precautions:	Consult Federal, state and local laws and regulations pertaining to storage.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION			
Exposure Guidelines			
Component:	OSHA PEL	ACGIH TLV	NIOSH REL
Copper compounds	1 mg/m ³	1 mg/m ³	1 mg/m ³
Manganese compounds	5 mg/m ³ CEIL	0.2 mg/m ³ TWA	1 mg/m ³ TWA 3 mg/m ³ ST
Particulates not otherwise classified	15 mg/m ³ (total dust) 5 mg/m ³ (respirable)		
Respiratory Protection: If dust concentration exceeds permissible levels, wear NIOSH approved air-purifying respirator with cartridges/canisters approved for general particulates.			
Engineering Controls: Local Exhaust: Provide general or local exhaust ventilation systems to maintain airborne concentrations below OSHA PELs or other specified exposure limits. Local exhaust ventilation is preferred.			
Protective Gloves: Wear chemically protective gloves to prevent exposure to skin.			
Eye Protection: Wear chemical goggles or safety glasses and full face shield. Contact lenses are not eye protective devices. An emergency eyewash or water supply should be readily available to the work area.			
Other Protective Clothing or Equipment: Wear long-sleeve shirt, long pants and shoes plus socks to prevent skin contact.			
Work/Hygienic Practices: Never eat, drink, nor use tobacco in work areas. Practice good hygiene after using this material, especially before eating, drinking, smoking, using the toilet, or applying cosmetics.			

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES			
Physical State:	Solid	Specific Gravity (H₂O=1):	<1.0
Vapor Pressure (mm Hg):	Not applicable	Density (lbs/gallon):	Not applicable
Vapor Density (Air=1):	Not applicable	Melting Point/Freezing Point:	Not determined
Solubility in Water (wt %):	>24%	Boiling Point/Range:	Not determined
Viscosity:	Not applicable	pH (1% solution):	Not determined
Appearance and odor:	Dark blue granules with fertilizer like odor.	Flash Point:	Not applicable

SECTION 10: STABILITY AND REACTIVITY	
Reactivity: None known	
Chemical Stability: Product is stable at ambient temperature and pressure, under normal storage and handling conditions.	
Possibility of Hazardous Reactions: Will not occur	
Conditions to Avoid: Excessive heat, dust generation and damp areas	
Incompatible Materials: Oxidizing agents, strong acids and bases.	
Hazardous Decomposition Products: When exposed to excessive heat, Carbon oxides, Sulfur oxides, some metallic oxides, and ammonia may be formed.	

SECTION 11: TOXICOLOGICAL INFORMATION	
ACUTE TOXICITY	
Eye Effects:	Exposure to dust is expected to cause moderate but reversible eye irritation.
Skin Effects:	Mild skin irritation is possible. Estimated LD50 >17 g/kg.
Acute Inhalation Effects:	Harmful if inhaled.
Acute Oral Effects:	Estimated LD50 = 2,070 mg/kg
Specific Target Organ Toxicity:	Blood, respiration and kidneys
CHRONIC TOXICITY	
Chronic Effects:	Repeated or prolonged inhalation or ingestion of dust may affect blood, respiration and kidneys.
Carcinogenicity:	No component is anticipated to have carcinogenic effects.
Mutagenicity:	No component is anticipated to have mutagenic effects.
Teratogenicity:	No component is anticipated to have teratogenic effects.
Reproductive Toxicity:	No component is anticipated to have effects on the reproductive system.

Continued on next page

POTENTIAL HEALTH EFFECTS:

Eyes: Causes moderate but reversible eye irritation.

Skin: May cause mild skin irritation.

Inhalation: Harmful if inhaled.

Ingestion: May cause gastric discomfort.

SECTION 12: ECOLOGICAL INFORMATION

ENVIRONMENTAL SUMMARY: Not determined

ECOTOXICITY DATA:

Fish Acute and Prolonged Toxicity: Not determined

Aquatic Invertebrate Acute Toxicity: Not determined

Aquatic Plant Toxicity: Not determined

Bird Acute and Prolonged Toxicity: Not determined

Honeybee Toxicity: Not determined

ENVIRONMENTAL EFFECTS:

Soil Absorption/Mobility: Not determined

Persistence and degradability: Not determined

Bioaccumulative Potential: Not determined

Other adverse effects: Not determined

SECTION 13: DISPOSAL CONSIDERATIONS

Waste: Dispose of in accordance with applicable Federal, state and local laws and regulations.

Container: Ensure all product has been emptied from the sack/bag. Dispose of emptied container in accordance with applicable Federal, state and local laws and regulations.

RCRA Characteristics: It is the responsibility of the individual disposing of this product to determine the RCRA classification and hazard status of the waste.

SECTION 14: TRANSPORT INFORMATION

DOT: (Ground) This product is not regulated by the U.S. Department of Transportation as a hazardous material for ground shipment.

IMDG: (Sea) Not determined

IATA: (Air) Not determined

TDG: (Canada) Not determined

SECTION 15: REGULATORY INFORMATION

TSCA Inventory: All components are listed on the TSCA inventory.

SARA Title III Information:

Section 302 - Extremely hazardous substances: None listed

Section 311/312 - Hazard Categories: Immediate (Acute), Delayed (Chronic)

Section 313 - The following chemicals are subject to the reporting requirements of Section 313 of Title III, Superfund Amendments and Reauthorization Act of 1986 and 40 CFR 372:

Copper compounds (<0.4%); Manganese compounds (<0.4%); Zinc compounds (<0.4%)

CERCLA - This product contains the following chemicals which have a reportable quantity (RQ) under the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA):

Copper compounds, Manganese compounds and Zinc compounds are all considered to be CERCLA hazardous substances though no RQ is established.

California Proposition 65: WARNING: This product contains chemicals known to the state of California to cause cancer and/or reproductive harm.

Continued on next page

U.S. State Worker and Community Right-To-Know (RTK) Information (CT, IL, MA, MN, NH, NJ, PA, RI):

Chemical Name	CAS #	State(s)
Potassium nitrate	7757-79-1	CT, MA, PA, RI
Urea	57-13-6	MN
Copper EDTA (copper compounds)	14025-15-1	NJ, PA
Manganese EDTA (manganese compounds)	15375-84-5	IL, MN, NJ, RI
Zinc EDTA (zinc compounds)	14025-21-9	IL, NJ

Canadian Domestic Substances List: All components are on the DSL.

WHMIS Classification: This product is not registered for use in Canada. WHMIS classification is not determined.

SECTION 16: OTHER

Disclaimer: The information presented herein is based on available data from reliable sources and is correct to the best of WinField Solutions' knowledge. WinField Solutions, LLC makes no warranty, express nor implied, regarding the accuracy of the data or the results obtained from the use of this product. Nothing herein may be construed as recommending any practice or any product in violation of any law or regulations. The user is solely responsible for determining the suitability of any material or product for a specific purpose and for adopting any appropriate safety precautions. We disclaim all liability for injury or damage stemming from any improper use of the material or product described herein.

Revision Date: October 31, 2013

Supersedes document dated: October 24, 2011

Sections Revised: All