SAFETY DATA SHEET



GHS product identifier	Denali-EA	
Version #	01	
Issue date	01-10-2019	
CAS #	Mixture	
Recommended use	Ag Product - Adjuvant	
Recommended Restrictions	Not available.	
Manufacturer information	Wilbur-Ellis Company LLC Wilbur-Ellis Company LLC 16300 Christensen Rd. Ste 135 Tukwila, WA 98188	
	United StatesSDS@wilburellis.comBranded Products Information(800) 500-1698Chemtrec - Domestic(800) 424-9300Chemtrec - International+1 703-741-5970	
2. Hazards identification		
GHS classification		
Physical hazards	Not classified.	
Health hazards	Serious eye damage/eye irritation Category 2B	
Environmental hazards	Hazardous to the aquatic environment, acute Category 2 hazard	
GHS label elements		
Signal word	Warning	
Hazard symbols	None.	
Hazard statement	Causes eye irritation. Toxic to aquatic life.	
Precautionary statement		
Prevention	Wash thoroughly after handling. Avoid release to the environment.	
Response	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.	
Storage	Store away from incompatible materials.	
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.	
Other hazards which do not result in classification	None known.	
Supplemental information	None.	

3. Composition/information on ingredients

Components	CAS #	Percent
Proprietary Alkoxylate(s)	Proprietary	30 - < 40
Proprietary Alcohols Ethoxylated	Proprietary	20 - < 30
2-Hydroxy-1,2,3-propanetricarboxylic acid	77-92-9	5 - < 10
Other components below reportable levels		30 - < 40

4. First aid measures

1. Identification

First aid procedures	
Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin	Wash off with soap and water. Get medical attention if irritation develops and persists.
Еуе	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.
Most important symptoms and effects, both acute and delayed	Irritation of eyes. Exposed individuals may experience eye tearing, redness, and discomfort.

Notes to physician	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General advice	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.
5. Fire-fighting measures	
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Protection of fire-fighters	Move containers from fire area if you can do so without risk.
General fire hazards	No unusual fire or explosion hazards noted.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
6. Accidental release mea	sures
Personal precautions	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Environmental precautions	Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.
Methods for containment	Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Prevent entry into waterways, sewer, basements or confined areas.
Methods for cleaning up	Ventilate the contaminated area. Wear appropriate protective equipment and clothing during clean-up. Prevent product from entering drains. Do not allow material to contaminate ground water system.
	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.
7. Handling and storage	
Handling	Avoid contact with eyes. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.
Storage	Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).
0 Evenesuus sentusla / neu	a sure la sure la sur la su

8. Exposure controls / personal protection

Control parameters

US. ACGIH Threshold Limit Components	Type	Value
Formaldehyde (CAS 50-00-0)	Ceiling	0.3 ppm
Biological limit values	No biological exposure limits noted for the ingredient(s).	
Recommended monitoring procedures	Follow standard monitoring procedures.	
Engineering controls	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station.	
Personal protective equipment		
Eye/face protection	Wear safety glasses with side shie	ds (or goggles).
Skin protection	Wear suitable protective clothing.	
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment.	

Material name: Denali-EA

9. Physical and chemical properties

A	
Appearance	1 Second
Physical state Color	Liquid. Yellow/Amber (Munsell 2.5 GY 9/6)
Form	Liquid.
Odor	Slight, mild acrid
Odor threshold	Not available.
pH Molting point/Excepting point	2.6 - 2.9 1% dilution, in 342 ppm* water (*WHO Standard water hardness) Not available.
Melting point/Freezing point	
Boiling point	Not available.
Flash point	> 212.0 °F (> 100.0 °C) Pensky-Martens Closed Cup
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Flammability limits in air, lower, % by volume	Not available.
Flammability limits in air, upper, % by volume	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	154 cP (Brookfield LVT, 40 RPM, spindle 62, 21°C.)
Specific gravity	1.05
Other data	
Explosive properties	Not explosive.
Miscible (water)	Miscible with water
Oxidizing properties	Not oxidizing.
Pounds per gallon	8.79
10. Stability and reactivity	
Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	No change in product performance (surface tension, spreading, pH) and physical integrity after accelerated storage testing of 2 weeks at 54 °C. Stable for greater than 1 year in an unopened container.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.


11. Toxicological information

Toxicological data		
Components	Species	Test Results
2-Hydroxy-1,2,3-propanetric	arboxylic acid (CAS 77-92-9)	
<u>Acute</u>		
Dermal		
LD50	Rat	> 2000 mg/kg, 24 Hours
Routes of exposure	Inhalation. Eye contact.	

Toxicological information	Occupational exposure to the substance or mixture may cause adverse effects.	
Acute toxicity	Not known.	
Skin corrosion/irritation	Prolonged skin contact may cause temporary irritation.	
Serious eye damage/eye irritation	Causes eye irritation.	
Respiratory sensitizer	Not a respiratory sensitizer.	
Skin sensitization	This product is not expected to cause skin sensitization.	
Mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.	
Carcinogenicity		
ACGIH Carcinogens		
Formaldehyde (CAS 50-00 IARC Monographs. Overall E		
Formaldehyde (CAS 50-00	0-0) 1 Carcinogenic to humans.	
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.	
Specific target organ toxicity - single exposure	Not classified.	
Specific target organ toxicity - repeated exposure	Not classified.	
Aspiration hazard	Not an aspiration hazard.	
Chronic effects	Prolonged inhalation may be harmful.	
Symptoms	Irritation of eyes. Exposed individuals may experience eye tearing, redness, and discomfort.	
12. Ecological information		
	Toxic to aquatic life.	
Environmental effects	Toxic to aquatic organisms. An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.	
Persistence / degradability	No data is available on the degradability of any ingredients in the mixture.	
Bioaccumulation	No data available.	
Aquatic toxicity	Toxic to aquatic organisms.	
Mobility	No data available for this product.	
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.	
13. Disposal consideration	S	
Disposal methods	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.	
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).	
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.	
14. Transport information		
ADR		
UN number UN proper shipping name	3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ETHOXYLATED ALCOHOLS)	
Transport hazard class(es)		
Class	9	
Subsidiary risk	-	
Label(s) Hazard No. (ADR)	9 90	
Tunnel restriction code		
Packing group		
Environmental hazards	Yes	
	Read safety instructions, SDS and emergency procedures before handling.	
RID UN number	3082	

UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ETHOXYLATED ALCOHOLS)
Transport hazard class(es)	
Class	9
Subsidiary risk	-
Label(s)	9
Packing group	III
Environmental hazards	Yes
· ·	r Read safety instructions, SDS and emergency procedures before handling.
ΙΑΤΑ	
UN number	3082
UN proper shipping name	Environmentally hazardous substance, liquid, n.o.s. (Ethoxylated Alcohols)
Transport hazard class(es)	
Class	9
Subsidiary risk	-
Packing group	III
Environmental hazards	No.
ERG Code	9L
· ·	r Read safety instructions, SDS and emergency procedures before handling.
Other information	
Passenger and cargo aircraft	Allowed with restrictions.
Cargo aircraft only	Allowed with restrictions.
IMDG	
UN number	3082
UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Ethoxylated Alcohols), MARINE POLLUTANT
Transport hazard class(es)	
Class	9
Subsidiary risk	-
Packing group	III
Environmental hazards	
Marine pollutant	Yes
EmS	F-A, S-F
	r Read safety instructions, SDS and emergency procedures before handling.
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not established.

ADR; IATA; IMDG; RID



Marine pollutant



IMDG Regulated Marine Pollutant.

15. Regulatory information

16. Other information

Disclaimer

This information was developed from information on the constituent materials. No warranty is expressed or implied regarding the completeness or continuing accuracy of the information contained herein, and Wilbur-Ellis Company LLC disclaims all liability for reliance thereon. The user should satisfy himself that he has all current data relevant to his particular use.