

# RESTRICTED USE PESTICIDE

## Due to toxicity to fish and aquatic organisms

For retail sale to and use only by certified applicators or persons under their direct supervision, and only for those uses covered by the certified applicator's certification.



### FIFRA 2(ee)

### Recommendation

EPA Reg. No. 279-3108

**FOR DISTRIBUTION AND USE  
ONLY IN CALIFORNIA**

THIS RECOMMENDATION, WHICH CONTAINS ADDITIONAL DIRECTIONS FOR USE, IS MADE AS PERMITTED UNDER FIFRA SECTION 2(ee) AND HAS NOT BEEN SUBMITTED TO OR APPROVED BY THE EPA.

This recommendation for BRIGADE WSB Insecticide/Miticide is valid until 03/16/2025, or until withdrawn, canceled or suspended.

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING. ALL APPLICABLE DIRECTIONS, RESTRICTIONS AND PRECAUTIONS ON THE EPA REGISTERED LABEL MUST BE FOLLOWED.

THESE USE DIRECTIONS MUST BE IN THE POSSESSION OF THE USER AT THE TIME OF PESTICIDE APPLICATION.

## For Agricultural or Commercial Use Only

CROP	PEST	RATE OF APPLICATION
<b>Caneberries</b> including: Blackberries, Bingleberries, Dewberries, Lowberries, Marionberries, Olallieberries, Youngberries, Loganberries, Raspberries ( <b>3 Day PHI</b> )	<b>Vinegar Flies (adults)</b> <b>(<i>Drosophila</i> spp. Including</b> <b>Spotted-wing <i>Drosophila</i>)</b>	<b>8 - 16 oz/A.</b>

**DIRECTIONS FOR USE:** Through coverage is essential to achieve control. Use a minimum spray volume of 10 gallons by air or 50 gallons by ground to obtain full coverage of foliage. Multiple applications may be required.

### RESTRICTIONS:

Do not apply more than 32 oz/A (0.2 lb ai/A) per season. One application may be made pre-bloom and a second application may be made post bloom.



FMC Corporation  
2929 Walnut St.  
Philadelphia, PA 19104  
215-299-6000