



FIFRA 2(ee) Recommendation
EPA Reg. No.: 279-3618
FOR DISTRIBUTION AND USE ONLY IN TEXAS
THIS RECOMMENDATION, WHICH CONTAINS ADDITIONAL DIRECTIONS FOR USE, IS MADE AS PERMITTED UNDER FIFRA SECTION 2(ee) AND HAS NOT BEEN SUBMITTED TO OR APPROVED BY THE US EPA.

This recommendation is valid until December 31, 2028 or until withdrawn, canceled, or suspended.

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING. ALL APPLICABLE DIRECTIONS, RESTRICTIONS AND PRECAUTIONS ON THE EPA REGISTERED LABEL MUST BE FOLLOWED SUBJECT TO THE TERMS AND CONDITIONS OF THE PRODUCT LABELING.
THESE USE DIRECTIONS MUST BE IN THE POSSESSION OF THE USER AT THE TIME OF PESTICIDE APPLICATION.

Reduced rate for the protection of sugar beets against *Rhizoctonia solani* and the suppression of root knot nematode and sugar beet cyst nematode.

CROP	EARLY SEASON PROTECTION OF SEEDLINGS AGAINST INJURY FROM	APPLICATION RATE
Sugar beet	Seedling blight caused by <i>Rhizoctonia solani</i> and <i>Fusarium</i> spp. Root Knot Nematode (suppression) Sugar Beet Cyst Nematode (suppression)	6 to 12 fl oz/A Apply in a minimum of 3 gallons of water per acre.
Directions For Use		
Apply in the open furrow in a narrow band at the seeding depth or as a T-band over the open furrow during planting.		

R-4881 021424 10-28-22