RESTRICTED USE PESTICIDE

Due to Toxicity to fish and aquatic organisms.

For retail sale to and use only by certified applicators, or persons under their direct supervision and only for the uses covered by the certified applicator's certification.

BIFENTHRIN GROUP 3A INSECTICIDE



FIFRA Section 24(c)

SPECIAL LOCAL NEED LABEL FOR POSTHARVEST USE IN GRAPES

> EPA SLN No. VA-210001 EPA Reg. No. 279-3313

FOR DISTRIBUTION AND USE ONLY IN THE STATE OF VIRGINIA

KEEP OUT OF REACH OF CHILDREN WARNING/AVISO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

This label for BRIGADE 2EC Insecticide/Miticide is valid until December 31, 2026 or until withdrawn, canceled, or suspended.

For Postharvest application to control of Spotted Lanternfly (Lycoma delicatula) in Grapes

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING. ALL APPLICABLE DIRECTIONS, RESTRICTIONS AND PRECAUTIONS ON THE EPA REGISTERED LABEL MUST BE FOLLOWED.

THESE USE DIRECTIONS MUST BE IN THE POSSESSION OF THE USER AT THE TIME OF PESTICIDE APPLICATION.

Сгор	Pest	Rate of Application
Postharvest application to Grapes	Spotted Lanternfly (<i>Lycorma delicatula</i>)	6.4 fl oz/A (0.1 lb ai/A)

REMARKS:

- Apply in a minimum of 10 gallons of finished spray by air or in a minimum of 25 gallons of finished spray with ground equipment as a postharvest application.
- Addition of an emulsifiable oil or nonionic surfactant at 0.25% v/v is allowed.
- Thorough coverage is essential to achieve control.

RESTRICTIONS:

- Do not apply more than 6.4 fl oz/A (0.10 lb ai/A) per application.
- Do not apply more than 12.8 fl oz/A of product (0.2 lb ai/A) per year. This includes the total of preharvest* and postharvest applications.
- If a preharvest application has been made, only 1 postharvest application is allowed.
- Two postharvest applications are allowed if no preharvest application has been made. The retreatment interval for postharvest applications is 7 days.

*See the EPA registered Section 3 label for preharvest use directions on grapes.



Environmental Notices

This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are visiting the treatment area.

Protect pollinating insects by following label directions intended to minimize drift and to reduce risk to these organisms.

The *Bombus affinis* (rusty patched bumble bee) is known to occur in areas where spotted lanternfly has been found in Virginia. The U.S. Fish and Wildlife Service (USFWS) has listed the rusty patched bumble bee as endangered under the Endangered Species Act. The product must be applied in accordance with USFWS guidelines and recommendations regarding potential zones for *B. affinis* populations. Applicators should consult the USFWS distribution map for *B. affinis* prior to applying Brigade 2EC for this use. The map is available at https://www.fws.gov/midwest/Endangered/insects/rpbb/rpbbmap.html.

