

RESTRICTED USE PESTICIDE

Due to toxicity to fish and aquatic organisms

For retail sale to and use only by certified applicators or persons under their direct supervision, and only for those uses covered by the certified applicator's certification.



FIFRA 2(ee) Recommendation

EPA Reg. No. 279-3313

**FOR DISTRIBUTION AND USE IN
ALABAMA, ARKANSAS,
FLORIDA, GEORGIA, LOUISIANA,
MISSISSIPPI, MISSOURI, AND
TENNESSEE**

**THIS RECOMMENDATION, WHICH CONTAINS
ADDITIONAL DIRECTIONS FOR USE, IS
MADE AS PERMITTED UNDER FIFRA
SECTION 2(ee) AND HAS NOT BEEN
SUBMITTED TO OR APPROVED BY THE EPA.**

This recommendation for BRIGADE 2EC Insecticide/Miticide is valid until 03/17/2025, or until withdrawn, cancelled or suspended.

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING. ALL APPLICABLE DIRECTIONS, RESTRICTIONS AND PRECAUTIONS ON THE EPA REGISTERED LABEL MUST BE FOLLOWED.

THESE USE DIRECTIONS MUST BE IN THE POSSESSION OF THE USER AT THE TIME OF PESTICIDE APPLICATION.

CROP	PEST	RATE OF APPLICATION
Soybeans	Kudzu bug or Bean Plataspid	5.12 – 6.4 fl oz/A (0.08 – 0.1 lb ai/A)

DIRECTIONS FOR USE:

Apply 5.12 - 6.4 fl oz/A (0.08 – 0.1 lb ai/A) BRIGADE 2EC Insecticide/Miticide by ground or aerial equipment using sufficient spray volume to obtain full coverage of the plant and foliage. Use a minimum of 2 gallons of finished spray per acre by air or 10 gallons of finished spray per acre by ground. The addition of 1 – 2 quarts of emulsified oil per acre to the spray solution may improve spray deposition and insect control. Apply as required by scouting. Timing and frequency of applications should be based upon insect populations reaching locally determined economic thresholds.

RESTRICTIONS:

Do not apply more than 19.2 fl oz/A of product (0.3 lb ai/A) per season.
Do not apply within 18 days of harvest.



FMC Corporation
2929 Walnut St.
Philadelphia, PA 19104
215-299-6000