THIS RECOMMENDATION IS MADE AS PERMITTED UNDER FIFRA SECTION 2(ee) AND HAS NOT BEEN SUBMITTED TO OR APPROVED BY THE EPA



FIFRA 2(ee) Recommendation EPA Reg. No. 279-3313

FOR DISTRIBUTION AND USE ONLY IN: Colorado, Kansas, Illinois, Indiana, Missouri, Nebraska, North Dakota, Oklahoma, and South Dakota

THIS RECOMMENDATION, WHICH CONTAINS ADDITIONAL DIRECTIONS FOR USE, IS MADE AS PERMITTED UNDER FIFRA SECTION 2(ee) AND HAS NOT BEEN SUBMITTED TO OR APPROVED BY THE EPA.

This recommendation for BRIGADE® 2EC insecticide is valid until 12/31/2028, or until withdrawn, canceled or suspended.

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING. ALL APPLICABLE DIRECTIONS, RESTRICTIONS AND PRECAUTIONS ON THE EPA REGISTERED LABEL MUST BE FOLLOWED.

THESE USE DIRECTIONS MUST BE IN THE POSSESSION OF THE USER AT THE TIME OF PESTICIDE APPLICATION.

CROP	PEST	RATE OF APPLICATION
Corn (field). Corn (grown for seed), Corn (pop)	• Corn Leafhopper (<i>Dalbulus maidis</i>)	6.4 fl. oz./A

APPLICATION INSTRUCTIONS AND RESTRICTIONS:

- Do not make more than 3 applications per acre per crop.
- Do not apply more than 6.4 fl. oz./A (0.1 lb ai/A) per application.
- Do not apply more than 19.2 fl. oz./A of BRIGADE® 2EC insecticide or 0.3 lb ai/A of bifenthrincontaining products per calendar year.
- Apply in a minimum of 3 GPA (aerial) and 10 GPA (ground) for optimal coverage and efficacy.
- Application by chemigation systems is allowed.
- The REI is 12 hours.
- Interval between last application and harvest is 30 days.

BRIGADE® 2EC insecticide may be mixed with adjuvants, fungicides, or herbicides to provide disease or weed control and insect management in one application.



R-4941 021825 12-31-2024