

# RESTRICTED USE PESTICIDE

## Due to toxicity to fish and aquatic organisms

For retail sale to and use only by certified applicators or persons under their direct supervision, and only for those uses covered by the certified applicator's certification.



<b>FIFRA 2(ee) Recommendation</b>
<b>EPA Reg. No. 279-3315</b>
<b>FOR DISTRIBUTION AND USE ONLY IN: IA, KS, MN, MO, NE, SD</b>
<b>THIS RECOMMENDATION, WHICH CONTAINS ADDITIONAL DIRECTIONS FOR USE, IS MADE AS PERMITTED UNDER FIFRA SECTION 2(ee) AND HAS NOT BEEN SUBMITTED TO OR APPROVED BY THE EPA.</b>

This recommendation for HERO Insecticide is valid until 02/24/2025, or until withdrawn, canceled or suspended.

**IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING. ALL APPLICABLE DIRECTIONS, RESTRICTIONS AND PRECAUTIONS ON THE EPA REGISTERED LABEL MUST BE FOLLOWED.**

**THESE USE DIRECTIONS MUST BE IN THE POSSESSION OF THE USER AT THE TIME OF PESTICIDE APPLICATION.**

CROP	PEST	RATE OF APPLICATION
Soybeans	Soybean Gall Midge ( <i>Resseliella maxima</i> )	5.0 to 10.3 fl oz/A (0.05 to 0.10 lb ai/A)

### DIRECTIONS FOR USE:

Apply to soybeans by ground or air equipment using sufficient water to obtain full coverage of foliage (minimum of 10 gallons by ground and 2 gallons by air) when adult flies begin to emerge. Use higher use rates if field is located adjacent to previously infested areas and conditions are favorable for adult flight. Thorough coverage is essential to achieve control. Apply as required by scouting. Timing and frequency of applications should be based upon insect populations reaching locally determined economic threshold levels. Under heavy outbreak conditions HERO insecticide may be tank-mixed with other insecticides for broader spectrum control and improved resistance management.

### RESTRICTIONS:

- Do not apply more than 10.3 fl oz/A (0.10 lb ai/A) per application.
- Do not apply more than 41.2 fl oz/A (0.40 lb ai/A) per season.
- Do not graze or harvest treated soybeans forage, straw, or hay for livestock feed.
- **PHI:** Do not apply within 21 days of harvest.
- **Restricted-entry Interval (REI):** 12 Hours
- Do not make applications less than 30 days apart.



FMC Corporation  
2929 Walnut St.  
Philadelphia, PA 19104  
215-299-6000