

RESTRICTED USE PESTICIDE

Due to toxicity to fish and aquatic organisms

For retail sale to and use only by certified applicators or persons under their direct supervision, and only for those uses covered by the certified applicator's certification.



FIFRA 2(ee) Recommendation

EPA Reg. No. 279-3315

FOR DISTRIBUTION AND USE
ONLY IN OREGON AND
WASHINGTON

THIS RECOMMENDATION, WHICH
CONTAINS ADDITIONAL DIRECTIONS
FOR USE, IS MADE AS PERMITTED
UNDER FIFRA SECTION 2(ee) AND HAS
NOT BEEN SUBMITTED TO OR
APPROVED BY THE EPA.

This recommendation for HERO Insecticide is valid until 03/26/2025, or until withdrawn, cancelled or suspended.

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING. ALL APPLICABLE DIRECTIONS, RESTRICTIONS AND PRECAUTIONS ON THE EPA REGISTERED LABEL MUST BE FOLLOWED.

THESE USE DIRECTIONS MUST BE IN THE POSSESSION OF THE USER AT THE TIME OF PESTICIDE APPLICATION.

CROP	PEST	RATE OF APPLICATION
Bushberries including: Blueberries Caneberries Grapes	Vinegar Flies (adults) <i>(Drosophila spp.)</i>	10.3 fl oz/A (0.10 lb ai/A)
DIRECTIONS FOR USE: Thorough coverage is essential to achieve control. Apply by ground or air using sufficient spray volume to obtain full coverage of foliage. Multiple applications may be required.]		
BUSHBERRIES (1 Day PHI): Use a minimum spray volume of 20 gallons by ground and 2 gallons by air. Do not make applications less than 7 days apart.		
CANEBERRIES (3 Days PHI): Use a minimum spray volume of 50 gallons by ground and 10 gallons by air. Do not make applications less than 7 days apart.		
GRAPES (30 Days PHI): Use a minimum spray volume of 25 gallons by ground and 10 gallons by air. Do not make applications less than 7 days apart.		
RESTRICTIONS: Refer to HERO insecticide section 3 label for restrictions.		



FMC Corporation
2929 Walnut St.
Philadelphia, PA 19104
215-299-6000