

CARFENTRAZONE	GROUP	14	HERBICIDE
SULFENTRAZONE	GROUP	14	HERBICIDE



**FIFRA 24(c)  
Special Local Need Label  
24(c) Special Local Need**

**EPA SLN No.: DE-100002  
EPA Reg. No. 279-3337**

**FOR DISTRIBUTION AND USE  
ONLY IN DELAWARE**

**This label for Spartan Charge Herbicide expires and must not be distributed or used in accordance with this SLN registration after December 31, 2026 or until withdrawn, canceled or suspended.**

**IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING. ALL APPLICABLE DIRECTIONS, RESTRICTIONS AND PRECAUTIONS ON THE EPA REGISTERED LABEL MUST BE FOLLOWED.**

**THESE USE DIRECTIONS MUST BE IN THE POSSESSION OF THE USER AT THE TIME OF PESTICIDE APPLICATION.**

### **SPARTAN CHARGE Herbicide for Use in Lima Beans**

**Application Information**

**Application Timing: Preemergence (Spring Applications)**

- Spartan Charge herbicide may be applied as a preemergence treatment to Lima Beans at 3.75 fl. oz./A (0.092 lbs. ai/A) as part of an herbicide program to aid in control of ALS herbicide resistant weeds.
- Spartan Charge herbicide can be applied early preplant up to 7 days prior to planting, preplant, preemergence or up to 3 days after planting as a preemergence soil application (prior to seedlings breaking the soil surface) only if the seed furrow is completely closed.
- Early preplant applications shall be made no earlier than 7 days prior to planting.
- Applications should be made with ground equipment in a minimum of 10 gallons of finished spray volume per acre.
- Spartan Charge herbicide can be tank mixed with other preemergence herbicides labeled for Lima Beans.
- If dry conditions persist following preemergence application of Spartan Charge herbicide, a shallow incorporation may be needed to incorporate and activate the herbicide. If weeds are emerged at the time of Spartan Charge herbicide application, use a burndown herbicide at the full-labeled rate in combination with Spartan Charge herbicide or split applications as needed.
- Risk of crop response increases if herbicide-treated soil splashes onto newly emerged crop seedlings. If overhead irrigation is available, lightly irrigating the field prior to crop emergence will help minimize the potential for herbicide-treated soil splashing on emerging seedlings

### Precautions

FMC Corporation intends to offer this product only to those end users and/or growers who have liability and indemnification agreements with FMC Corporation for failure to perform and crop damage from the use of Spartan Charge herbicide in Lima Beans. If, after purchasing the product, the release of liability and indemnification is unacceptable to the user and/or grower, FMC Corporation requests that the user and/or grower return Spartan Charge herbicide to the place of purchase at once, unopened.

This product when used on Lima Bean may lead to crop injury, loss, or damage. FMC Corporation recommends that the user and/or grower test product in order to determine its suitability for such intended use. FMC Corporation makes the product available to the user and/or grower solely to the extent the benefit and utility, in sole opinion of the user and/or grower, outweigh the extent of potential injury associated with the use of this product. The decision to use or not to use this herbicide must be made by each individual user and/or grower on the basis of possible crop injury from Spartan Charge herbicide, the severity of weed infestation, the cost of alternative weed controls and other factors, because of the risk of crop damage all such use is at the user's and/or grower's risk.

These Crop Specific Use directions are based upon the interactive effects of Spartan Charge herbicide and the primary soil and environmental factors, which affect its activity on various weed species and tolerance among crops. As soil pH increases, and/or soil organic matter decreases, the activity of Spartan Charge herbicide may also increase. The user is required to observe the instructions and guidance previously presented under General Application Instructions, General Spartan Charge Herbicide Product Use Rates, Rotational Crop Guidelines, Replanting Instructions, Weeds Controlled and any other section of the full Spartan Charge herbicide section 3 label pertinent to the anticipated crop use. The use of Spartan Charge herbicide on Lima Beans in fields or parts of fields with pH greater than 7.0 is not recommended. It is important to note that not all varieties or cultivars of a given crop species have been evaluated under treatment with Spartan Charge herbicide. Consult university or extension weed management specialists for additional information on specific local varieties or cultivars and any other pertinent information on Spartan Charge herbicide under specific local conditions. Sprayers need to be properly calibrated and all necessary precautions need to be taken to avoid spray drift and spray overlap.

### Restrictions

- **DO NOT** apply more than 3.75 fl. oz./A (0.092 lb. ai/A) total per twelve-month period. The twelve-month period is considered to begin upon the initial Spartan Charge herbicide application.
- **DO NOT** apply early than 7 days prior to planting.
- **DO NOT** apply after crop emerges, or if the emerging seedling is close to the soil surface.
- **DO NOT** apply to coarse soils classified as sand, which have less than 1% organic matter.

### MANUFACTURER'S CONDITIONS AND RISK OF USE

**NOTICE:** This 24(c) label will only be utilized by growers located in the State of Delaware. **SUCH GROWER USERS AGREE FMC CORPORATION WILL NOT BE HELD RESPONSIBLE FOR FAILURE TO PERFORM AND/OR CROP RESPONSE AND OR YIELD LOSSES RESULTING FROM THE USE OF SPARTAN CHARGE HERBICIDE IN LIMA BEAN.** Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability on the commercial Spartan Charge herbicide Section 3 label and this 24(c) label before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.



The Directions for Use of this product must be followed carefully.

**USE OF SPARTAN CHARGE HERBICIDE ON LIMA BEAN IN ACCORDANCE WITH THIS LABELING MAY RESULT IN FAILURE TO PERFORM, CROP INJURY, CROP YIELD REDUCTION AND/OR CROP LOSS. READ AND UNDERSTAND THESE CONDITIONS AND RISKS OF USE FOR SECTION 24(C) REGISTRATION BEFORE USING THIS PRODUCT ON THE CROP. FMC Corporation recommends that the user and/or grower test product in order to determine its suitability for such intended use.**

**FMC Corporation makes the Product available for use in the manner described in this Labeling on the basis that, in the sole opinion of the user, the benefits and utility derived from the use of the Product on the Crop outweigh the potential risk of failure to perform, Crop injury, Crop yield reduction and/or Crop loss. The decision to use the Product in the manner described in the Labeling must be made by each individual user on the basis of anticipated benefits versus (i) the potential risk of failure to perform, Crop injury, Crop yield reduction and Crop loss, (ii) the severity of the target pest infestation, (iii) the cost and availability of alternative pest controls and (iv) any other relevant factors.**

**By purchasing the Product for use, or using the Product, in the manner described in this Labeling, you acknowledge and accept that, to the extent consistent with applicable law:**

- (1) You assume all risk of failure to perform, Crop injury, Crop yield reduction and Crop loss;
- (2) FMC Corporation does not make, and does not authorize any agent or representative to make, any representations or recommendations regarding the use of this Product on the Crop other than the statements on this Labeling;
- (3) FMC Corporation does not make, and does not authorize any agent or representative to make, any warranties, expressed or implied, with respect to the use of the Product on the Crop and disclaim all warranties, expressed or implied, including any implied warranty;
- (4) FMC Corporation disclaims all liability for any damages, losses, expenses, claims or causes of actions arising out of or relating to failure to perform, Crop injury, Crop yield reductions and/or Crop loss, including without limitation incidental, consequential or special damages;
- (5) These Conditions and Risks of Use for 24(c) label registration supersede any contrary representations or recommendations by FMC Corporation, its agents or representatives, and any provisions in or on any Product literature or labeling including any provisions on the label affixed to the Product container.

**If these Conditions and Risk of Use for this 24(C) Registration are not acceptable, the unopened Product may be returned to the seller for a refund or used for a different labeled use in accordance with the label affixed to the Product container.**

Spartan and FMC – Trademarks of FMC Corporation  
©2022 FMC Corporation All Rights Reserved

Label code R-4672 040522 12-31-21



FMC Corporation  
2929 Walnut St  
Philadelphia, PA 19104