

**THIS RECOMMENDATION IS MADE AS PERMITTED UNDER FIFRA SECTION 2(ee) AND HAS NOT BEEN SUBMITTED TO OR APPROVED BY THE EPA.**



**2(ee) Recommendation**

**FOR DISTRIBUTION AND USE ONLY IN ARIZONA and CALIFORNIA**

THIS PRODUCT BULLETIN CONTAINS NEW OR ADDITIONAL DIRECTIONS FOR USE WHICH ARE RECOMMENDED BY FMC CORPORATION UNDER FIFRA SECTION 2(ee)

**IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH IT LABELING**

**For Agricultural or Commercial Use Only**

CROP	PEST	RATE OF APPLICATION
Lettuce (head and leaf types)	<i>Sclerotinia spp.</i>	1.5 – 2.0 pt / acre

**DIRECTIONS FOR USE:**

Rovral 4 Flowable Fungicide may be applied in a vertical band below the seed line immediately before planting for suppression of *Sclerotinia spp.*

Use a modified fertilizer shank with the main orifice closed and with supplemental orifices evenly spaced approximately 1 inch apart in order to distribute the Rovral 4 Flowable Fungicide solution evenly in a vertical band from the soil surface to 6 inches below the soil surface. Do not apply deeper than 6 inches. Apply so the Rovral solution is placed immediately below the seed line in the root zone of the seedlings. Use a minimum of 20 gallons solution per acre. Do not reduce the acre rate when applying Rovral below the seed line.

One modified shank application may be made prior to planting. Up to two additional band or broadcast applications may be made to lettuce and the soil surface as described in the Rovral 4 Flowable Fungicide Federal Label.

**RESTRICTIONS:**

Do not make more than one modified shank treatment or more than 3 applications to any lettuce crop. Do not apply within 14 days of harvest (PHI=14 days). Do not cultivate after application. If necessary, make an application during or immediately after cultivation. Do not drench.

**ALL APPLICABLE DIRECTIONS, RESTRICTIONS, AND PRECAUTIONS ON THE EPA REGISTERED ROVRAL® 4 FLOWABLE FUNGICIDE LABEL (EPA REG. NO. 279-9564) MUST BE FOLLOWED. THIS RECOMMENDATION SHOULD BE IN THE POSSESSION OF THE USER AT THE TIME OF PESTICIDE APPLICATION.**