

RESTRICTED USE PESTICIDE

Due to toxicity to fish and aquatic organisms

For retail sale to and use only by certified applicators or persons under their direct supervision, and only for those uses covered by the certified applicator's certification.



FIFRA 2(ee) Recommendation

EPA Reg. No. 279-3426

FOR DISTRIBUTION AND USE ONLY IN CALIFORNIA

THIS RECOMMENDATION, WHICH CONTAINS ADDITIONAL DIRECTIONS FOR USE, IS MADE AS PERMITTED UNDER FIFRA SECTION 2(ee) AND HAS NOT BEEN SUBMITTED TO OR APPROVED BY THE EPA.

This recommendation for MUSTANG MAXX Insecticide is valid until 01/13/2026, or until withdrawn, cancelled or suspended.

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING. ALL APPLICABLE DIRECTIONS, RESTRICTIONS AND PRECAUTIONS ON THE EPA REGISTERED LABEL MUST BE FOLLOWED.

THESE USE DIRECTIONS MUST BE IN THE POSSESSION OF THE USER AT THE TIME OF PESTICIDE APPLICATION.

CROP	PEST	RATE OF APPLICATION
Grapes: Table, Raisin, Wine	European Grapevine Moth Grape Leaf folder Light Brown Apple Moth Omnivorous Leafroller Orange Tortrix Western Grapeleaf Skeletonizer Spiders	4.0 fl oz/A (0.025 lb ai/A)

DIRECTIONS FOR USE:

Thorough coverage is essential to achieve control.

Use a minimum spray volume of 10 gallons by ground or 2 gallons by air to obtain full coverage of foliage.

Multiple applications may be required.

- **PHI:** 1 Day

Restrictions:

- Do not apply more than 24.0 fl oz of product (0.15 lb ai) per season.
- Do not make applications less than 7 days apart.



FMC Corporation
 2929 Walnut St.
 Philadelphia, PA 19104
 215-299-6000