

# MASTERLOCK®

## DRIFT REDUCTION AGENT, CANOPY PENETRANT AGENT, DEPOSITION AID, NONIONIC SURFACTANT DESIGNED TO MAXIMIZE DEPOSITION AND FOLIAR PERFORMANCE OF FUNGICIDE AND INSECTICIDE APPLICATIONS

With  
DropTight® Technology

### **PRINCIPAL FUNCTIONING AGENTS:**

Methylated Seed Oil, Soybean oil, ethoxylated, Tall oil ..... 100.00%  
Surfactant Content 22%

All ingredients are exempt from the requirement of a tolerance in 40 CFR 180.

## KEEP OUT OF REACH OF CHILDREN CAUTION

SEE BOOKLET FOR ADDITIONAL PRECAUTIONARY STATEMENTS, DIRECTIONS FOR USE, AND STORAGE AND DISPOSAL PRECAUTIONARY STATEMENTS

Harmful if inhaled. Avoid breathing spray mist. Remove and wash contaminated clothing before reuse. May cause mild but reversible eye and skin irritation. May cause minor irritation to the digestive track.

### FIRST AID

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing

eye. Call a poison control center or doctor for treatment advice.

If on skin: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

If swallowed: Call a poison control center or doctor immediately for treatment advice. Have the person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.

Call a poison control center or doctor for further treatment advice.

In case of medical emergency, call toll free 1-877-424-7452.

### STORAGE AND DISPOSAL

**PROHIBITIONS:** Do not contaminate water, food or feed by storage, disposal or cleaning of equipment.

**STORAGE:** Store in original container only and keep sealed, in closed storage areas. Storage above freezing is recommended. If product freezes, warm and agitate (recirculate) prior to use.

**ADJUVANT DISPOSAL:** Wastes resulting from the use of this product may be disposed of through on-site spray application or at an approved waste disposal facility.

**CONTAINER DISPOSAL:** Do not reuse empty container. Triple rinse (or equivalent) during mixing and loading. Recycling decontaminated containers is the best option of container disposal. The Agricultural Container Recycling Council (ACRC) operates the national recycling program. Contact your state and local ACRC recycler or visit the ACRC web page at [www.agrecycling.org](http://www.agrecycling.org). Decontaminated containers may also be disposed of in a sanitary landfill.

FOR CHEMICAL EMERGENCY: Spill, leak, fire, exposure, or accident, call CHEMTREC 1-800-424-9300.



Manufactured by:  
Winfield Solutions, LLC  
P.O. Box 64589, St. Paul, MN 55164-0589

NET CONTENTS  
2.5 GALLONS  
2/0904/4

## GENERAL INFORMATION

MASTERLOCK® adjuvant is a non-ionic surfactant (NPE Free) that combines InterLock® and DropTight® additive technology in one crop-based adjuvant to enhance spray coverage.

MASTERLOCK® was designed to enhance fungicide and insecticide applications and may be used with herbicides and other crop protection products.

MASTERLOCK® helps optimize droplet adhesion, which reduces bounce and increases droplet spreading for improved contact, coverage and canopy penetration. These features lead to enhanced agronomic performance that provide more fungicide and insecticide where it is needed the most.

## DIRECTIONS FOR USE NOT FOR AQUATIC USE

MASTERLOCK® is designed for use with fungicides and insecticides and may also be used with herbicides and other crop protection products.

Prior to use, read all directions on this label.

Rate of MASTERLOCK®	Application Method
6.4 oz./A	Ground
1% v/v (use 4 oz./A with 3 gallons of water or less)	Aerial

Before mixing pesticides with MASTERLOCK, conduct a jar test to determine compatibility.

### Mixing

Add MASTERLOCK® after pesticides or other adjuvants are added but prior to complete filling of the spray tank.

**For Direct Injection:** MASTERLOCK® can be applied through injection systems where MASTERLOCK is added to one of the system's chemical injection tanks. An in-line mixing chamber is recommended.

- Step 1 Add MASTERLOCK® to the chemical injection tank.
- Step 2 Pump the correct amount of MASTERLOCK® into the line.
- Step 3 Pump the proper amount of water, pesticide, and other adjuvants into the line for mixing with MASTERLOCK® and chemicals before going into the spray boom.

Do not mix MASTERLOCK® with other adjuvants in an induction system or container when all the products are undiluted. Once mixed in water, all the products are compatible in any mixing order.

### Notice of Warranty

Seller warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use. SELLER MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, NOR IS ANY REPRESENTATIVE OF SELLER AUTHORIZED TO MAKE ANY SUCH WARRANTY OR MODIFY THESE TERMS. This warranty does not extend to the storage, handling or use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to Seller, and Buyer assumes the risk of any such storage, handling or use. Seller shall not be responsible for incidental or consequential damages, if any, resulting from a breach of warranty.

DropTight® and Masterlock® are registered trademarks of Winfield Solutions, LLC.