



HELM AGRO US, INC.

CYCLOATE GROUP 8 HERBICIDE

**FIFRA Section 24 (c) Special Local Need Label
FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE OF WASHINGTON
FOR USE ON SPINACH**

RO-NEET[®] HERBICIDE

EPA Reg. No. 74530-16

SLN No. WA-210008

ACTIVE INGREDIENT:

S-ethyl cyclohexylethylthiocarbamate 73.9%

INERT INGREDIENTS: 26.1%**TOTAL**..... 100.0%

KEEP OUT OF REACH OF CHILDREN

CAUTION

This label for Ro-Neet Herbicide expires and must not be distributed or used in accordance with this SLN registration after December 31, 2027.

DIRECTIONS FOR USE

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- This Section 24 (c) label and the EPA-registered RO-NEET HERBICIDE product label must be in possession of the user at the time of pesticide application.
- Follow all applicable directions, restrictions, Worker Protection Standard requirements and precautions on the EPA-registered label.

FAILURE TO FOLLOW THE DIRECTIONS FOR USE AND PRECAUTIONS ON THIS LABEL MAY RESULT IN POOR WEED CONTROL, CROP INJURY, OR ILLEGAL RESIDUES.

SPINACH: Pre-Plant: Apply a surface broadcast application with ground application equipment prior to planting. Apply 1/3 to 1/2 gallons RO-NEET HERBICIDE (2 to 3 lbs. ai) per acre on sandy mineral soils only in a minimum of 10 gallons of water. Immediately after application, thoroughly mix RO-NEET HERBICIDE into the soil to a depth of 2 to 3 inches using a finishing disk, harrow, rolling cultivator or similar implement capable of providing uniform incorporation.

WEEDS CONTROLLED:

Annual bluegrass	<i>Poa annua</i>
Annual Ryegrass	<i>Lolium multiflorum</i>
Barley, volunteer	<i>Hordeum spp.</i>
Barnyardgrass (watergrass)	<i>Echinochloa spp.</i>
Crabgrass	<i>Digitaria spp.</i>
Foxtails	<i>Setaria spp</i>
Wild oats	<i>Avena fatua</i>

ANNUAL BROADLEAF WEEDS:

Black nightshade	<i>Solanum nigrum</i>
Hairy nightshade	<i>Solanum villosum</i>
Henbit, deadnettle	<i>Lamium spp.</i>
Lambsquarters	<i>Chenopodium album</i>
Nettleleaf goosefoot*	<i>Chenopodium murale</i>
Purslane, common	<i>Portulaca oleracea</i>
Redroot pigweed	<i>Amaranthus retroflexus</i>
Shepherdspurse	<i>Capsella bursa-pastoris</i>
Small stinging nettle/ Burning nettle	<i>Urtica urens</i>
Velvetleaf**	<i>Abutilon theophrasti</i>

*California excluded

**Partial control or suppression only

The above broadleaf weeds will be controlled only if application is made when conditions are favorable for germination. RO-NEET HERBICIDE SELECTIVE HERBICIDE WILL NOT CONTROL ESTABLISHED OR GERMINATED WEEDS PRESENT AT APPLICATION.

PERENNIAL WEEDS:

Yellow nutsedge	<i>Cyperus esculentus</i>
Purple nutsedge	<i>Cyperus rotundus</i>

RESTRICTIONS/PRECAUTIONS:

- Re-entry interval is 48 hours.
- Do NOT apply this product through any type of irrigation system.
- Do not harvest spinach for 45 days following application of this product.
- Do NOT make more than one (1) application per growing season.
- Do NOT apply more than 3 lbs. active ingredient/acre per year.

WSDA CONTAINER DISPOSAL GUIDANCE:

Pesticide containers must be properly cleaned prior to disposal. The best time to clean empty pesticide containers is during mixing and loading, because residue can be difficult to remove after it dries. Triple rinse (or pressure rinse) the pesticide container, empty all pesticide rinse water into the spray tank, and apply to a labeled crop or site. Recycling cleaned containers is

the best method of container disposal. Information regarding the recycling of empty and cleaned plastic pesticide containers in Washington is available on the WSDA Waste Pesticide Program website at <https://agr.wa.gov/wastepesticide>. Cleaned containers may also be disposed of in a sanitary landfill, if permitted by the county. Burning is not a legal method of container disposal in Washington.

SPECIAL CONDITIONS AND DISCLAIMER FOR USE OF RO-NEET HERBICIDE ON SPINACH. This product when used on spinach may lead to crop injury, loss, or damage. HELM AGRO US, INC. recommends that the user and/or grower test this product in order to determine its suitability for such intended use. HELM AGRO US, INC. makes this product available to the user and/or grower solely to the extent the benefit and utility, in the sole opinion of the user and/or grower, outweigh the extent of potential injury associated with the use of this product. The decision to use or not to use this product must be made by each individual user and/or grower on the basis of possible crop injury from RO-NEET HERBICIDE, the severity of weed infestation, the cost of alternative weed controls, and other factors. HELM AGRO US, INC. intends that because of the risk of failure to perform or crop damage, all such use is at the user's and/or grower's risk, to the extent consistent with applicable law. This Special Conditions and Disclaimer statement is required by HELM AGRO US, INC. and is not required or enforced by the USEPA or the WSDA.

RO-NEET HERBICIDE is a trademark of Helm Agro US, Inc.

24(c) Registrant:
HELM AGRO US, INC.
401 Jackson Street, Suite 1400
Tampa, FL 33602