

RESTRICTED USE PESTICIDE

Due to toxicity to fish and aquatic organisms.

For retail sale to and use only by certified applicators, or persons under their direct supervision and only for the uses covered by the certified applicator's certification.

BIFENTHRIN | GROUP 3A | INSECTICIDE

Supplemental Labeling

This supplemental label expires on December 31, 2024 and must not be used or distributed after this date.



CAPTURE[®]



3RIVE 3D[®]

For At-Plant use on Sunflower

Liquid insecticide for use in a 3RIVE 3D system only.

EPA Reg. No. 279-3467

Active Ingredient:	By Wt.
Bifenthrin: *	17.68%
Other Ingredients:	<u>82.32%</u>
.....	100.0%

*Cis isomers 97% minimum, trans isomers 3% maximum
This product contains 1.6 lbs active ingredient per gallon.

KEEP OUT OF REACH OF CHILDREN
CAUTION

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.
ALL APPLICABLE DIRECTIONS, RESTRICTIONS AND PRECAUTIONS ON THE EPA REGISTERED LABEL ARE TO BE FOLLOWED.

This Supplemental labeling must be in the possession of the user at the time of pesticide application. Read the label affixed to the container for Capture 3RIVE 3D Insecticide before applying. Use of Capture 3RIVE 3D Insecticide according to this supplemental labeling is subject to the use precautions and limitations imposed by the label affixed to the container of Capture 3RIVE 3D Insecticide. Carefully follow all precautionary statements and application use directions.

3RIVE 3D System Information: Capture 3RIVE 3D Insecticide must be applied with a 3RIVE 3D system. Refer to the 3RIVE 3D equipment and user manual for information on system operation and calibration.

SUNFLOWER (Crop Subgroup 20B)

Calendula, Castor Oil Plant, Chinese Tallowtree, Euphorbia, Evening Primrose, Jojoba, Niger Seed, Rose Hip, Safflower, Stokes Aster, Tallowwood, Tea Oil Plant, Vernonia, cultivars, varieties, and/or hybrids of these

At-Plant

PEST	USE RATES		
	fl oz/A	fl oz/1000 Linear ft.	lb ai/A
Wireworm Grape colaspis White Grub spp. Seedcorn maggot Root aphids Army cutworm Cutworm spp.	4.0 – 16.0	0.23 – 0.92	0.05 – 0.2
At-Plant Restrictions: <ul style="list-style-type: none"> • Do not apply more than 0.2 lb ai/A (16.0 fl oz/A) per year. • Do not make more than 1 application per year. • Labeled use rates based on 30 inch row spacings. 			

FMC, Capture and 3RIVE 3D are trademarks of FMC Corporation.
© 2022 FMC Corporation. All rights reserved.

R-4653 012522 11-19-2021