



| |
|---|
| FIFRA 2(ee) Recommendation |
| EPA Reg. No. 279-3588 |
| FOR DISTRIBUTION AND USE ONLY IN CALIFORNIA |
| THIS RECOMMENDATION, WHICH CONTAINS ADDITIONAL DIRECTIONS FOR USE, IS MADE AS PERMITTED UNDER FIFRA SECTION 2(ee) AND HAS NOT BEEN SUBMITTED TO OR APPROVED BY THE US EPA. |

This recommendation for Rhyme™ fungicide is valid until December 31, 2023, or until withdrawn, canceled or suspended.

| |
|---|
| IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING. ALL APPLICABLE DIRECTIONS, RESTRICTIONS AND PRECAUTIONS ON THE EPA REGISTERED LABEL MUST BE FOLLOWED. |
| THESE USE DIRECTIONS MUST BE IN THE POSSESSION OF THE USER AT THE TIME OF PESTICIDE APPLICATION. |

FOR SUPPRESSION OF FUSARIUM SP. VIA CHEMIGATION IN CELERY

| Directions for Use |
|--|
| Rhyme fungicide will provide suppression of listed diseases. |
| Product is to be applied through drip irrigation. Recommend initial application at transplanting. For spring and fall planting, a second application is required, approximately 30 days later. For fall planting, additional applications may be required at 14 day intervals, for a maximum of 4 applications per season. |

| Crop | Pest | Rate (fl oz/A) | PHI | Retreatment Interval (Days) | Restrictions |
|---------------|--|-----------------------|---------------------------------------|------------------------------------|--|
| Celery | Fusarium Yellows /Fusarium Wilt (Suppression only) (<i>Fusarium oxysporum f.sp apii</i>) | 5-7 | Do not apply within 7 days of harvest | 14 | <ul style="list-style-type: none"> Do not apply more than 7.0 fl. oz. (0.114 lb ai) product/A/ application. Do not apply more than 28 fl. oz. of product/A/year. Do not make more than 4 applications/ year. Do not apply more than 0.455 lb. ai of flutriafol or flutriafol containing products/A/year. |

R-4442 040920

