



FIFRA 2(ee) Recommendation

EPA Reg. No. 279-3588

**FOR DISTRIBUTION AND USE
ONLY IN AZ, CA, CO, CT, DE, ID, IL,
IN, IA, KY, ME, MD, MA, MN, MO, NH,
NJ, NM, NY, NC, OH, OR, PA, SC,
TN, UT, VT, VA, WA, WV, AND WI**

**THIS RECOMMENDATION, WHICH CONTAINS
ADDITIONAL DIRECTIONS FOR USE, IS MADE
AS PERMITTED UNDER FIFRA SECTION 2(ee)
AND HAS NOT BEEN SUBMITTED TO OR
APPROVED BY THE US EPA.**

This recommendation for Rhyme® Fungicide is valid until April 30, 2027, or until withdrawn, canceled, or suspended.

Use of this product according to this bulletin has not been reviewed or endorsed by the Office of the Indiana State Chemist

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING. ALL APPLICABLE DIRECTIONS, RESTRICTIONS AND PRECAUTIONS ON THE EPA REGISTERED LABEL MUST BE FOLLOWED.

THESE USE DIRECTIONS MUST BE IN THE POSSESSION OF THE USER AT THE TIME OF PESTICIDE APPLICATION.

FOR CONTROL OF POWDERY MILDEW IN POME, HOPS, AND STONE FRUIT VIA DRIP CHEMIGATION

Directions For Use

When applied as directed through drip irrigation and microsprinklers, Rhyme® Fungicide will prevent powdery mildew on the foliage of hops, pome, and stone fruit.

Crop	Pest	Rate (fl. oz./A)	Application Directions	Retreatment Interval (Days)
Hops	Powdery mildew <i>Podosphaera macularis</i>	7	Apply preventatively or when conditions are favorable for disease development. Repeat as necessary.	14
Pome Fruit (See label for list of pome fruit)	Powdery Mildew <i>Podosphaera leucotricha</i>	6		7
Stone Fruit (See label for list of stone fruit)	Powdery Mildew <i>Podosphaera clandestina</i>	7		7

All applicable directions, restrictions, and precautions on the Rhyme® Fungicide Label (EPA Reg. 279-3588) must be followed. This recommendations should be in position of the user at the time of pesticide application.

R-4708 032822



FMC Corporation
2929 Walnut St.
Philadelphia, PA 19104
215-299-6000