

SUPPLEMENTAL LABELING FOR USE ON HEMP AND STEVIA
 This supplemental label expires on May 1, 2026, and must not be used or distributed after this date.

Sonalan[®] HFP

ACTIVE INGREDIENT:	% BY WT.
Ethalfluralin: <i>N</i> -ethyl- <i>N</i> -(2-methyl-2-propenyl)-2, 6-dinitro-4-(trifluoromethyl)benzenamine.....	35.4%
OTHER INGREDIENTS:	64.6%
	TOTAL 100.0%

Contains 3 lb active ingredient per gallon.

KEEP OUT OF REACH OF CHILDREN DANGER / PELIGRO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.
 (If you do not understand the label, find someone to explain it to you in detail.)

DIRECTIONS FOR USE

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- All applicable directions, restrictions, and precautions on the EPA registered label must be followed.
- This labeling must be in the possession of the user at the time of pesticide application.
- Read the label affixed to the container for Sonalan HFP before applying.

In addition to the Section 3 label personal protective equipment (PPE) all handlers for use on hemp and stevia must also wear:

- A minimum of a NIOSH-approved particulate filtering facepiece respirator with any N, R, or P filter; OR a NIOSH-approved elastomeric particulate respirator with any N, R, or P filter; OR a NIOSH-approved powered air-purifying respirator with an HE filter

HEMP

Sonalan HFP – Alone

Apply and incorporate Sonalan[®] HFP herbicide before planting to the soil surface with incorporation via mechanical methods or irrigation. Use the correct rate for each soil type to avoid crop injury. Prolonged wet or cold soils, deep seed placement, soil crusting, or application overlaps may combine to cause slowed or reduced emergence.

Broadcast Application Rates:

Soil Texture	Sonalan HFP (pt/acre)	Sonalan HFP (lb AI/acre)
Coarse / Medium	1 1/2 - 3	0.5625 – 1.125

Application Timing:

Direct Seeded - Preplant incorporated, or Post plant pre-emergence with incorporation.

Transplant - Apply as a single application and incorporate prior to transplanting.

Use lower rates in coarse soils.

Precautions:

- Product must be incorporated for proper weed control.
- Poor weed control and/or crop injury may result if directions are not followed. Uneven application, over application, or improper incorporation can result in erratic weed control or injury to the treated or rotational crops.
- Sonalan HFP will not control DNA (dinitroaniline) resistant goosegrass.
- Sonalan HFP has not been tested on all hemp varieties in all soil conditions. Test Sonalan HFP on your specific variety and soil condition on a small area first.

Restrictions:

- Do not apply Sonalan HFP to soils which are wet, cloddy, or subject to prolonged periods of flooding because poor weed control or crop injury may result.
- Do not apply to any area not specified on the product label.
- Do not make more than one application per year.
- Do not apply more than 3 pints (1.125 lb ai) per acre per application.
- Do not exceed 3 pints (1.125 lb AI) per acre per year.
- Do not apply by any type of handgun sprayers including backpack sprayers.
- Do not apply aerially.
- Do not apply using chemigation.
- Do not apply Sonalan HFP on dry bulk fertilizer to hemp.

STEVIA

Sonalan HFP – Alone

Apply Sonalan HFP herbicide as a broadcast, pre-transplant, incorporated application. Use incorporation equipment that will uniformly mix the herbicide into the top 2-3 inches of the soil within 48 hours of application. Transplant stevia within 7 days.

Or alternatively, apply Sonalan HFP as a broadcast, pre-transplant, surface application and incorporate by sprinkler irrigation with the amount of 0.5 to 1.0 inch of water within 2 days after the application. Transplant stevia within 7 days.

Apply in a minimum spray volume of 10 gallons per acre

Broadcast Application Rates

Soil Texture	Sonalan HFP (pt/acre)	Sonalan HFP (lb AI/acre)
coarse / medium / fine	2	0.75

Restrictions:

- Do not apply more than 2 pints (0.75 lb ai) per acre per application.
- Do not make more than 2 applications per year.
- Do not apply more than 4 pints (1.5 lb AI) per acre per year.
- Do not make post-emergent applications.
- Do not apply by handgun sprayers.
- Do not apply aerially.
- Do not apply using chemigation.