

FIFRA 2(ee) Recommendation

EPA Reg. No. 279-9596

FOR DISTRIBUTION AND USE ONLY IN THE STATES OF CONNECTICUT, FLORIDA, GEORGIA, KENTUCKY, MARYLAND, MASSACHUSETTS, NORTH CAROLINA, PENNSYLVANIA, SOUTH CAROLINA, TENNESSEE AND VIRGINIA

THIS RECOMMENDATION, WHICH CONTAINS ADDITIONAL DIRECTIONS FOR USE, IS MADE AS PERMITTED UNDER FIFRA SECTION 2(ee) AND HAS NOT BEEN SUBMITTED TO OR APPROVED BY THE US EPA.

This recommendation for STEWARD® EC insecticide is valid until December 31, 2030, or until withdrawn, canceled or suspended.

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING. ALL APPLICABLE DIRECTIONS, RESTRICTIONS AND PRECAUTIONS ON THE EPA REGISTERED LABEL MUST BE FOLLOWED.

THESE USE DIRECTIONS MUST BE IN THE POSSESSION OF THE USER AT THE TIME OF PESTICIDE APPLICATION.

FOR CONTROL OF TOBACCO FLEA BEETLE IN TOBACCO

| CROP | APPLICATION METHOD | TARGET PEST | RATE | PHI (Days) | REI (Hours) |
|---------|--------------------|---|---|---------------|----------------|
| Tobacco | Foliar | Tobacco Flea Beetle (<i>Epitrix hiritipennis</i>) | 9.2 – 11.3 fl oz/A (0.09 - 0.11 lb ai/A) | 14 | 12 |

DIRECTIONS FOR USE

- Steward EC insecticide is recommended as a foliar application for control of tobacco flea beetle.
- Higher application volume (GPA) will provide better coverage and performance. Select a spray volume appropriate for the size of plants and density of foliage being treated. A minimum of 10 GPA by ground application equipment is recommended.
- Use high rate (11.3 fl oz/A) for optimal control and when heavier infestations are present.
- See the Resistance Management section of the Steward EC insecticide Section 3 Federal label for additional guidance regarding insecticide resistance management.

RESTRICTIONS AND PRECAUTIONS

- Do not apply more than 45 fl oz/A Steward EC insecticide or 0.44 lb ai/A of indoxacarb-containing products per calendar year.
- Do not make more than 4 applications per acre per crop.
- The minimum interval between treatments is 5 days.

IMPORTANT NOTICE

BEFORE BUYING OR USING FMC PRODUCT(S) COVERED BY THIS BULLETIN, READ THIS BULLETIN, AND THE LABELS FOR ALL PRODUCTS REFERENCED IN THIS BULLETIN, IN THEIR ENTIRETY, AND FOLLOW ALL APPLICABLE DIRECTIONS, RESTRICTIONS AND PRECAUTIONS. Read the Limitation of Warranty and Liability on the Section 3 Federal product label before buying or using the FMC product(s) covered by this Bulletin. FMC will not be responsible for losses or damages resulting from use of this product in any manner not specifically stated by FMC on the Section 3 label, or other labels, or this Bulletin. User assumes all risks associated with any such nonspecified use. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded. Otherwise, use by Buyer or any other User constitutes acceptance of the terms of the Limitation of Warranty and Liability of the Section 3 Federal product label.

R-5012 111325 01-29-21

