

MilStop

Foliar Fungicide

EPA Reg. No. 68539-13

FIFRA §2(ee) RECOMMENDATION

For Use in: USA

For Use in Dip Application

ACTIVE INGREDIENT:

Potassium Bicarbonate 85.0%

OTHER INGREDIENTS: 15.0%

TOTAL: 100.0%

Directions for Use

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- The user must refer to the EPA registered label for the above noted product and read and follow all directions for use, restrictions, and precautions.
- The user must have this recommendation in their possession at the time of use.
- This recommendation for use of this product is permitted under Section 2(ee) of FIFRA and is under review by EPA but not currently approved.

USE	DISEASE	RATE	INSTRUCTIONS
Dip of unrooted cuttings and foliage of rooted plants.	Alternaria blight, Anthracnose, Blackspot, Botrytis blight, Botrytis gray mold, Cercospora leaf spot, Corynespora leaf spot, Downy mildew ¹ , Monilinia fruit and blossom rot ¹ , Penicillium spp. ¹ , Phomopsis blight, Powdery mildew, Rust ¹ , Scab, Septoria leaf spot	1.25-2.5 #/100 gal (0.2-0.5 oz/gallon)	Ensure full coverage by dipping for approximately 5-30 seconds while moving the plants around in the solution. Agitate dip solution throughout use. Certain plants may show phytotoxicity symptoms post-dipping. Prior to treating entire crop, test a small portion of the crop for sensitivity. Do not dip stressed/wilted cuttings or transplants.
Clean and disinfect the dipping tank and equipment before a new dip solution is prepared. Prepare only as much dip solution as can be used in one day.			

2(ee) Registrant:

BioWorks, Inc.

100 Rawson Rd., Ste. 205

Victor, NY 14564



FOR ORGANIC PRODUCTION



102024-2ee



BIOWORKS

100 Rawson Road • Suite 205 • Victor, NY 14564 • bioworksinc.com • 800.877.9443