



**FIFRA 24(c) Special Local
Need Label**

**For control of
Texas Root Rot/Cotton Root Rot in
Alfalfa**

**EPA SLN No.: AZ-240001
EPA Reg. No. 279-9658**

**FOR DISTRIBUTION AND USE
ONLY IN ARIZONA**

This label for Xyway™ LFR® fungicide is valid until December 31, 2028, or until withdrawn, canceled, or suspended.

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING. ALL APPLICABLE DIRECTIONS, RESTRICTIONS AND PRECAUTIONS ON THE EPA REGISTERED LABEL MUST BE FOLLOWED.

THESE USE DIRECTIONS MUST BE IN THE POSSESSION OF THE USER AT THE TIME OF PESTICIDE APPLICATION.

THREATENED AND ENDANGERED SPECIES Special local needs (SLN) labels are important to states like Arizona with niche industries and significant economic risks due to local pest problems. Our stewardship of this important labeling process is important and must also consider the potential off-target effects of any pesticide used in Arizona. This includes any potential harm to threatened or endangered (TE) species in our state. Please carefully consider the use of this pesticide and obtain as much information as you can to help ensure your application will have no impacts on TE species.

Arizona Groundwater Information

The active ingredient of this product is on Arizona's Groundwater Protection List. This means the product's chemical/physical characteristics show that it has the ability to leach into groundwater. The use of this product requires reporting of the application information (1080) to the Arizona Department of Agriculture.

24(c) Registrant:



FMC Corporation
2929 Walnut St.
Philadelphia, PA 19104
215-299-6000

Use Directions for ALFALFA

Xyway™ LFR® fungicide works by both forming a protective barrier to disease infection and via systemic uptake and activity to protect plants.. Precipitation in the form of rainfall or irrigation is required to move the product into the infection zone. The amount of water required will vary with soil type, soil moisture, and rainfall or irrigation intensity.

Application Method

Apply Xyway™ LFR® fungicide through sprinkler irrigation systems, or by drip application, as described in the Application Directions on this label. For continuous-move irrigation systems, apply the labeled rate in ½ acre-inch or more per acre. For stationary or non-continuous moving systems, inject Xyway™ LFR® fungicide spray mixture during the first 20-30 minutes of the set to ensure fungicide reaches the soil surface. Applications should be made postemergence to alfalfa at the timing(s) outlined below.

Disease	Product Rate	Application Directions
Texas Root Rot / Cotton Root Rot (<i>Phymatotrichopsis omnivora</i>)	16 – 26 fl oz/A (0.24 – 0.39 lb ai/A)	Single Application: Apply in early spring prior to three (3) inches of new alfalfa growth OR after first cutting of alfalfa when alfalfa is between two (2) and three (3) inches regrowth. Use the highest specified product rate when field is known to have high levels of cotton root rot disease pressure.
	First application: 16 – 26 fl oz/A (0.24 – 0.39 lb ai/A) Second application: 13.3 - 16 fl oz/A (0.2 – 0.24 lb ai/A)	Split Application: Apply first application in early spring prior to three (3) inches of new alfalfa growth. Apply second application after second or third cutting of alfalfa when alfalfa is between two (2) and three (3) inches regrowth. Use split application under the following situations: <ul style="list-style-type: none"> • High intensity production practices • 2nd year of established plantings and older Use the highest specified product rate when field is known to have high levels of cotton root rot disease pressure.

24(c) Registrant:



FMC Corporation
2929 Walnut St.
Philadelphia, PA 19104
215-299-6000

Restrictions:

- No single application may exceed 26 fl oz of product/A (0.39 lb ai/A)
- Make only one application per cutting
- **DO NOT** apply more than two applications per year
- **DO NOT** exceed 42 fl oz of product (0.63 lb ai)/A per year.
- Restricted Entry Interval (REI) is 12 hours
- Preharvest Interval (PHI): **DO NOT** apply within 14 days of harvest

IMPORTANT NOTICE

BEFORE BUYING OR USING FMC PRODUCT(S) COVERED BY THIS BULLETIN, READ THIS BULLETIN, AND THE LABELS FOR ALL PRODUCTS REFERENCED IN THIS BULLETIN, IN THEIR ENTIRETY, AND FOLLOW ALL APPLICABLE DIRECTIONS, RESTRICTIONS, AND PRECAUTIONS. It is a violation of Federal law to use this or any other pesticide product in a manner inconsistent with its labeling. This Bulletin contains supplemental instructions for the use of the reference FMC product. Follow these instructions carefully. This Bulletin must be in the possession of the User at the time of application. **Read the Limitation of Warranty and Liability on the Section 3 Federal product label before buying or using the FMC product(s) covered by this bulleting. FMC will not be responsible for losses or damages resulting from the use of this product in any manner not specifically stated by FMC on the Section 3 label or other labels, or this Bulletin. User assumes all risks associated with any such nonspecified use. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded. Otherwise, use by Buyer or any other User constitutes acceptance of the terms of the Limitation of Warranty and Liability of the Section 3 Federal product label.**

DR-4876 010824 03202024

24(c) Registrant:



FMC Corporation
2929 Walnut St.
Philadelphia, PA 19104
215-299-6000