



FIFRA 2(ee) Recommendation

EPA Reg. No.: 279-9658

**FOR DISTRIBUTION AND USE ONLY
IN TEXAS**

**THIS RECOMMENDATION, WHICH CONTAINS
ADDITIONAL DIRECTIONS FOR USE, IS MADE AS
PERMITTED UNDER FIFRA SECTION 2(ee) AND
HAS NOT BEEN SUBMITTED TO OR APPROVED
BY THE US EPA.**

This label is valid until December 31, 2025 or until withdrawn, canceled or suspended.

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING. ALL APPLICABLE DIRECTIONS, RESTRICTIONS AND PRECAUTIONS ON THE EPA REGISTERED LABEL MUST BE FOLLOWED.

THESE USE DIRECTIONS MUST BE IN THE POSSESSION OF THE USER AT THE TIME OF PESTICIDE APPLICATION.

At-Plant Off the Seed (2x0, 2x2, 2x2x2 dual placement) of Xyway™ LFR® fungicide in Corn

Directions for Use

Apply Xyway™ LFR® fungicide to corn at planting at least ½" away from the seed, or placed off the row (i.e. 2x0, 2x2, 2x2x2 dual placement, or similar placements) within 4-inches of the seed, but avoiding direct contact with the seed.

-
- Apply the full use rate (15.2 fl oz of product/A) for best results.

Restrictions:

- Do not apply more than 0.228 lb of flutriafol/A per year (15.2 fl oz of product/A) including at-plant plus foliar applications of other flutriafol products.

R-4685 013122



FMC Corporation
2929 Walnut St.
Philadelphia, PA 19104
215-299-6000