Sugar Power™



SPECIMEN

0-9-6 GUARANTEED ANALYSIS

Available Phosphate (P_2O_5) 9.09	%
Soluble Potash (K ₂ O)	
Magnesium (Mg)	
1.00% Water Soluble Magnesium (Mg)	
Derived from monopotassium phosphate and magnesium chloride	e.

F2399

Z-SUGARP Rev: 21H18

Density: 10.0 lb/gal (1.20 kg/L) @ 68°F (20°C)

NET CONTENT	NET WEIGHT
□ 2.50 gal (9.5 L)	25.0 lb (11.4 kg)
□ 2.64 gal (10.0 L)	26.4 lb (12.0 kg)
□ 5.00 gal (18.9 L)	50.0 lb (22.7 kg)
☐ 5.28 gal (20.0 L)	52.8 lb (24.0 kg)
□ 15.0 gal (56.8 L)	150.0 lb (68.1 kg)
□ 55.0 gal (208 L)	550.0 lb (249.8 kg)
□ 275 gal (1041 L)	2750.0 lb (1249.2 kg)
□ BULK	

WARNING

KEEP OUT OF REACH OF CHILDREN; MAY BE HARMFUL IF SWALLOWED, INHALED OR IN CONTACT WITH SKIN; MAY CAUSE EYE IRRITATION. MAY CAUSE DAMAGE THROUGH PROLONGED EXPOSURE.

PRECAUTIONS:

Do not breathe dust/fume/gas/mist/vapors/spray. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in well-ventilated area. Avoid release to environment. Wear protective gloves/protective clothing/eye protection/face protection. Keep container tightly closed. Keep cool and protected from sunlight.

If medical advice is needed, have product container or label at hand. For more details regarding the safe use/handling, storage, and disposal of this product as well as additional hazards and first aid measures, please obtain the current Safety Data Sheet at www.stollerusa.com.

STORAGE AND DISPOSAL

We recommend storing pails a maximum of three pails high. Do not stack pallets. Store container tightly closed in a cool/well-ventilated dry place protected from sunlight above 40°F. Do not allow container to freeze. Store locked up. DISPOSE of contents/container at a permitted facility or as advised by your local regulatory authority. Do not contaminate water, food or feed by storage or disposal. Do not apply directly to areas where surface water is present, or to intertidal areas below the mean high-water mark. Do not contaminate water when disposing of equipment wash water. Do not reuse empty container.

Information regarding the contents and levels of metals in this product is available on the internet at http://www.aapfco.org/metals.html

GENERAL INFORMATION

SUGAR POWER is a unique formulation of nutrients designed to aid in the management of the source-to-sink relationship through a plant's growing cycle.

DIRECTIONS FOR USE

Crop yield / plant growth may be compromised if the product is not used according to label directions.

RECOMMENDED USES

FOR FOLIAR APPLICATION:

<u>FIELD CROPS</u>: Foliar apply 32 oz/a at the end of the first 1/3 of grain development, or when solids begin to appear in the developing grains. Typically, this is about 30-45 days prior to physical maturity.

Apply 10-21 days after heading on barley, flax, oats, rye, rice, and wheat.

Apply Early R4 (usually 21-27 days after tassel) on corn, and milo/sorghum.

Apply 14 days after completion of flowering on canola. Apply Early R6 on dry edible beans, field peas, and soybeans.

Apply 7-10 days prior to termination on cotton.

Apply 7-10 days prior to termination/harvest on sugar beets.

*For crops not matured or harvested, a follow-up application can be applied 10-14 days after initial application at a rate of 32-64oz/acre.

<u>VEGETABLES:</u> Foliar apply 32-128 oz/a 10-14 days prior to harvest.

For potatoes, apply 32-64 oz/acre at early to mid-bloom and apply 128 oz/a with termination application.

For root crops such as carrots, turnips, onions, beets, and peanuts, apply 128 oz/a 7-10 days prior to harvest.

For single harvest cucurbits, cucumber, watermelon, cantaloupe, other melons, squash, pumpkins, apply 128 oz/a 14-21 days prior to anticipated harvest. For multiple harvest crops apply 128 oz/a 14 days prior to final harvest.

For solanaceous crops like tomatoes and peppers, apply 128 oz/a 14 days prior to harvest followed by 128 oz/a 7 days prior to harvest or final harvest with multiple harvest cropping system.

IREE AND VINE CROPS: Almonds, apples, avocados, cherries, all citrus crops, grapes, nectarines, pears, peaches, pecans, pistachio, plums, walnuts. Foliar apply pre-bloom 64-128 oz/a and apply 64-128 oz/a 21 days prior to harvest and again 64-128 oz/a 10 days prior to harvest.

MIXING INSTRUCTIONS: Follow this mixing order - (1) Water (2) SUGAR POWER (3) Pesticide. SUGAR POWER will disperse in water with little agitation. SUGAR POWER is compatible with most fertilizers and pesticides. Always conduct a jar test when using new or untried combinations.

Always read and follow label instructions.

9090 Katy Freeway, Suite 400 Houston, Texas 77024 | www.stollerusa.com | 1-800-539-5283 or 713-461-1493 | @ 2021 Stoller USA Inc. All rights reserved. Printed in the U.S.A.
Page 2 of 2

Sugar Power

^{1.} Stoller USA ("Seller") warrants that this product conforms to the ingredients specified and is reasonably fit for the purpose stated on this label when used in strict accordance with label directions. SELLER MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY OTHER EXPRESS OR IMPLIED WARRANTY. 2. It is impossible to eliminate all risks associated with use of this product. Matters of time, rate of application, storage and other conditions might affect product performance beyond Seller's control. All such risks shall be assumed by buyer. 3. To the extent permitted by law, the exclusive remedy for losses or damages resulting from this product (including claims based on contract, negligence, strict liability, or other legal theories), shall be limited to, at Seller's election, one of the following: (a) refund of purchase price paid by buyer or user for product bought, or (b) replacement of amount of product used. To the extent permitted by law, Seller shall not be liable for losses or damages resulting from handling or use of this product unless Seller is promptly notified of such loss or damage in writing. In no case shall Seller be liable for consequential or incidental damages or losses.