

# SAFETY DATA SHEET



## SNAPSHOT™ 2.5 TG

Version 1.0      Revision Date: 01/13/2022      SDS Number: 800080003390      Date of last issue: -  
Date of first issue: 01/13/2022

---

Corteva Agriscience™ encourages you and expects you to read and understand the entire SDS as there is important information throughout the document. This SDS provides users with information relating to the protection of human health and safety at the workplace, protection of the environment and supports emergency response. Product users and applicators should primarily refer to the product label attached to or accompanying the product container. This Safety Data Sheet adheres to the standards and regulatory requirements of the United States and may not meet the regulatory requirements in other countries.

---

### SECTION 1. IDENTIFICATION

Product name : SNAPSHOT™ 2.5 TG

#### Manufacturer or supplier's details

#### COMPANY IDENTIFICATION

**Manufacturer/importer** : CORTEVA AGRISCIENCE LLC  
9330 ZIONSVILLE RD  
INDIANAPOLIS, IN, 46268-1053  
UNITED STATES

**Customer Information Number** : 800-992-5994

**E-mail address** : customerinformation@corteva.com

**Emergency telephone** : INFOTRAC (CONTRACT 84224).  
800-992-5994 or 317-337-6009

#### Recommended use of the chemical and restrictions on use

Recommended use : End use herbicide product

---

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity (Inhalation) : Category 3

Carcinogenicity : Category 1A

Specific target organ toxicity : Category 1 (Lungs)  
- repeated exposure (Inhalation)

#### GHS label elements

Hazard pictograms :



# SAFETY DATA SHEET



## SNAPSHOT™ 2.5 TG

Version 1.0      Revision Date: 01/13/2022      SDS Number: 800080003390      Date of last issue: -  
Date of first issue: 01/13/2022

Signal Word : Danger

Hazard Statements : H331 Toxic if inhaled.  
H350 May cause cancer.  
H372 Causes damage to organs (Lungs) through prolonged or repeated exposure if inhaled.

Precautionary Statements : **Prevention:**  
P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P260 Do not breathe dust/ fume/ gas/ mist/ vapors/ spray.  
P264 Wash skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P271 Use only outdoors or in a well-ventilated area.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**  
P304 + P340 + P311 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor.  
P308 + P313 IF exposed or concerned: Get medical advice/ attention.

**Storage:**  
P403 + P233 Store in a well-ventilated place. Keep container tightly closed.  
P405 Store locked up.

**Disposal:**  
P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards

None known.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)
isoxaben (ISO)	82558-50-7	0.5
trifluralin (ISO) (containing <0.5 ppm NPDA)	1582-09-8	2
Quartz	14808-60-7	>= 3 - < 10
Balance	Not Assigned	> 80

Actual concentration is withheld as a trade secret

## SNAPSHOT™ 2.5 TG

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/13/2022	800080003390	Date of first issue: 01/13/2022

---

**SECTION 4. FIRST AID MEASURES**

- If inhaled : Move person to fresh air. If person is not breathing, call an emergency responder or ambulance, then give artificial respiration; if by mouth to mouth use rescuer protection (pocket mask etc). Call a poison control center or doctor for treatment advice.  
If breathing is difficult, oxygen should be administered by qualified personnel.
- In case of skin contact : Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
- In case of eye contact : Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. Call a poison control center or doctor for treatment advice.  
May cause injury due to mechanical action.
- If swallowed : Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor.  
Never give anything by mouth to an unconscious person.
- Most important symptoms and effects, both acute and delayed : None known.
- Protection of first-aiders : First Aid responders should pay attention to self-protection and use the recommended protective clothing (chemical resistant gloves, splash protection).  
If potential for exposure exists refer to Section 8 for specific personal protective equipment.
- Notes to physician : Maintain adequate ventilation and oxygenation of the patient.  
No specific antidote.  
Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient.  
Have the Safety Data Sheet, and if available, the product container or label with you when calling a poison control center or doctor, or going for treatment.

**SECTION 5. FIRE-FIGHTING MEASURES**

- Suitable extinguishing media : Water spray  
Alcohol-resistant foam
- Unsuitable extinguishing media : None known.
- Specific hazards during fire fighting : Exposure to combustion products may be a hazard to health.  
Do not allow run-off from firefighting to enter drains or water courses.
- Hazardous combustion products : During a fire, smoke may contain the original material in addition to combustion products of varying composition which may be toxic and/or irritating.

Combustion products may include and are not limited to:  
Nitrogen oxides (NOx)

# SAFETY DATA SHEET



## SNAPSHOT™ 2.5 TG

Version 1.0      Revision Date: 01/13/2022      SDS Number: 800080003390      Date of last issue: -  
Date of first issue: 01/13/2022

---

Hydrogen fluoride  
Carbon oxides

Specific extinguishing methods : Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.  
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

---

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Ensure adequate ventilation.  
Avoid dust formation.  
Avoid breathing dust.  
Use personal protective equipment.  
Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.

Environmental precautions : If the product contaminates rivers and lakes or drains inform respective authorities.  
Discharge into the environment must be avoided.  
Prevent further leakage or spillage if safe to do so.  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.  
Prevent from entering into soil, ditches, sewers, underwater.  
See Section 12, Ecological Information.

Methods and materials for containment and cleaning up : Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in.  
Pick up and arrange disposal without creating dust.  
Recovered material should be stored in a vented container.  
The vent must prevent the ingress of water as further reaction with spilled materials can take place which could lead to over-pressurization of the container.  
Keep in suitable, closed containers for disposal.  
Sweep up or vacuum up spillage and collect in suitable container for disposal.  
See Section 13, Disposal Considerations, for additional information.

---

### SECTION 7. HANDLING AND STORAGE

Local/Total ventilation : Use with local exhaust ventilation.  
Advice on safe handling : Provide sufficient air exchange and/or exhaust in work rooms.

---

# SAFETY DATA SHEET



## SNAPSHOT™ 2.5 TG

Version 1.0      Revision Date: 01/13/2022      SDS Number: 800080003390      Date of last issue: -  
Date of first issue: 01/13/2022

- Avoid formation of respirable particles.  
Do not breathe vapors/dust.  
Do not smoke.  
Handle in accordance with good industrial hygiene and safety practice.  
Avoid exposure - obtain special instructions before use.  
Smoking, eating and drinking should be prohibited in the application area.  
Do not get on skin or clothing.  
Avoid inhalation of vapor or mist.  
Do not swallow.  
Avoid contact with skin and eyes.  
Avoid contact with eyes.  
Keep container tightly closed.  
Take care to prevent spills, waste and minimize release to the environment.  
Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.
- Conditions for safe storage : Store in a closed container.  
Prevent unauthorized access.  
Containers which are opened must be carefully resealed and kept upright to prevent leakage.  
Keep in properly labeled containers.  
Store in accordance with the particular national regulations.
- Materials to avoid : Strong oxidizing agents  
Organic peroxides  
Explosives  
Gases
- Packaging material : Unsuitable material: None known.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Quartz	14808-60-7	TWA (Respirable dust)	0.05 mg/m <sup>3</sup>	OSHA Z-1
		TWA (respirable)	10 mg/m <sup>3</sup> / %SiO <sub>2</sub> +2	OSHA Z-3
		TWA (respirable)	250 mppcf / %SiO <sub>2</sub> +5	OSHA Z-3
		TWA (Respirable particulate matter)	0.025 mg/m <sup>3</sup> (Silica)	ACGIH
		PEL (respirable)	0.05 mg/m <sup>3</sup>	OSHA CARC

- Engineering measures : Use engineering controls to maintain airborne level below exposure limit requirements or guidelines.  
If there are no applicable exposure limit requirements or guidelines, use only with adequate ventilation.

# SAFETY DATA SHEET



## SNAPSHOT™ 2.5 TG

Version 1.0      Revision Date: 01/13/2022      SDS Number: 800080003390      Date of last issue: -  
Date of first issue: 01/13/2022

---

Local exhaust ventilation may be necessary for some operations.

### Personal protective equipment

Respiratory protection : Respiratory protection should be worn when there is a potential to exceed the exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, use an approved respirator. Selection of air-purifying or positive-pressure supplied-air will depend on the specific operation and the potential airborne concentration of the material. For emergency conditions, use an approved positive-pressure self-contained breathing apparatus.

### Hand protection

Remarks : Use gloves chemically resistant to this material when prolonged or frequently repeated contact could occur. Examples of preferred glove barrier materials include: Neoprene. Nitrile/butadiene rubber ("nitrile" or "NBR"). Polyvinyl chloride ("PVC" or "vinyl"). NOTICE: The selection of a specific glove for a particular application and duration of use in a workplace should also take into account all relevant workplace factors such as, but not limited to: Other chemicals which may be handled, physical requirements (cut/puncture protection, dexterity, thermal protection), potential body reactions to glove materials, as well as the instructions/specifications provided by the glove supplier.

Eye protection : Use safety glasses (with side shields). If there is a potential for exposure to particles which could cause eye discomfort, wear chemical goggles.

Skin and body protection : Wear clean, body-covering clothing.

---

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Granules.

Color : Yellow

Odor : Aromatic

Odor Threshold : No data available

pH : 7.5  
(50% dispersion)

Melting point/range : No data available

Freezing point : Not applicable

Boiling point/boiling range : Not applicable

Flash point : Method: closed cup  
Not applicable

# SAFETY DATA SHEET



## SNAPSHOT™ 2.5 TG

Version 1.0      Revision Date: 01/13/2022      SDS Number: 800080003390      Date of last issue: -  
Date of first issue: 01/13/2022

---

Evaporation rate : Not applicable

Flammability (solid, gas) : No

Upper explosion limit / Upper flammability limit : Not applicable

Lower explosion limit / Lower flammability limit : Not applicable

Vapor pressure : Not applicable

Relative vapor density : Not applicable

Density : Not applicable

Bulk density : 0.70 g/cm<sup>3</sup> (74.1 °F / 23.4 °C)  
Method: Loose Volumetric

Solubility(ies)  
Water solubility : No data available

Autoignition temperature : > 999 °F / > 537 °C

Viscosity  
Viscosity, dynamic : Not applicable

Explosive properties : No

Oxidizing properties : No significant increase (>5C) in temperature.

---

### SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

Chemical stability : No decomposition if stored and applied as directed.  
Stable under normal conditions.

Possibility of hazardous reactions : Stable under recommended storage conditions.  
No hazards to be specially mentioned.  
None known.

Conditions to avoid : None known.

Incompatible materials : Strong acids  
Strong bases

Hazardous decomposition products : Decomposition products depend upon temperature, air supply and the presence of other materials.  
Decomposition products can include and are not limited to:  
Nitrogen oxides (NO<sub>x</sub>)  
Hydrogen fluoride  
Carbon oxides

SNAPSHOT<sup>™</sup> 2.5 TG

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/13/2022	800080003390	Date of first issue: 01/13/2022

---

**SECTION 11. TOXICOLOGICAL INFORMATION****Acute toxicity****Product:**

Acute oral toxicity : LD50 (Rat): > 2,500 mg/kg  
Symptoms: No deaths occurred at this concentration.  
Assessment: The substance or mixture has no acute oral toxicity

Acute inhalation toxicity : LC50 (Rat, male): > 4.6 mg/l  
Exposure time: 4 h  
Test atmosphere: Dust  
Assessment: The component/mixture is toxic after short term inhalation.

LC50 (Rat, female): > 0.5 - < 4.6 mg/l  
Exposure time: 4 h  
Test atmosphere: Dust

Acute dermal toxicity : LD50 (Rabbit, male and female): > 5,000 mg/kg

**Components:****isoxaben (ISO):**

Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

Acute inhalation toxicity : Remarks: Prolonged excessive exposure to dust may cause adverse effects.  
Based on the available data, narcotic effects were not observed.  
Based on the available data, respiratory irritation was not observed.

LC50 (Rat, male and female): > 2.93 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The substance or mixture has no acute inhalation toxicity

Symptoms: No deaths occurred at this concentration.  
Remarks: Maximum attainable concentration.

Acute dermal toxicity : LD50 (Rabbit, male and female): > 2,000 mg/kg  
Symptoms: No deaths occurred at this concentration.  
Assessment: The substance or mixture has no acute dermal toxicity

**trifluralin (ISO) (containing <0.5 ppm NPDA):**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : Remarks: Vapors are unlikely due to physical properties.  
No adverse effects are anticipated from single exposure to



# SAFETY DATA SHEET



## SNAPSHOT™ 2.5 TG

Version 1.0      Revision Date: 01/13/2022      SDS Number: 800080003390      Date of last issue: -  
Date of first issue: 01/13/2022

---

dust.  
Based on the available data, respiratory irritation was not observed.

LC50 (Rat): > 4.8 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg

### Skin corrosion/irritation

#### Product:

Species : Rabbit  
Result : No skin irritation

#### Components:

##### trifluralin (ISO) (containing <0.5 ppm NPDA):

Result : No skin irritation

##### Quartz:

Result : No skin irritation

### Serious eye damage/eye irritation

#### Product:

Species : Rabbit  
Result : No eye irritation

#### Components:

##### trifluralin (ISO) (containing <0.5 ppm NPDA):

Result : No eye irritation

##### Quartz:

Result : No eye irritation

### Respiratory or skin sensitization

#### Product:

Species : Guinea pig  
Assessment : Does not cause skin sensitization.

#### Components:

##### isoxaben (ISO):

Remarks : Did not cause allergic skin reactions when tested in guinea

## SNAPSHOT™ 2.5 TG

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/13/2022	800080003390	Date of first issue: 01/13/2022

---

pigs.

Remarks : For respiratory sensitization:  
No relevant data found.

**trifluralin (ISO) (containing <0.5 ppm NPDA):**

Assessment : May cause sensitization by skin contact.  
Remarks : Skin contact may cause an allergic skin reaction.

Remarks : For respiratory sensitization:  
No relevant data found.

**Germ cell mutagenicity****Components:****isoxaben (ISO):**

Germ cell mutagenicity - Assessment : In vitro genetic toxicity studies were negative., Animal genetic toxicity studies were predominantly negative.

**trifluralin (ISO) (containing <0.5 ppm NPDA):**

Germ cell mutagenicity - Assessment : In vivo tests did not show mutagenic effects  
  
In vitro genetic toxicity studies were predominantly negative.,  
Animal genetic toxicity studies were predominantly negative.

**Quartz:**

Germ cell mutagenicity - Assessment : In vitro genetic toxicity studies were negative in some cases and positive in other cases.

**Carcinogenicity****Components:****isoxaben (ISO):**

Carcinogenicity - Assessment : An increase in nonmalignant liver tumors was observed with isoxaben in one of two species tested.

**trifluralin (ISO) (containing <0.5 ppm NPDA):**

Carcinogenicity - Assessment : Animal testing did not show any carcinogenic effects.  
  
A low incidence of urinary tract tumors was seen in only 1 of 5 chronic studies in rats with trifluralin. Trifluralin is not anticipated to be a carcinogenic risk to man.

**Quartz:**

Carcinogenicity - Assessment : Human carcinogen.  
  
Has caused cancer in humans., Has caused cancer in laboratory animals.

# SAFETY DATA SHEET



## SNAPSHOT™ 2.5 TG

Version 1.0      Revision Date: 01/13/2022      SDS Number: 800080003390      Date of last issue: -  
Date of first issue: 01/13/2022

---

<b>IARC</b>	Group 1: Carcinogenic to humans Quartz (Silica dust, crystalline)	14808-60-7
<b>OSHA</b>	OSHA specifically regulated carcinogen Quartz (crystalline silica)	14808-60-7
<b>NTP</b>	Known to be human carcinogen Quartz (Silica, Crystalline (Respirable Size))	14808-60-7

### Reproductive toxicity

#### Components:

##### **isoxaben (ISO):**

Reproductive toxicity - Assessment : In animal studies, has been shown to interfere with reproduction in females., Effects have been seen only at doses that produced significant toxicity to the parent animals.  
Has caused birth defects in laboratory animals only at doses toxic to the mother.

##### **trifluralin (ISO) (containing <0.5 ppm NPDA):**

Reproductive toxicity - Assessment : Animal testing did not show any effects on fertility.  
  
In animal studies, did not interfere with reproduction.  
Has been toxic to the fetus in laboratory animals at doses toxic to the mother., Did not cause birth defects in laboratory animals.

##### **Quartz:**

Reproductive toxicity - Assessment : For similar material(s);, Did not cause birth defects or any other fetal effects in laboratory animals.

### STOT-single exposure

#### Product:

Assessment : Evaluation of available data suggests that this material is not an STOT-SE toxicant.

#### Components:

##### **isoxaben (ISO):**

Assessment : Evaluation of available data suggests that this material is not an STOT-SE toxicant.

##### **trifluralin (ISO) (containing <0.5 ppm NPDA):**

Assessment : Evaluation of available data suggests that this material is not an STOT-SE toxicant.

# SAFETY DATA SHEET



## SNAPSHOT™ 2.5 TG

Version 1.0      Revision Date: 01/13/2022      SDS Number: 800080003390      Date of last issue: -  
Date of first issue: 01/13/2022

---

### **Quartz:**

Assessment : Evaluation of available data suggests that this material is not an STOT-SE toxicant.

### **STOT-repeated exposure**

#### **Components:**

### **Quartz:**

Routes of exposure : Inhalation  
Target Organs : Lungs  
Assessment : Causes damage to organs through prolonged or repeated exposure.

### **Repeated dose toxicity**

#### **Components:**

### **isoxaben (ISO):**

Remarks : In animals, effects have been reported on the following organs:  
Liver.  
Kidney.

### **trifluralin (ISO) (containing <0.5 ppm NPDA):**

Remarks : In animals, effects have been reported on the following organs:  
Kidney.  
Blood.  
Liver.  
Thyroid.

### **Quartz:**

Remarks : In humans, effects have been reported on the following organs:  
Kidney.  
Repeated excessive exposure to crystalline silica may cause silicosis, a progressive and disabling disease of the lungs.

### **Aspiration toxicity**

#### **Product:**

Based on physical properties, not likely to be an aspiration hazard.

#### **Components:**

### **isoxaben (ISO):**

Based on physical properties, not likely to be an aspiration hazard.

### **trifluralin (ISO) (containing <0.5 ppm NPDA):**

Based on physical properties, not likely to be an aspiration hazard.

## SNAPSHOT™ 2.5 TG

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/13/2022	800080003390	Date of first issue: 01/13/2022

---

**Quartz:**

Based on physical properties, not likely to be an aspiration hazard.

---

**SECTION 12. ECOLOGICAL INFORMATION**
**Ecotoxicity****Product:**

- |   |   |  |
|---|---|--|
| Toxicity to fish                                    | : | LC50 (Oncorhynchus mykiss (rainbow trout)): 230 mg/l<br>Exposure time: 96 h<br>Test Type: semi-static test   |
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 (Daphnia pulex (Water flea)): > 1,000 mg/l<br>Exposure time: 48 h   |
| Toxicity to algae/aquatic plants                    | : | ErC50 (Pseudokirchneriella subcapitata (green algae)): > 1,000 mg/l<br>Exposure time: 96 h   |
| Toxicity to soil dwelling organisms                 | : | LC50 (Eisenia fetida (earthworms)): > 10,000 mg/kg<br>Exposure time: 14 d<br>End point: survival   |
| Toxicity to terrestrial organisms                   | : | Remarks: Material is practically non-toxic to birds on an acute basis (LD50 > 2000 mg/kg).<br><br>oral LD50 (Colinus virginianus (Bobwhite quail)): > 2000 mg/kg bodyweight. |

**Components:****isoxaben (ISO):**

- |   |   |   |
|---|---|---|
| Toxicity to fish                                    | : | Remarks: Material is very highly toxic to aquatic organisms on an acute basis (LC50/EC50 <0.1 mg/L in the most sensitive species).<br><br>LC50 (Oncorhynchus mykiss (rainbow trout)): 1.2 mg/l<br>Exposure time: 96 h<br>Test Type: static test<br>Method: OECD Test Guideline 203 or Equivalent<br>Remarks: The LC50 value is above the water solubility.<br><br>LC50 (Cyprinodon variegatus (sheepshead minnow)): > 0.87 mg/l<br>Exposure time: 96 h<br>Test Type: static test<br>Method: OECD Test Guideline 203 or Equivalent<br>Remarks: The LC50 value is above the water solubility. |
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 (Daphnia magna (Water flea)): > 1.3 mg/l<br>Exposure time: 48 h  |

## SNAPSHOT™ 2.5 TG

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/13/2022	800080003390	Date of first issue: 01/13/2022

---

Test Type: static test  
 Method: OECD Test Guideline 202 or Equivalent

Toxicity to algae/aquatic plants : EbC50 (*Lemna minor* (duckweed)): 0.011 mg/l  
 End point: Biomass  
 Exposure time: 7 d  
 Test Type: static test  
 Method: OECD Test Guideline 201 or Equivalent

ErC50 (*Pseudokirchneriella subcapitata* (green algae)): > 1.2 mg/l  
 End point: Growth rate inhibition  
 Exposure time: 72 h  
 Test Type: static test

ErC50 (*Skeletonema costatum* (marine diatom)): > 0.49 mg/l  
 Exposure time: 72 h  
 Test Type: static test

M-Factor (Acute aquatic toxicity) : 10

Toxicity to fish (Chronic toxicity) : NOEC (*Pimephales promelas* (fathead minnow)): 0.4 mg/l  
 End point: growth  
 Exposure time: 33 d  
 Test Type: semi-static test

LOEC (*Pimephales promelas* (fathead minnow)): > 0.40 mg/l  
 End point: growth  
 Exposure time: 33 d  
 Test Type: semi-static test

MATC (Maximum Acceptable Toxicant Level) (*Pimephales promelas* (fathead minnow)): > 0.40 mg/l  
 End point: growth  
 Exposure time: 33 d  
 Test Type: semi-static test

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (*Daphnia magna* (Water flea)): 0.69 mg/l  
 End point: growth  
 Exposure time: 21 d  
 Test Type: static test  
 Method: OECD Test Guideline 211 or Equivalent

LOEC (*Daphnia magna* (Water flea)): 1.01 mg/l  
 End point: growth  
 Exposure time: 21 d  
 Test Type: static test  
 Method: OECD Test Guideline 211 or Equivalent

MATC (Maximum Acceptable Toxicant Level) (*Daphnia magna* (Water flea)): 0.85 mg/l  
 End point: growth  
 Exposure time: 21 d  
 Test Type: static test  
 Method: OECD Test Guideline 211 or Equivalent

# SAFETY DATA SHEET



## SNAPSHOT™ 2.5 TG

Version 1.0      Revision Date: 01/13/2022      SDS Number: 800080003390      Date of last issue: -  
Date of first issue: 01/13/2022

---

NOEC (saltwater mysid *Mysidopsis bahia*): 0.841 mg/l  
Exposure time: 28 d  
Test Type: flow-through test

LOEC (saltwater mysid *Mysidopsis bahia*): > 0.841 mg/l  
Exposure time: 28 d  
Test Type: flow-through test

NOEC (Midge (*Chironomus riparius*)): 32 mg/l  
End point: mortality  
Exposure time: 28 d  
Test Type: static test  
Method: OECD Test Guideline 211 or Equivalent

LOEC (Midge (*Chironomus riparius*)): 64 mg/l  
End point: mortality  
Exposure time: 28 d  
Test Type: static test  
Method: OECD Test Guideline 211 or Equivalent

MATC (Maximum Acceptable Toxicant Level) (Midge (*Chironomus riparius*)): 48 mg/l  
End point: mortality  
Exposure time: 28 d  
Test Type: static test  
Method: OECD Test Guideline 211 or Equivalent

M-Factor (Chronic aquatic toxicity) : 10

Toxicity to microorganisms : EC50 (activated sludge): > 100 mg/l  
End point: Respiration rates.  
Exposure time: 3 h  
Test Type: Respiration inhibition

Toxicity to soil dwelling organisms : LC50 (*Eisenia fetida* (earthworms)): > 1,000 mg/kg  
Exposure time: 14 d

Toxicity to terrestrial organisms : Remarks: Material is practically non-toxic to birds on an acute basis (LD50 > 2000 mg/kg)., Material is moderately toxic to birds on a dietary basis (LC50 between 501 and 1000 ppm).

oral LD50 (*Colinus virginianus* (Bobwhite quail)): > 2000 mg/kg bodyweight.  
Exposure time: 14 d

LC50 (*Colinus virginianus* (Bobwhite quail)): > 937 mg/kg diet.  
Exposure time: 8 d

oral LD50 (*Apis mellifera* (bees)): > 100 micrograms/bee

contact LD50 (*Apis mellifera* (bees)): > 100 micrograms/bee  
Exposure time: 48 h

## SNAPSHOT™ 2.5 TG

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/13/2022	800080003390	Date of first issue: 01/13/2022

---

**Ecotoxicology Assessment**

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

**trifluralin (ISO) (containing <0.5 ppm NPDA):**

Toxicity to fish : Remarks: Material is very highly toxic to aquatic organisms on an acute basis (LC50/EC50 <0.1 mg/L in the most sensitive species).

LC50 (Oncorhynchus mykiss (rainbow trout)): 0.088 mg/l  
Exposure time: 96 h  
Test Type: flow-through test

LC50 (Lepomis macrochirus (Bluegill sunfish)): 0.089 mg/l  
Exposure time: 96 h  
Test Type: flow-through test

Toxicity to daphnia and other aquatic invertebrates : EC50 (water flea Daphnia magna): 0.245 mg/l  
Exposure time: 48 h  
Test Type: static test

EC50 (mussel Mytilus edulis): 0.096 mg/l  
Exposure time: 48 h  
Test Type: static test

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): 0.0532 mg/l  
Exposure time: 72 h

EC50 (Lemna gibba): 0.043 mg/l  
Exposure time: 7 d  
Test Type: Growth inhibition

EbC50 (diatom Navicula sp.): 0.015 mg/l  
End point: Biomass  
Exposure time: 5 d

M-Factor (Acute aquatic toxicity) : 10

Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): 0.00114 mg/l  
End point: growth  
Exposure time: 48 d  
Test Type: static test

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.0507 mg/l  
End point: growth  
Exposure time: 21 d  
Test Type: semi-static test

M-Factor (Chronic aquatic toxicity) : 10

Toxicity to microorganisms : EC50 (activated sludge): > 100 mg/l  
Exposure time: 3 h



## SNAPSHOT™ 2.5 TG

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/13/2022	800080003390	Date of first issue: 01/13/2022

---

Toxicity to soil dwelling organisms : LC50 (*Eisenia fetida* (earthworms)): > 1,000 mg/kg  
Exposure time: 14 d

Toxicity to terrestrial organisms : Remarks: Material is practically non-toxic to birds on an acute basis (LD50 > 2000 mg/kg)., Material is practically non-toxic to birds on a dietary basis (LC50 > 5000 ppm).

oral LD50 (*Colinus virginianus* (Bobwhite quail)): > 2250 mg/kg bodyweight.

dietary LC50 (*Colinus virginianus* (Bobwhite quail)): > 5000 mg/kg diet.  
Exposure time: 5 d

oral LD50 (*Apis mellifera* (bees)): > 100 micrograms/bee

contact LD50 (*Apis mellifera* (bees)): > 100 micrograms/bee

**Quartz:**

Toxicity to fish : Remarks: Based on information for a similar material: Material is practically non-toxic to aquatic organisms on an acute basis (LC50/EC50/EL50/LL50 >100 mg/L in the most sensitive species tested).

LC50 (*Danio rerio* (zebra fish)): 508 mg/l  
Exposure time: 96 h  
Remarks: Based on information for a similar material:

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): 731 mg/l  
Exposure time: 48 h  
Remarks: For similar material(s):

**Persistence and degradability****Components:****isoxaben (ISO):**

Biodegradability : Result: Not biodegradable.  
Remarks: Material is expected to biodegrade very slowly (in the environment). Fails to pass OECD/EEC tests for ready biodegradability.  
Biodegradation rate may increase in soil and/or water with acclimation.

Chemical Oxygen Demand (COD) : 1.77 mg/g

ThOD : 1.98 kg/kg

Stability in water : Test Type: Hydrolysis  
Degradation half life (half-life): > 5 d pH: 7.0

Photodegradation : Test Type: Half-life (direct photolysis)  
Method: Measured

## SNAPSHOT™ 2.5 TG

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/13/2022	800080003390	Date of first issue: 01/13/2022

---

Test Type: Half-life (direct photolysis)

Test Type: Half-life (indirect photolysis)

Sensitizer: OH radicals

Concentration: 1,500,000 1/cm<sup>3</sup>

Rate constant: 2.045E-10 cm<sup>3</sup>/s

Method: Estimated.

**trifluralin (ISO) (containing <0.5 ppm NPDA):**

Biodegradability : Remarks: Material is expected to biodegrade very slowly (in the environment). Fails to pass OECD/EEC tests for ready biodegradability.

Concentration: 10 mg/l

Result: Not readily biodegradable.

Biodegradation: 5 %

Exposure time: 28 d

Method: OECD Test Guideline 301B or Equivalent

Remarks: 10-day Window: Fail

Chemical Oxygen Demand (COD) : 1.37 kg/kg

Stability in water : Test Type: Hydrolysis  
Degradation half life (half-life): > 1 yr pH: 3 - 9  
Method: Measured

Test Type: Photolysis

Degradation half life (half-life): 0.19 - 3.08 h

Method: Measured

Photodegradation : Test Type: Half-life (indirect photolysis)  
Sensitizer: OH radicals  
Concentration: 1,500,000 1/cm<sup>3</sup>  
Rate constant: 2.4004E-11 cm<sup>3</sup>/s  
Method: Estimated.

**Quartz:**

Biodegradability : Remarks: Biodegradation is not applicable.

**Bioaccumulative potential****Components:****isoxaben (ISO):**

Partition coefficient: n-octanol/water : log Pow: 2.64  
Method: Measured  
Remarks: Bioconcentration potential is low (BCF < 100 or Log Pow < 3).

**trifluralin (ISO) (containing <0.5 ppm NPDA):**

Bioaccumulation : Species: Pimephales promelas (fathead minnow)

# SAFETY DATA SHEET



## SNAPSHOT™ 2.5 TG

Version 1.0      Revision Date: 01/13/2022      SDS Number: 800080003390      Date of last issue: -  
Date of first issue: 01/13/2022

---

Bioconcentration factor (BCF): 1,060 - 6,000  
Concentration: 0.0018 mg/l  
Method: Estimated.

Partition coefficient: n-octanol/water : log Pow: 5.27  
Method: Method Not Specified.  
Remarks: Bioconcentration potential is high (BCF > 3000 or Log Pow between 5 and 7).

### Quartz:

Partition coefficient: n-octanol/water : Remarks: Partitioning from water to n-octanol is not applicable.

### Balance:

Partition coefficient: n-octanol/water : Remarks: No relevant data found.

### Mobility in soil

#### Components:

#### isoxaben (ISO):

Distribution among environmental compartments : Koc: 700 - 1290  
Remarks: Potential for mobility in soil is low (Koc between 500 and 2000).

Stability in soil : Test Type: aerobic degradation  
Dissipation time: 0.358 - 0.883 yr  
Test Type: Photolysis  
Dissipation time: 248 d

### Quartz:

Distribution among environmental compartments : Remarks: No relevant data found.

### Balance:

Distribution among environmental compartments : Remarks: No relevant data found.

### Other adverse effects

#### Components:

#### isoxaben (ISO):

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

#### trifluralin (ISO) (containing <0.5 ppm NPDA):

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

# SAFETY DATA SHEET



## SNAPSHOT™ 2.5 TG

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/13/2022	800080003390	Date of first issue: 01/13/2022

---

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

### Quartz:

Results of PBT and vPvB assessment : This substance has not been assessed for persistence, bioaccumulation and toxicity (PBT).

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

### Balance:

Results of PBT and vPvB assessment : This substance has not been assessed for persistence, bioaccumulation and toxicity (PBT).

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

---

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : If wastes and/or containers cannot be disposed of according to the product label directions, disposal of this material must be in accordance with your local or area regulatory authorities. This information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations.  
If the material as supplied becomes a waste, follow all applicable regional, national and local laws.

---

## SECTION 14. TRANSPORT INFORMATION

### International Regulations

#### UNRTDG

Not regulated as a dangerous good

#### IATA-DGR

Not regulated as a dangerous good

#### IMDG-Code

Not regulated as a dangerous good

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

---

## SNAPSHOT™ 2.5 TG

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/13/2022	800080003390	Date of first issue: 01/13/2022

**Domestic regulation****49 CFR**

UN/ID/NA number	:	UN 3077
Proper shipping name	:	Environmentally hazardous substance, solid, n.o.s. (Trifluralin)
Class	:	9
Packing group	:	III
Labels	:	CLASS 9
ERG Code	:	171
Marine pollutant	:	no

**Further information**

Marine Pollutants assigned UN number 3077 and 3082 in single or combination packaging containing a net quantity per single or inner packaging of 5L or less for liquids or having a net mass per single or inner packaging of 5 KG or less for solids may be transported as non-dangerous goods as provided in section 2.10.2.7 of IMDG code, IATA Special provision A197, and ADR/RID special provision 375.

**Special precautions for user**

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

**SECTION 15. REGULATORY INFORMATION**

<b>SARA 311/312 Hazards</b>	:	Acute toxicity (any route of exposure) Carcinogenicity Specific target organ toxicity (single or repeated exposure)
-----------------------------	---	---

<b>SARA 313</b>	:	The following components are subject to reporting levels established by SARA Title III, Section 313:
-----------------	---	--

trifluralin (ISO)	1582-09-8	>= 1 - < 5 %
(containing <0.5 ppm NPDA)		

**US State Regulations****Pennsylvania Right To Know**

Quartz	14808-60-7
trifluralin (ISO) (containing <0.5 ppm NPDA)	1582-09-8

**California Prop. 65**

WARNING: This product can expose you to chemicals including Quartz, Kaolin, Quartz, which is/are known to the State of California to cause cancer, and toluene, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

**The ingredients of this product are reported in the following inventories:**

TSCA	:	Product contains substance(s) not listed on TSCA inventory.
------	---	---



# SAFETY DATA SHEET



## SNAPSHOT™ 2.5 TG

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/13/2022	800080003390	Date of first issue: 01/13/2022

---

Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 01/13/2022

Product code: FN-3278

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN