



Product Name: **SZ-0050 Herbicide (PCP #34178)**

Specification ID#: **50002749**

SZ-0050 Herbicide is considered a mechanical mixture of two (2) individual products.

Attached are the component product SDS which make up **SZ-0050 Herbicide**:

Express® 50 SG MUP

PCP # **28176**

SDS Date: **10/28/2022**

Specification ID#: **50000038**

Sulfentrazone 75 WG MUP

PCP # **33834**

SDS Date: **03/01/2022**

Specification ID#: **50001757**

Please review the attached SDS, for a full and complete understanding of the hazards associated with each product before use.

Manufacturer/Distributor:

FMC of Canada Limited
6755 Mississauga Road, Suite 204
Mississauga, ON L5N 7Y2
Canada

Telephone Numbers:

Product Information: 1-833-362-7722

Medical Emergency: 1-800-331-3148 (USA & Canada)

Preparation Date: 03/17/2023

Member of CropLife Canada®/TM Registered trademarks/trademarks of FMC Corporation or an affiliate.

SAFETY DATA SHEET

EXPRESS(R) 50 SG MUP



Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	10/28/2022	50000038	Date of first issue: 03/01/2018

SECTION 1. IDENTIFICATION

Product identifier

Product name EXPRESS(R) 50 SG MUP

Other means of identification

Product code 50000038

Chemical nature Herbicide

Product Registration Number PCP# 28176

Recommended use of the chemical and restrictions on use

Recommended use Can be used as herbicide only.

Restrictions on use Use as recommended by the label.

Details of the supplier of the safety data sheet**Manufacturer**

FMC of Canada Ltd
6755 Mississauga Road, Suite 204
Mississauga, ON L5N 7Y2
Canada
Phone (AgHotline): 1-833-FMC-PPAC (1-833-362-7722),
Web: <https://ag.fmc.com/ca/en>
SDS-Info@fmc.com

Supplier Address

FMC of Canada Limited
6755 Mississauga Road, Suite 204
Mississauga, ON L5N 7Y2
Canada

Emergency telephone

For leak, fire, spill or accident emergencies, call:
1 800 / 424-9300 (CHEMTREC - U.S.A.)
1 703 / 741-5970 (CHEMTREC - International)
1 703 / 527-3887 (CHEMTREC - Alternate)

Medical emergency:
U.S.A. & Canada: +1 800 / 331-3148
All other countries: +1 651 / 632-6793 (Collect)

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the Hazardous Products Regulations

Skin sensitization : Category 1

Specific target organ toxicity : Category 2
- repeated exposure

SAFETY DATA SHEET

EXPRESS(R) 50 SG MUP



Version 1.1 Revision Date: 10/28/2022 SDS Number: 50000038 Date of last issue: -
Date of first issue: 03/01/2018

GHS label elements

Hazard pictograms :



Signal Word : Warning

Hazard Statements : H317 May cause an allergic skin reaction.
H373 May cause damage to organs through prolonged or repeated exposure.

Precautionary Statements : **Prevention:**
P272 Contaminated work clothing should not be allowed out of the workplace.
P280 Wear protective gloves.
Response:
P302 + P352 IF ON SKIN: Wash with plenty of water.
P314 Get medical advice/ attention if you feel unwell.
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.
Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Chemical nature : Herbicide

Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
tribenuron-methyl (ISO)	tribenuron-methyl (ISO)	101200-48-0	50

SECTION 4. FIRST AID MEASURES

General advice : Remove victim from exposure and then have him lie down in the recovery position.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.

SAFETY DATA SHEET

EXPRESS(R) 50 SG MUP



Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	10/28/2022	50000038	Date of first issue: 03/01/2018

- Keep at rest.
Keep warm and in a quiet place.
- If inhaled : If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician.
- In case of skin contact : If on clothes, remove clothes.
In case of skin contact
If on skin, rinse well with water.
Wash off immediately with soap and plenty of water.
If skin irritation persists, call a physician.
- In case of eye contact : Flush eyes with water as a precaution.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.
- If swallowed : Do NOT induce vomiting.
Keep respiratory tract clear.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
Take victim immediately to hospital.
- Most important symptoms and effects, both acute and delayed : May cause an allergic skin reaction.
May cause damage to organs through prolonged or repeated exposure.
- Notes to physician : Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Dry chemical, CO2, water spray or regular foam.
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during fire fighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : Nitrogen oxides (NOx)
Sulfur oxides
Carbon oxides
- Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.

SAFETY DATA SHEET

EXPRESS(R) 50 SG MUP



Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	10/28/2022	50000038	Date of first issue: 03/01/2018

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Avoid dust formation.
Avoid breathing dust.
Never return spills in original containers for re-use.
Mark the contaminated area with signs and prevent access to unauthorized personnel.
Only qualified personnel equipped with suitable protective equipment may intervene.
For disposal considerations see section 13.
- Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Avoid dust formation.
Provide appropriate exhaust ventilation at places where dust is formed.
- Advice on safe handling : Avoid formation of respirable particles.
Do not breathe vapors/dust.
Avoid exposure - obtain special instructions before use.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Dispose of rinse water in accordance with local and national regulations.
Persons susceptible to skin sensitization problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.
- Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Electrical installations / working materials must comply with the technological safety standards.
- Further information on storage stability : No decomposition if stored and applied as directed.

SAFETY DATA SHEET

EXPRESS(R) 50 SG MUP



Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	10/28/2022	50000038	Date of first issue: 03/01/2018

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Personal protective equipment

- | | | |
|--------------------------|---|---|
| Respiratory protection | : | In case of dust exposure wear suitable personal respiratory protection and protective suit. |
| Hand protection | : | |
| Material | : | Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber. |
| Remarks | : | The suitability for a specific workplace should be discussed with the producers of the protective gloves. |
| Eye protection | : | Eye wash bottle with pure water
Tightly fitting safety goggles |
| Skin and body protection | : | Dust impervious protective suit
Choose body protection according to the amount and concentration of the dangerous substance at the work place. |
| Protective measures | : | Plan first aid action before beginning work with this product. |
| Hygiene measures | : | When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and at the end of workday. |

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- | | | |
|---------------------------|---|--|
| Appearance | : | solid, granules |
| Color | : | light brown |
| Odor | : | mild |
| pH | : | 8.4 - 9.4 (20 °C)
Concentration: 10 g/l
In a 1% aqueous dispersion |
| Flash point | : | not determined |
| Flammability (solid, gas) | : | Not highly flammable |
| Relative vapor density | : | not determined |
| Bulk density | : | 640 kg/m ³ packed |

SAFETY DATA SHEET



EXPRESS(R) 50 SG MUP

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	10/28/2022	50000038	Date of first issue: 03/01/2018

Solubility(ies)	
Water solubility	: soluble
Decomposition temperature	: Not available for this mixture.
Viscosity	
Viscosity, dynamic	: not determined
Explosive properties	: Not explosive

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: No decomposition if stored and applied as directed.
Chemical stability	: No decomposition if stored and applied as directed.
Possibility of hazardous reactions	: Dust may form explosive mixture in air. No decomposition if stored and applied as directed.
Conditions to avoid	: dust formation moisture Heat, flames and sparks.
Incompatible materials	: Strong acids and strong bases Strong oxidizing agents
Hazardous decomposition products	: Stable under recommended storage conditions.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg Method: Fixed Dose Method GLP: yes
Acute inhalation toxicity	: Acute toxicity estimate: > 10 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method
Acute dermal toxicity	: LD50 (Rat): > 5,000 mg/kg Method: OECD Test Guideline 402 GLP: yes

Skin corrosion/irritation

Not classified based on available information.

SAFETY DATA SHEET



EXPRESS(R) 50 SG MUP

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	10/28/2022	50000038	Date of first issue: 03/01/2018

Product:

Species	:	Rabbit
Assessment	:	Not classified as irritant
Method	:	OECD Test Guideline 404
Result	:	No skin irritation
GLP	:	yes
Remarks	:	May cause skin irritation and/or dermatitis.

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Species	:	Rabbit
Result	:	No eye irritation
Assessment	:	Not classified as irritant
Method	:	OECD Test Guideline 405
GLP	:	yes
Remarks	:	Product dust may be irritating to eyes, skin and respiratory system.

Respiratory or skin sensitization

Skin sensitization

May cause an allergic skin reaction.

Respiratory sensitization

Not classified based on available information.

Product:

Species	:	Guinea pig
Assessment	:	The product is a skin sensitizer, sub-category 1B.
Method	:	Maximization Test
Result	:	The product is a skin sensitizer, sub-category 1B.

Germ cell mutagenicity

Not classified based on available information.

Product:

Genotoxicity in vitro	:	Remarks: The product contains no ingredients known to be mutagenic.
-----------------------	---	---

Carcinogenicity

Not classified based on available information.

Product:

Remarks	:	The product contains no ingredients known to be carcinogenic.
---------	---	---

SAFETY DATA SHEET

EXPRESS(R) 50 SG MUP



Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	10/28/2022	50000038	Date of first issue: 03/01/2018

Reproductive toxicity

Not classified based on available information.

Product:

Effects on fertility : Remarks: The product contains no ingredients found to have adverse effects on reproduction.

STOT-single exposure

Not classified based on available information.

Product:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT-repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Product:

Assessment : May cause damage to organs through prolonged or repeated exposure.

Repeated dose toxicity

Components:

tribenuron-methyl (ISO):

Species	: Rabbit
LOAEL	: 80 mg/kg
Target Organs	: Thyroid, Nervous system
Assessment	: The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.
Remarks	: Increased mortality or reduced survival

Aspiration toxicity

Not classified based on available information.

Components:

tribenuron-methyl (ISO):

The substance does not have properties associated with aspiration hazard potential.

Further information

Product:

Remarks : No data available

EXPRESS(R) 50 SG MUP

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	10/28/2022	50000038	Date of first issue: 03/01/2018

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity**Product:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 120 mg/l
Exposure time: 96 h
Test Type: static test
Method: OECD Test Guideline 203
GLP: yes

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia): > 120 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
GLP: yes

Toxicity to algae/aquatic plants : EbC50 (Pseudokirchneriella subcapitata (green algae)): 0.0162 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
GLP: yes

EC50 (Lemna gibba (duckweed)): 0.00652 mg/l
End point: Frond
Exposure time: 7 d
Method: US EPA Test Guideline OPP 122-2 & 123-2

Components:**tribenuron-methyl (ISO):**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 738 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Crustaceans): > 320 mg/l
Exposure time: 48 h

EC50 (Daphnia magna (Water flea)): > 894 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 0.0208 mg/l
Exposure time: 120 h

EC50 (Lemna gibba (duckweed)): 0.00424 mg/l
Exposure time: 14 d

Toxicity to fish (Chronic toxicity) : NOEC (Cyprinodon variegatus (sheepshead minnow)): 114 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211

SAFETY DATA SHEET

EXPRESS(R) 50 SG MUP



Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	10/28/2022	50000038	Date of first issue: 03/01/2018

		NOEC (Oncorhynchus mykiss (rainbow trout)): 560 mg/l Exposure time: 21 d
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 41 mg/l Exposure time: 21 d
Toxicity to soil dwelling organisms	:	NOEC (Eisenia fetida (earthworms)): 3.2 mg/kg Exposure time: 56 d
Toxicity to terrestrial organisms	:	LD50 (Colinus virginianus (Bobwhite quail)): > 2,250 mg/kg
		LD50 (Colinus virginianus (Bobwhite quail)): > 5,620 ppm Remarks: Dietary
		LD50 (Anas platyrhynchos (Mallard duck)): > 5,620 ppm Remarks: Dietary
		LD50 (Apis mellifera (bees)): > 98.4 µg/bee Exposure time: 48 h End point: Acute contact toxicity
		LD50 (Apis mellifera (bees)): > 9.1 µg/bee Exposure time: 48 h End point: Acute oral toxicity

Ecotoxicology Assessment

Acute aquatic toxicity	:	Very toxic to aquatic life.
Chronic aquatic toxicity	:	Very toxic to aquatic life with long lasting effects.

Persistence and degradability

Components:

tribenuron-methyl (ISO):

Biodegradability	:	Biodegradation: 29.4 % Exposure time: 28 d
------------------	---	---

Bioaccumulative potential

Components:

tribenuron-methyl (ISO):

Bioaccumulation	:	Bioconcentration factor (BCF): < 1 Remarks: Does not bioaccumulate.
-----------------	---	--

Partition coefficient: n-octanol/water	:	log Pow: -0.38
--	---	----------------

SAFETY DATA SHEET

EXPRESS(R) 50 SG MUP



Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	10/28/2022	50000038	Date of first issue: 03/01/2018

Mobility in soil

Product:

Distribution among environmental compartments : Remarks: Under normal conditions the active ingredient/s is/are of high to intermediate mobility in soil. There is a potential for leaching to groundwater.

Components:

tribenuron-methyl (ISO):

Distribution among environmental compartments : Remarks: Under normal conditions the active ingredient/s is/are of high to intermediate mobility in soil. There is a potential for leaching to groundwater.

Other adverse effects

Product:

Additional ecological information : Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark.
Do not contaminate water when cleaning equipment or disposing of equipment washwaters or rinsate.

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life with long lasting effects.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number	: UN 3077
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Tribenuron-methyl)
Class	: 9
Subsidiary risk	: ENVIRONM.

SAFETY DATA SHEET



EXPRESS(R) 50 SG MUP

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	10/28/2022	50000038	Date of first issue: 03/01/2018

Packing group : III
Labels : 9 (ENVIRONM.)

IATA-DGR

UN/ID No. : UN 3077
Proper shipping name : Environmentally hazardous substance, solid, n.o.s.
(Tribenuron-methyl)
Class : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo aircraft) : 956
Packing instruction (passenger aircraft) : 956
Environmentally hazardous : yes

IMDG-Code

UN number : UN 3077
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(Tribenuron-methyl)
Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

TDG

Not regulated as a dangerous good

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

The ingredients of this product are reported in the following inventories:

TCSI : Not in compliance with the inventory
TSCA : Product contains substance(s) not listed on TSCA inventory.
AIIC : Not in compliance with the inventory
DSL : This product contains the following components that are not on the Canadian DSL nor NDSL.

METHYL 2-[4-METHOXY-6-METHYL-1,3,5-TRIAZIN-2-YL(METHYL)CARBAMOYLSULFAMOYL]BENZOATE

SAFETY DATA SHEET



EXPRESS(R) 50 SG MUP

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	10/28/2022	50000038	Date of first issue: 03/01/2018

D-Glucopyranose, 4-O-.beta.-D-galactopyranosyl-, monohydrate

ENCS	:	Not in compliance with the inventory
ISHL	:	Not in compliance with the inventory
KECI	:	Not in compliance with the inventory
PICCS	:	Not in compliance with the inventory
IECSC	:	Not in compliance with the inventory
NZIoC	:	Not in compliance with the inventory
TECI	:	Not in compliance with the inventory

Canadian lists

No substances are subject to a Significant New Activity Notification.

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recom-

SAFETY DATA SHEET



EXPRESS(R) 50 SG MUP

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	10/28/2022	50000038	Date of first issue: 03/01/2018

recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

CA / EN

Prepared by:

FMC Corporation
FMC Logo - Trademark of FMC Corporation
© 2021 FMC Corporation. All Rights Reserved.

End of Material Safety Data Sheet

SAFETY DATA SHEET



Sulfentrazone 75 WG MUP

Version	Revision Date:	SDS Number:	Date of last issue: 02/16/2022
1.1	03/01/2022	50001757	Date of first issue: 02/16/2022

SECTION 1. IDENTIFICATION

Product identifier

Product name Sulfentrazone 75 WG MUP

Other means of identification

Product code 50001757

Chemical nature Mixture

Product Registration Number 33834

Recommended use of the chemical and restrictions on use

Restrictions on use Use as recommended by the label.

Details of the supplier of the safety data sheet**Manufacturer**

FMC of Canada Ltd
6755 Mississauga Road, Suite 204
Mississauga, ON L5N 7Y2
Canada
Phone (AgHotline): 1-833-FMC-PPAC (1-833-362-7722),
Web: <https://ag.fmc.com/ca/en>
SDS-Info@fmc.com

Supplier Address

FMC of Canada Limited
6755 Mississauga Road, Suite 204
L5N 7Y2
Canada

Emergency telephone

For leak, fire, spill or accident emergencies, call:
1 800 / 424-9300 (CHEMTREC - U.S.A.)
1 703 / 741-5970 (CHEMTREC - International)
1 703 / 527-3887 (CHEMTREC - Alternate)

Medical emergency:
U.S.A. & Canada: +1 800 / 331-3148
All other countries: +1 651 / 632-6793 (Collect)

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the Hazardous Products Regulations

Acute toxicity (Inhalation)	: Category 4
Skin irritation	: Category 2B
Eye irritation	: Category 2B
Respiratory sensitization	: Sub-category 1A

SAFETY DATA SHEET



Sulfentrazone 75 WG MUP

Version	Revision Date:	SDS Number:	Date of last issue: 02/16/2022
1.1	03/01/2022	50001757	Date of first issue: 02/16/2022

Specific target organ toxicity : Category 1
- single exposure

Specific target organ toxicity : Category 2
- repeated exposure

GHS label elements

Hazard pictograms :



Signal Word : Danger

Hazard Statements : H315 Causes skin irritation.
H320 Causes eye irritation.
H332 Harmful if inhaled.
H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H370 Causes damage to organs.
H373 May cause damage to organs through prolonged or repeated exposure.

Precautionary Statements : **Prevention:**
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P260 Do not breathe dust/ fume/ gas/ mist/ vapors/ spray.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
P284 Wear respiratory protection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.
P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308 + P311 IF exposed or concerned: Call a POISON CENTER/ doctor.
P332 + P313 If skin irritation occurs: Get medical advice/ attention.
P337 + P313 If eye irritation persists: Get medical advice/ attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.

Storage:

SAFETY DATA SHEET



Sulfentrazone 75 WG MUP

Version 1.1 Revision Date: 03/01/2022 SDS Number: 50001757 Date of last issue: 02/16/2022
Date of first issue: 02/16/2022

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature : Mixture

Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
Sulfentrazone	Sulfentrazone	122836-35-5	$\geq 60 - < 80$ *
palygorskite	palygorskite	12174-11-7	$\geq 5 - < 10$ *
toluene	toluene	108-88-3	$\geq 1 - < 5$ *
sodium diisopropyl naphthalenesulphonate	sodium diisopropyl naphthalenesulphonate	1322-93-6	$\geq 1 - < 5$ *

* Actual concentration or concentration range is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

- General advice : Move out of dangerous area.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.
- If inhaled : Call a physician or poison control center immediately.
If unconscious, place in recovery position and seek medical advice.
- In case of skin contact : If skin irritation persists, call a physician.
If on skin, rinse well with water.
If on clothes, remove clothes.
- In case of eye contact : Immediately flush eye(s) with plenty of water.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.
- If swallowed : Induce vomiting immediately and call a physician.
Keep respiratory tract clear.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
Take victim immediately to hospital.
- Most important symptoms : Causes skin irritation.

SAFETY DATA SHEET



Sulfentrazone 75 WG MUP

Version	Revision Date:	SDS Number:	Date of last issue: 02/16/2022
1.1	03/01/2022	50001757	Date of first issue: 02/16/2022

and effects, both acute and delayed

Causes eye irritation.
Harmful if inhaled.
May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Causes damage to organs.
May cause damage to organs through prolonged or repeated exposure.

Notes to physician : Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Water spray, fog, or regular foam.

Unsuitable extinguishing media : High volume water jet

Specific hazards during fire fighting : Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : No hazardous combustion products are known

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Special protective equipment for fire-fighters : Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Avoid dust formation.
Avoid breathing dust.
Ensure adequate ventilation.

Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up : Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion : Avoid dust formation.
Provide appropriate exhaust ventilation at places where dust is formed.

Advice on safe handling : Avoid formation of respirable particles.

SAFETY DATA SHEET



Sulfentrazone 75 WG MUP

Version 1.1 Revision Date: 03/01/2022 SDS Number: 50001757 Date of last issue: 02/16/2022
Date of first issue: 02/16/2022

Do not breathe vapors/dust.
Avoid exposure - obtain special instructions before use.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Provide sufficient air exchange and/or exhaust in work rooms.
Dispose of rinse water in accordance with local and national regulations.
Persons susceptible to skin sensitization problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Observe label precautions.
Electrical installations / working materials must comply with the technological safety standards.

Further information on storage stability : No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
palygorskite	12174-11-7	TWAEV	1 fibres per cubic centimeter	CA QC OEL
toluene	108-88-3	TWA	50 ppm 188 mg/m3	CA AB OEL
		TWA	20 ppm	CA BC OEL
		TWAEV	50 ppm 188 mg/m3	CA QC OEL
		TWA	20 ppm	ACGIH

Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
toluene	108-88-3	Toluene	In blood	Prior to last shift of work-week	0.02 mg/l	ACGIH BEI
		Toluene	Urine	End of shift (As soon as possible)	0.03 mg/l	ACGIH BEI

SAFETY DATA SHEET



Sulfentrazone 75 WG MUP

Version 1.1 Revision Date: 03/01/2022 SDS Number: 50001757 Date of last issue: 02/16/2022
Date of first issue: 02/16/2022

				after exposure ceases)		
		o-Cresol	Urine	End of shift (As soon as possible after exposure ceases)	0.3 mg/g Creatinine	ACGIH BEI

Personal protective equipment

- Respiratory protection : No personal respiratory protective equipment normally required.
- Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.
- Eye protection : Eye wash bottle with pure water
Tightly fitting safety goggles
Wear face-shield and protective suit for abnormal processing problems.
- Skin and body protection : Dust impervious protective suit
Choose body protection according to the amount and concentration of the dangerous substance at the work place.
- Hygiene measures : When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : granules
- Color : brown
- Odor : musty
- pH : 6.5 - 7.5
- Melting point/freezing point : No data available
- Boiling point/boiling range : No data available
- Flash point : No data available
- Upper explosion limit / Upper : No data available

SAFETY DATA SHEET



Sulfentrazone 75 WG MUP

Version	Revision Date:	SDS Number:	Date of last issue: 02/16/2022
1.1	03/01/2022	50001757	Date of first issue: 02/16/2022

flammability limit

Lower explosion limit / Lower flammability limit : No data available

Relative density : No data available

Density : No data available

Bulk density : 38 - 40 lb/scf

Solubility(ies)

Water solubility : dispersible

Partition coefficient: n-octanol/water : No data available

Viscosity

Viscosity, dynamic : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reactions : No decomposition if stored and applied as directed.
Dust may form explosive mixture in air.

Conditions to avoid : No data available

Incompatible materials : No data available

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Harmful if inhaled.

Product:

Acute oral toxicity : LD50 (Rat): 2,416 mg/kg

Acute inhalation toxicity : Acute toxicity estimate: 4.13 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: Calculation method
Remarks: Estimation based on data obtained on active ingredient.

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg

Skin corrosion/irritation

Causes skin irritation.

SAFETY DATA SHEET



Sulfentrazone 75 WG MUP

Version	Revision Date:	SDS Number:	Date of last issue: 02/16/2022
1.1	03/01/2022	50001757	Date of first issue: 02/16/2022

Product:

Species : Rabbit
Result : Skin irritation

Remarks : May cause skin irritation in susceptible persons.

Serious eye damage/eye irritation

Causes eye irritation.

Product:

Species : Rabbit
Result : Mild eye irritation
Assessment : Mild eye irritation
GLP : yes
Remarks : May cause mild irritation.

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Product:

Result : Not a skin sensitizer.

Germ cell mutagenicity

Not classified based on available information.

Components:

Sulfentrazone:

Genotoxicity in vitro : Test Type: Ames test
Metabolic activation: with and without metabolic activation
Result: negative

Test Type: Mouse lymphoma assay
Test system: mouse lymphoma cells
Metabolic activation: Metabolic activation
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse
Application Route: Intraperitoneal injection
Result: negative

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

SAFETY DATA SHEET



Sulfentrazone 75 WG MUP

Version	Revision Date:	SDS Number:	Date of last issue: 02/16/2022
1.1	03/01/2022	50001757	Date of first issue: 02/16/2022

toluene:

Genotoxicity in vitro : Test Type: Ames test
Result: negative

Method: OECD Test Guideline 476
Result: negative

Genotoxicity in vivo : Test Type: Chromosome aberration test in vitro
Species: Rat
Result: negative

sodium diisopropylnaphthalenesulphonate:

Genotoxicity in vitro : Test Type: reverse mutation assay
Method: Mutagenicity (Salmonella typhimurium - reverse mutation assay)
Result: negative

Genotoxicity in vivo : Remarks: No data available

Carcinogenicity

Not classified based on available information.

Product:

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

Reproductive toxicity

Not classified based on available information.

Components:

Sulfentrazone:

Effects on fertility : Test Type: Two-generation study
Species: Rat, male and female
Application Route: Oral
General Toxicity Parent: NOEL: 13.7 - 16.2 mg/kg bw/day
General Toxicity F1: NOEL: 13.7 - 16.2 mg/kg bw/day
Symptoms: Maternal effects.

Effects on fetal development : Test Type: Embryo-fetal development
Species: Rat
Application Route: Oral
General Toxicity Maternal: NOEL: 25 mg/kg bw/day
Developmental Toxicity: NOEL: 10 mg/kg bw/day
Symptoms: Maternal effects.

toluene:

Effects on fetal development : Species: Rat
Application Route: Inhalation
Result: Teratogenic effects.
Remarks: Adverse developmental effects were observed

SAFETY DATA SHEET



Sulfentrazone 75 WG MUP

Version	Revision Date:	SDS Number:	Date of last issue: 02/16/2022
1.1	03/01/2022	50001757	Date of first issue: 02/16/2022

Reproductive toxicity - Assessment : Some evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments.

STOT-single exposure

Causes damage to organs.

Components:

Sulfentrazone:

Remarks : No significant adverse effects were reported

toluene:

Assessment : May cause drowsiness or dizziness.

STOT-repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Product:

Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.

Repeated dose toxicity

Components:

Sulfentrazone:

Species : Rat, male and female
NOEL : 65.8 - 78.1 mg/kg
Application Route : Oral - feed
Exposure time : 90-days
Target Organs : hematopoietic system

Species : Mouse, male and female
NOEL : 60 - 79.8 mg/kg
Application Route : Oral - feed
Exposure time : 90-days
Target Organs : hematopoietic system

toluene:

Species : Rat
NOAEL : 625 mg/kg
Application Route : Oral
Symptoms : central nervous system effects

Species : Rat
NOAEL : 0.098 mg/l
Application Route : Inhalation
Test atmosphere : vapor

SAFETY DATA SHEET



Sulfentrazone 75 WG MUP

Version	Revision Date:	SDS Number:	Date of last issue: 02/16/2022
1.1	03/01/2022	50001757	Date of first issue: 02/16/2022

Species	:	Rat
LOAEL	:	2.261 mg/l
Application Route	:	Inhalation
Test atmosphere	:	vapor

sodium diisopropyl naphthalenesulphonate:

Remarks : No data available

Aspiration toxicity

Not classified based on available information.

Components:

Sulfentrazone:

The substance does not have properties associated with aspiration hazard potential.

toluene:

May be fatal if swallowed and enters airways.

Further information

Product:

Remarks : No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Sulfentrazone:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 120 mg/l
Exposure time: 96 h

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 60.4 mg/l
aquatic invertebrates Exposure time: 48 h

Toxicity to algae/aquatic : EC50 (algae): 32.8 mg/l
plants Exposure time: 72 h

EC50 (Pseudokirchneriella subcapitata (green algae)): 0.031
mg/l
Exposure time: 120 h

EC50 (Navicula pelliculosa (Diatom)): 0.042 mg/l
Exposure time: 120 h

SAFETY DATA SHEET



Sulfentrazone 75 WG MUP

Version	Revision Date:	SDS Number:	Date of last issue: 02/16/2022
1.1	03/01/2022	50001757	Date of first issue: 02/16/2022

EC50 (Lemna gibba (duckweed)): 0.0288 mg/l
Exposure time: 14 d

Toxicity to fish (Chronic toxicity) : NOEC (Fish): 5.9 mg/l
Exposure time: 21 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Crustaceans): 0.51 mg/l
Exposure time: 21 d

Toxicity to terrestrial organisms : LD50 (Anas platyrhynchos (Mallard duck)): > 5,620 mg/kg

LD50 (Apis mellifera (bees)): > 25 µg/bee
Remarks: Oral

LD50 (Apis mellifera (bees)): > 200 µg/bee
Remarks: Contact

palygorskite:

Ecotoxicology Assessment

Acute aquatic toxicity : Toxic effects cannot be excluded

Chronic aquatic toxicity : Toxic effects cannot be excluded

toluene:

Toxicity to fish : LC50 (Fish): 5.5 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50: 3.78 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : NOEC (Skeletonema costatum (marine diatom)): 10 mg/l
Exposure time: 72 h

Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus kisutch (coho salmon)): 1.4 mg/l

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Ceriodaphnia sp.): 0.74 mg/l
Exposure time: 7 d

Toxicity to microorganisms : EC50 (Bacteria): 134 mg/l
Exposure time: 3 h

sodium diisopropyl naphthalenesulphonate:

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 72 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202

Toxicity to algae/aquatic : EC50 (Pseudokirchneriella subcapitata (algae)): > 100 mg/l

SAFETY DATA SHEET



Sulfentrazone 75 WG MUP

Version	Revision Date:	SDS Number:	Date of last issue: 02/16/2022
1.1	03/01/2022	50001757	Date of first issue: 02/16/2022

plants

Exposure time: 72 h
Test Type: static test
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (algae)): 10 mg/l
Exposure time: 72 h
Test Type: static test
Method: OECD Test Guideline 201

Persistence and degradability

Components:

Sulfentrazone:

Biodegradability : Result: Not readily biodegradable.

Stability in water : Degradation half life (DT50): 2.22 - 9.56 h

toluene:

Biodegradability : Result: Readily biodegradable.

sodium diisopropylnaphthalenesulphonate:

Biodegradability : Inoculum: activated sludge, non-adapted
Result: Not readily biodegradable.
Biodegradation: 2 %
Exposure time: 21 d
Method: OECD Test Guideline 301D

Bioaccumulative potential

Components:

Sulfentrazone:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.
See section 9 for octanol-water partition coefficient.

Partition coefficient: n-octanol/water : Remarks: No data available

toluene:

Bioaccumulation : Bioconcentration factor (BCF): 90

Partition coefficient: n-octanol/water : log Pow: 2.73 (20 °C)

sodium diisopropylnaphthalenesulphonate:

Partition coefficient: n-octanol/water : log Pow: > 2.6 (20 °C)

SAFETY DATA SHEET



Sulfentrazone 75 WG MUP

Version	Revision Date:	SDS Number:	Date of last issue: 02/16/2022
1.1	03/01/2022	50001757	Date of first issue: 02/16/2022

Mobility in soil

Components:

Sulfentrazone:

Distribution among environmental compartments : Remarks: Mobile in soils

Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Harmful to aquatic life.
Toxic to aquatic life with long lasting effects.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3077
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(Sulfentrazone)
Class : 9
Subsidiary risk : ENVIRONM.
Packing group : III
Labels : 9 (ENVIRONM.)

IATA-DGR

UN/ID No. : UN 3077
Proper shipping name : Environmentally hazardous substance, solid, n.o.s.
(Sulfentrazone)
Class : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo aircraft) : 956

SAFETY DATA SHEET



Sulfentrazone 75 WG MUP

Version	Revision Date:	SDS Number:	Date of last issue: 02/16/2022
1.1	03/01/2022	50001757	Date of first issue: 02/16/2022

Packing instruction (passenger aircraft) : 956
Environmentally hazardous : yes

IMDG-Code

UN number : UN 3077
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Sulfentrazone)
Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

TDG

Not regulated as a dangerous good

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

NPRI Components : toluene

The ingredients of this product are reported in the following inventories:

TCSI : Not in compliance with the inventory
TSCA : Product contains substance(s) not listed on TSCA inventory.
AICS : Not in compliance with the inventory
DSL : This product contains the following components that are not on the Canadian DSL nor NDSL.

2',4'-DICHLORO-5'-(4-DIFLUOROMETHYL-4,5-DIHYDRO-3-METHYL-5-OXO-1H-1,2,4-TRIAZOL-1-YL)METHANESULFONANILIDE

palygorskite

ENCS : Not in compliance with the inventory
ISHL : Not in compliance with the inventory
KECI : Not in compliance with the inventory
PICCS : Not in compliance with the inventory

SAFETY DATA SHEET



Sulfentrazone 75 WG MUP

Version	Revision Date:	SDS Number:	Date of last issue: 02/16/2022
1.1	03/01/2022	50001757	Date of first issue: 02/16/2022

IECSC : Not in compliance with the inventory

NZIoC : Not in compliance with the inventory

Canadian lists

No substances are subject to a Significant New Activity Notification.

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

ACGIH	: USA. ACGIH Threshold Limit Values (TLV)
ACGIH BEI	: ACGIH - Biological Exposure Indices (BEI)
CA AB OEL	: Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
CA BC OEL	: Canada. British Columbia OEL
CA QC OEL	: Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants
ACGIH / TWA	: 8-hour, time-weighted average
CA AB OEL / TWA	: 8-hour Occupational exposure limit
CA BC OEL / TWA	: 8-hour time weighted average
CA QC OEL / TWA EV	: Time-weighted average exposure value

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recom-

SAFETY DATA SHEET



Sulfentrazone 75 WG MUP

Version	Revision Date:	SDS Number:	Date of last issue: 02/16/2022
1.1	03/01/2022	50001757	Date of first issue: 02/16/2022

recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

CA / EN

Prepared by:

FMC Corporation

FMC Logo - Trademark of FMC Corporation

© 2021 FMC Corporation. All Rights Reserved.

End of Material Safety Data Sheet