

SAFETY DATA SHEET



CONFIDENCE® HERBICIDE (WINFIELD)

Version 4.0 / USA
102000039869

1/14
Revision Date: 09/16/2024
Print Date: 09/17/2024

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier

Trade name	CONFIDENCE® HERBICIDE (WINFIELD)
Product code (UVP)	62293312
SDS Number	102000039869
EPA Registration No.	524-473

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use	Herbicide
Restrictions on use	See product label for restrictions.
Information on supplier	
Supplier	Bayer CropScience LP 800 North Lindbergh Blvd. St. Louis, MO 63167 USA
Responsible Department	Email: SDSINFO.BCS-NA@bayer.com

Emergency telephone no.

Emergency Telephone Number (24hr/ 7 days)	1-800-334-7577
Product Information Telephone Number	1-866-99BAYER (1-866-992-2937)

SECTION 2: HAZARDS IDENTIFICATION

Classification in accordance with regulation HCS 29CFR §1910.1200

Acute toxicity(Inhalation): Category 4
Acute toxicity(Oral): Category 4
Eye irritation: Category 2B
Skin sensitisation: Category 1
Carcinogenicity: Category 2
Specific target organ toxicity - repeated exposure: Category 2
Specific target organ toxicity - single exposure: Category 3

SAFETY DATA SHEET



CONFIDENCE® HERBICIDE (WINFIELD)

Version 4.0 / USA
102000039869

2/14
Revision Date: 09/16/2024
Print Date: 09/17/2024

Labelling in accordance with regulation HCS 29CFR §1910.1200



Signal word: Warning

Hazard statements

Harmful if swallowed.
Harmful if inhaled.
Causes eye irritation.
May cause an allergic skin reaction.
Suspected of causing cancer.
May cause respiratory irritation.
May cause damage to organs (Kidney, Liver) through prolonged or repeated exposure.

Precautionary statements

Wash hands thoroughly after handling.
Do not eat, drink or smoke when using this product.
Do not breathe gas/ mist/vapours/ spray.
Use only outdoors or in a well-ventilated area.
Contaminated work clothing should not be allowed out of the workplace.
Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Wear protective gloves/ protective clothing/ eye protection/ face protection.
IF SWALLOWED: Call a POISON CENTER/doctor/physician if you feel unwell.
Rinse mouth.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
Call a POISON CENTER/doctor/physician if you feel unwell.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists: Get medical advice/ attention.
IF ON SKIN: Wash with plenty of water/ soap.
Wash contaminated clothing before reuse.
If skin irritation or rash occurs: Get medical advice/ attention.
IF exposed or concerned: Get medical advice/ attention.
Store locked up.
Store in a well-ventilated place. Keep container tightly closed.
Dispose of contents/container in accordance with local regulation.

Hazards Not Otherwise Classified (HNOC)

No physical hazards not otherwise classified.
No health hazards not otherwise classified.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

SAFETY DATA SHEET



CONFIDENCE® HERBICIDE (WINFIELD)

Version 4.0 / USA
102000039869

3/14
Revision Date: 09/16/2024
Print Date: 09/17/2024

Hazardous Component Name	CAS-No.	Concentration % by weight
Acetochlor	34256-82-1	75.9
Furilazole	121776-33-8	2.4
Surfactant blend (proprietary)		>=5 – <=10
Solvent Naphtha (petroleum), heavy aromatic	64742-94-5	5.2
Naphthalene	91-20-3	0.8

The specific chemical identity and/or concentration range is being withheld because it is trade secret information.

SECTION 4: FIRST AID MEASURES

Description of first aid measures

General advice	When possible, have the product container or label with you when calling a poison control center or doctor or going for treatment.
Inhalation	Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a physician or poison control center immediately.
Skin contact	Immediately wash with plenty of soap and water for at least 15 minutes. Take off contaminated clothing and shoes immediately. Call a physician or poison control center immediately.
Eye contact	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center immediately.
Ingestion	Call a physician or poison control center immediately. Rinse out mouth and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim unattended.

Most important symptoms and effects, both acute and delayed

Symptoms May cause allergic skin reaction.

Indication of any immediate medical attention and special treatment needed

Treatment Appropriate supportive and symptomatic treatment as indicated by the patient's condition is recommended.

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media

Suitable Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable High volume water jet

SAFETY DATA SHEET



CONFIDENCE® HERBICIDE (WINFIELD)

Version 4.0 / USA
102000039869

4/14
Revision Date: 09/16/2024
Print Date: 09/17/2024

Special hazards arising from the substance or mixture	In the event of fire the following may be released:, Carbon monoxide (CO), Carbon dioxide (CO ₂), Nitrogen oxides (NO _x), Hydrogen chloride (HCl)
Advice for firefighters	
Special protective equipment for firefighters	In the event of fire and/or explosion do not breathe fumes. Firefighters should wear NIOSH approved self-contained breathing apparatus and full protective clothing. Equipment should be thoroughly decontaminated after use.
Further information	Keep out of smoke. Fight fire from upwind position. Cool closed containers exposed to fire with water spray. Do not allow run-off from fire fighting to enter drains or water courses.
Specific hazards from the substance or mixture which can increase the fire	
Flash point	> 93.3 °C / > 199.94 °F
Auto-ignition temperature	No data available
Lower explosion limit	No data available
Upper explosion limit	No data available
Explosivity	No data available

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Precautions Use personal protective equipment. Keep unauthorized people away. Avoid contact with spilled product or contaminated surfaces.

Methods and materials for containment and cleaning up

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Collect and transfer the product into a properly labelled and tightly closed container. Keep in suitable, closed containers for disposal. Clean contaminated floors and objects thoroughly, observing environmental regulations.

Additional advice Use personal protective equipment. If the product is accidentally spilled, do not allow to enter soil, waterways or waste water canal. Do not allow product to contact non-target plants.

Reference to other sections Information regarding safe handling, see section 7.
Information regarding personal protective equipment, see section 8.
Information regarding waste disposal, see section 13.

SAFETY DATA SHEET



CONFIDENCE® HERBICIDE (WINFIELD)

Version 4.0 / USA
102000039869

5/14
Revision Date: 09/16/2024
Print Date: 09/17/2024

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Avoid contact with skin, eyes and clothing. Ensure adequate ventilation.

Hygiene measures Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, using the toilet or applying cosmetics.
Remove Personal Protective Equipment (PPE) immediately after handling this product. Remove soiled clothing immediately and clean thoroughly before using again. Wash thoroughly and put on clean clothing. Keep working clothes separately.

Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers Store in a cool, dry place and in such a manner as to prevent cross contamination with other crop protection products, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area. Keep away from direct sunlight.

Advice on common storage Keep away from food, drink and animal feedingstuffs.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Solvent Naphtha (petroleum), heavy aromatic	64742-94-5	1,600 mg/m ³ /400 ppm (TWA PEL)	09 2006	US CA OEL
Solvent Naphtha (petroleum), heavy aromatic (Non-aerosol.)	64742-94-5	200 mg/m ³ (TWA)	03 2014	ACGIH
Solvent Naphtha (petroleum), heavy aromatic	64742-94-5	100 mg/m ³ (REL)	2010	NIOSH
Solvent Naphtha (petroleum), heavy aromatic (Non-aerosol.)	64742-94-5	200 mg/m ³ (TWA)	01 2021	ACGIH
Naphthalene	91-20-3	10 ppm (TWA)	2008	ACGIH
Naphthalene	91-20-3	50 mg/m ³ /10 ppm (REL)	2005	NIOSH
Naphthalene	91-20-3	75 mg/m ³ /15 ppm (STEL)	2005	NIOSH
Naphthalene	91-20-3	50 mg/m ³ /10 ppm (PEL)	02 2006	OSHA Z1
Naphthalene	91-20-3	50 mg/m ³ /10 ppm (TWA)	06 2008	TN OEL
Naphthalene	91-20-3	0.5 mg/m ³ /0.1 ppm	10 2014	US CA OEL

SAFETY DATA SHEET



CONFIDENCE® HERBICIDE (WINFIELD)

Version 4.0 / USA
102000039869

6/14
Revision Date: 09/16/2024
Print Date: 09/17/2024

		(TWA PEL)		
Naphthalene	91-20-3	75 mg/m ³ /15 ppm (STEL)	01 2019	TN OEL
Naphthalene	91-20-3	10 ppm (TLV)		OES BCS*

*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

Biological occupational exposure limits

Components	CAS-No.	Parameters	Biological specimen	Sampling time	Conc.	Basis
Naphthalene	91-20-3	1-Naphthol, with hydrolysis + 2-Naphthol, with hydrolysis		Sampling time: End of shift.		ACGIH BEI

Exposure controls

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection

When respirators are required, select NIOSH approved equipment based on actual or potential airborne concentrations and in accordance with the appropriate regulatory standards and/or industry recommendations.

Hand protection

Chemical-resistant gloves (barrier laminate, butyl rubber, nitrile rubber or Viton)

Eye protection

Tightly fitting safety goggles

Skin and body protection

Wear long-sleeved shirt and long pants and shoes plus socks.

General protective measures

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and warm/tepid water.
Keep and wash PPE separately from other laundry.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Form	Liquid, free from foreign matter
Colour	blue to violet
Odour	mild, sweet
Odour Threshold	No data available
pH	No data available

SAFETY DATA SHEET



CONFIDENCE® HERBICIDE (WINFIELD)

Version 4.0 / USA
102000039869

7/14
Revision Date: 09/16/2024
Print Date: 09/17/2024

Melting point/range	Not applicable
Boiling point/boiling range	No data available
Flash point	> 93.3 °C / > 199.94 °F
Flammability	No data available
Auto-ignition temperature	No data available
Thermal decomposition	No data available
Minimum ignition energy	No data available
Self-accelarating decomposition temperature (SADT)	No data available
Upper explosion limit	No data available
Lower explosion limit	No data available
Vapour pressure	No significant volatility.
Evaporation rate	No data available
Relative vapour density	No data available
Relative density	1.1071 (20 °C) Water at 15.6 °C
Density	ca. 1.10 g/cm ³ (20 °C)
Water solubility	emulsifiable
Partition coefficient: n-octanol/water	Acetochlor: log Pow: 4.14 (20 °C) Furilazole: log Pow: 2.12 (23 °C)
Viscosity, dynamic	No data available
Viscosity, kinematic	Not applicable
Oxidizing properties	No data available
Explosivity	No data available
Other information	Further safety related physical-chemical data are not known.

SECTION 10: STABILITY AND REACTIVITY

Reactivity	Stable under normal conditions.
Chemical stability	Stable under recommended storage conditions.

SAFETY DATA SHEET



CONFIDENCE® HERBICIDE (WINFIELD)

Version 4.0 / USA
102000039869

8/14
Revision Date: 09/16/2024
Print Date: 09/17/2024

Possibility of hazardous reactions	No hazardous reactions when stored and handled according to prescribed instructions.
Conditions to avoid	Extremes of temperature and direct sunlight.
Incompatible materials	No incompatible materials known.
Hazardous decomposition products	No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

Exposure routes	Skin contact, Eye contact, Inhalation, Ingestion
Immediate Effects	
Eye	Causes serious eye irritation.
Skin	Causes skin irritation. May cause sensitisation by skin contact.
Ingestion	Harmful if swallowed.
Inhalation	Harmful if inhaled.

Information on toxicological effects

Acute oral toxicity	LD50 (female Rat) 1,849 mg/kg Test conducted with a similar formulation.
Acute inhalation toxicity	LC50 (female Rat) 1.4 mg/l Exposure time: 4 h Test conducted with a similar formulation.
Acute dermal toxicity	LD50 (Rat) > 5,000 mg/kg Test conducted with a similar formulation.
Skin corrosion/irritation	Slight irritant effect - does not require labelling. (Rabbit) Test conducted with a similar formulation.
Serious eye damage/eye irritation	Irritating to eyes. (Rabbit) Test conducted with a similar formulation.
Respiratory or skin sensitisation	Skin: Sensitising (Guinea pig) OECD Test Guideline 406, Buehler test Test conducted with a similar formulation.

Assessment STOT Specific target organ toxicity – single exposure

Acetochlor: May cause respiratory irritation.
Furilazole: Based on available data, the classification criteria are not met.

Assessment STOT Specific target organ toxicity – repeated exposure

Acetochlor caused specific target organ toxicity in experimental animal studies in the following organ(s):
Kidney.
Furilazole caused specific target organ toxicity in experimental animal studies in the following organ(s):
Liver.

SAFETY DATA SHEET



CONFIDENCE® HERBICIDE (WINFIELD)

Version 4.0 / USA
102000039869

9/14
Revision Date: 09/16/2024
Print Date: 09/17/2024

Assessment mutagenicity

Based on available data, the classification criteria are not met.

Assessment mutagenicity

Acetochlor was not genotoxic based on weight of evidence analysis.

Furilazole was not genotoxic based on weight of evidence analysis.

Assessment carcinogenicity

Acetochlor caused an increased incidence of tumours in rats in the following organ(s): Nasal, Thyroid. Mode(s) of action not relevant to humans.

Acetochlor caused an increased incidence of tumours in rats, mice in the following organ(s): Liver. Only above the MTD (maximum tolerated dose). The observed effects do not appear to be relevant for humans.

Acetochlor caused lung tumours and histocytic sarcomas in mice, probably not treatment related.

Furilazole caused an increased incidence of tumours in rats, mice in the following organ(s): Liver. Only at doses that caused significant hepatotoxicity. Questionable relevance to humans.

Furilazole caused an increased incidence of tumours in mice in the following organ(s): Lungs. Only at doses that caused chronic inflammation. Questionable relevance to humans.

Furilazole caused an increased incidence of tumours in rats in the following organ(s): forestomach. Only at doses that caused substantial irritation. The observed effects do not appear to be relevant for humans.

Naphthalene caused an increased incidence of tumours after chronic inhalation of high vapour concentrations in the following organ: Respiratory Tract. The tumours seen with naphthalene were caused through a non-genotoxic mechanism, which is not relevant at low doses.

ACGIH

Solvent Naphtha (petroleum), heavy aromatic	64742-94-5	Group A3
Naphthalene	91-20-3	Group A3

NTP

Naphthalene	91-20-3
-------------	---------

IARC

Solvent Naphtha (petroleum), heavy aromatic	64742-94-5	Overall evaluation: 3 OCGEN
Solvent Naphtha (petroleum), heavy aromatic	64742-94-5	Overall evaluation: 3 OCGEN
Solvent Naphtha (petroleum), heavy aromatic	64742-94-5	Overall evaluation: 3 OCGEN
Naphthalene	91-20-3	Overall evaluation: 2B

Assessment toxicity to reproduction

Reproductive effects in rats seen with Acetochlor are only in the presence of significant maternal toxicity. Furilazole did not cause reproductive toxicity in laboratory animals.

Assessment developmental toxicity

Developmental effects in rats seen with Acetochlor are only in the presence of significant maternal toxicity.

Acetochlor did not cause developmental toxicity in rabbits. Testicular damage in dogs only in the presence of substantial systemic toxicity.

Furilazole did not cause developmental toxicity in rabbits. The developmental effects seen with Furilazole are related to maternal toxicity.

Aspiration hazard

SAFETY DATA SHEET



CONFIDENCE® HERBICIDE (WINFIELD)

Version 4.0 / USA
102000039869

10/14
Revision Date: 09/16/2024
Print Date: 09/17/2024

Based on available data, the classification criteria are not met.

Further information

Information given is based on data obtained from similar substances.
The non-acute information pertains to the active ingredient(s).
No further toxicological information is available.

SECTION 12: ECOLOGICAL INFORMATION

Toxicity to fish

LC50 (Lepomis macrochirus (Bluegill sunfish)) 1.3 mg/l
static test; Exposure time: 96 h
The value mentioned relates to the active ingredient acetochlor.

LC50 (Oncorhynchus mykiss (rainbow trout)) 0.36 - 1.2 mg/l
static test; Exposure time: 96 h
The value mentioned relates to the active ingredient acetochlor.

LC50 (Oncorhynchus mykiss (rainbow trout)) 6.2 mg/l
static test; Exposure time: 96 h
The value mentioned relates to the safener furilazole.

LC50 (Lepomis macrochirus (Bluegill sunfish)) 4.6 mg/l
static test; Exposure time: 96 h
The value mentioned relates to the safener furilazole.

Toxicity to aquatic invertebrates

EC50 (Daphnia magna (Water flea)) 8.6 - 16 mg/l static test; Exposure time: 48 h
The value mentioned relates to the active ingredient acetochlor.

EC50 (Daphnia magna (Water flea)) 26 mg/l static test; Exposure time: 48 h
The value mentioned relates to the safener furilazole.

Toxicity to aquatic plants

EC50 (Raphidocelis subcapitata (freshwater green alga)) 0.00027 - 0.00149 mg/l
static test; Exposure time: 96 h
The value mentioned relates to the active ingredient acetochlor.

EbC50 (Raphidocelis subcapitata (freshwater green alga)) 34.8 mg/l
static test; Exposure time: 72 h
The value mentioned relates to the safener furilazole.

Biodegradability

Acetochlor:
Not rapidly biodegradable
Furilazole: 1 %, Exposure time: 28 d
Not readily biodegradable.

Koc

Acetochlor: Koc: 204
Furilazole: Koc: 56 - 341

Bioaccumulation

Acetochlor: Bioconcentration factor (BCF) 20
Furilazole:

SAFETY DATA SHEET



CONFIDENCE® HERBICIDE (WINFIELD)

Version 4.0 / USA
102000039869

11/14
Revision Date: 09/16/2024
Print Date: 09/17/2024

	No significant accumulation in organisms.
Mobility in soil	Acetochlor: Moderately persistent Furilazole: Moderately persistent
Results of PBT and vPvB assessment	
PBT and vPvB assessment	Acetochlor: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB). Furilazole: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).
Additional ecological information	No other effects to be mentioned.
Environmental precautions	Do not allow to get into surface water, drains and ground water. Do not contaminate surface or ground water by cleaning equipment or disposal of wastes, including equipment wash water.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Product	Dispose in accordance with all local, state/provincial and federal regulations.
Contaminated packaging	Consult state and local regulations regarding the proper disposal of container. Follow advice on product label and/or leaflet.
RCRA Information	Characterization and proper disposal of this material as a special or hazardous waste is dependent upon Federal, State and local laws and are the user's responsibility. RCRA classification may apply.

SECTION 14: TRANSPORT INFORMATION

49CFR

UN number	3082
Class	9
Packaging group	III
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCES, LIQUID, N.O.S. (NAPHTHALENE)
RQ	Reportable Quantity is reached with 12,500 lb of product.

IMDG

UN number	3082
Class	9
Packaging group	III

SAFETY DATA SHEET



CONFIDENCE® HERBICIDE (WINFIELD)

Version 4.0 / USA
10200039869

12/14
Revision Date: 09/16/2024
Print Date: 09/17/2024

Marine pollutant YES
Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
N.O.S.
(ACETOCHLOR SOLUTION)

IATA

UN number 3082
Class 9
Packaging group III
Environm. Hazardous Mark YES
Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
N.O.S.
(ACETOCHLOR SOLUTION)

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

SECTION 15: REGULATORY INFORMATION

EPA Registration No. 524-473

US Federal Regulations

TSCA list

Solvent Naphtha (petroleum), heavy aromatic 64742-94-5

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)

No export notification needs to be made.

SARA Title III - Section 302 - Notification and Information

Not applicable.

SARA Title III - Section 313 - Toxic Chemical Release Reporting

None.

US States Regulatory Reporting

CA Prop65

WARNING: This product contains a chemical known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Acetochlor	34256-82-1	Cancerogenic
Furilazole	121776-33-8	Cancerogenic
Naphthalene	91-20-3	Cancerogenic

This product does not contain any substances known to the State of California to cause reproductive harm.

US State Right-To-Know Ingredients

Solvent Naphtha (petroleum), heavy aromatic	64742-94-5	CT, IL, NJ, RI
---	------------	----------------

Environmental CERCLA

SAFETY DATA SHEET



CONFIDENCE® HERBICIDE (WINFIELD)

Version 4.0 / USA
102000039869

13/14
Revision Date: 09/16/2024
Print Date: 09/17/2024

Yes
Solvent Naphtha (petroleum), heavy aromatic 64742-94-5

Clean Water Section 307(a)(1)

Yes
Naphthalene 91-20-3

Safe Drinking Water Act Maximum Contaminant Levels

Yes
Naphthalene 91-20-3

EPA/FIFRA Information:

This chemical is a pesticide product regulated by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information required on the pesticide label:

Signal word: Warning!

Hazard statements: Causes substantial but temporary eye and skin irritation.
Harmful if swallowed.
Harmful if inhaled.
May cause allergic skin reaction.

SECTION 16: OTHER INFORMATION

Abbreviations and acronyms

49CFR	Code of Federal Regulations, Title 49
ACGIH	US. ACGIH Threshold Limit Values
ATE	Acute toxicity estimate
CAS-Nr.	Chemical Abstracts Service number
CERCLA	Comprehensive Environmental Response, Compensation, and Liability Act
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
N.O.S.	Not otherwise specified
NTP	US. National Toxicology Program (NTP) Report on Carcinogens
OECD	Organization for Economic Co-operation and Development
TDG	Transportation of Dangerous Goods
TWA	Time weighted average
UN	United Nations
WHO	World health organisation

SAFETY DATA SHEET



CONFIDENCE® HERBICIDE (WINFIELD)

Version 4.0 / USA
102000039869

14/14
Revision Date: 09/16/2024
Print Date: 09/17/2024

NFPA 704 (National Fire Protection Association):

|| Health - 3 Flammability - 1 Instability - 0 Others - none

HMIS (Hazardous Materials Identification System, based on the Fourth Edition Ratings Guide)

|| Health - 2* Flammability - 1 Physical Hazard - 0 PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard,
* = chronic health hazard

Reason for Revision: The following sections have been revised: Section 3: Composition / Information on Ingredients. Section 8: Exposure Controls / Personal Protection. Section 11: Toxicological Information. Section 16: Other Information. Reviewed and updated for general editorial purposes.

Revision Date: 09/16/2024

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.