

SAFETY DATA SHEET



AIM® EC HERBICIDE

Version 1.9 Revision Date: 10/06/2022 SDS Number: 50001765 Date of last issue: 05/01/2019
Date of first issue: 05/01/2019

GHS label elements

Hazard pictograms

:



Signal Word

: Danger

Hazard Statements

: H304 May be fatal if swallowed and enters airways.
H351 Suspected of causing cancer.

Precautionary Statements

: **Prevention:**
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
Response:
P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P308 + P313 IF exposed or concerned: Get medical advice/ attention.
P331 Do NOT induce vomiting.
Storage:
P405 Store locked up.
Disposal:
P501 Dispose of contents and container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature : Mixture

Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
Solvent naphtha (petroleum), heavy arom.	Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified	64742-94-5	$\geq 60 - < 80$ *
carfentrazone-ethyl (ISO)	carfentrazone-ethyl (ISO)	128639-02-1	21.9
butan-1-ol	butan-1-ol	71-36-3	$\geq 1 - < 5$ *
4-hydroxy-4-methylpentan-2-one	4-hydroxy-4-methylpentan-2-one	123-42-2	$\geq 0.1 - < 1$ *

SAFETY DATA SHEET



AIM® EC HERBICIDE

Version 1.9 Revision Date: 10/06/2022 SDS Number: 50001765 Date of last issue: 05/01/2019
Date of first issue: 05/01/2019

* Actual concentration or concentration range is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

- General advice : Move out of dangerous area.
Consult a physician.
Show this safety data sheet to the doctor in attendance.
Symptoms of poisoning may appear several hours later.
Do not leave the victim unattended.
- If inhaled : Call a physician or poison control center immediately.
If unconscious, place in recovery position and seek medical advice.
- In case of skin contact : If skin irritation persists, call a physician.
If on skin, rinse well with water.
If on clothes, remove clothes.
- In case of eye contact : Immediately flush eye(s) with plenty of water.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear.
Do NOT induce vomiting.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
Take victim immediately to hospital.
- Most important symptoms and effects, both acute and delayed : May be fatal if swallowed and enters airways.
Suspected of causing cancer.
- Notes to physician : Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Dry chemical, CO₂, water spray or regular foam.
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during fire fighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : Carbon oxides
Nitrogen oxides (NO_x)
Chlorine compounds
Fluorine compounds
Hydrogen cyanide
Hydrogen chloride

SAFETY DATA SHEET



AIM® EC HERBICIDE

Version 1.9 Revision Date: 10/06/2022 SDS Number: 50001765 Date of last issue: 05/01/2019
Date of first issue: 05/01/2019

- Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
For safety reasons in case of fire, cans should be stored separately in closed containments.
Use a water spray to cool fully closed containers.
- Special protective equipment for fire-fighters : Wear self-contained breathing apparatus for firefighting if necessary.
-

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Ensure adequate ventilation.
Evacuate personnel to safe areas.
Mark the contaminated area with signs and prevent access to unauthorized personnel.
Never return spills in original containers for re-use.
Only qualified personnel equipped with suitable protective equipment may intervene.
- Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).
Keep in suitable, closed containers for disposal.
-

SECTION 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Do not spray on a naked flame or any incandescent material.
Keep away from open flames, hot surfaces and sources of ignition.
- Advice on safe handling : Avoid formation of aerosol.
Do not breathe vapors/dust.
Avoid exposure - obtain special instructions before use.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Provide sufficient air exchange and/or exhaust in work rooms.
Dispose of rinse water in accordance with local and national regulations.
- Conditions for safe storage : Prevent unauthorized access.
No smoking.
-

SAFETY DATA SHEET



AIM® EC HERBICIDE

Version 1.9 Revision Date: 10/06/2022 SDS Number: 50001765 Date of last issue: 05/01/2019
 Date of first issue: 05/01/2019

Keep container tightly closed in a dry and well-ventilated place.
 Containers which are opened must be carefully resealed and kept upright to prevent leakage.
 Observe label precautions.
 Electrical installations / working materials must comply with the technological safety standards.

Further information on storage stability : No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Solvent naphtha (petroleum), heavy arom.	64742-94-5	TWA	200 mg/m ³ (total hydrocarbon vapor)	CA AB OEL
		TWA	200 mg/m ³ (total hydrocarbon vapor)	ACGIH
carfentrazone-ethyl (ISO)	128639-02-1	TWA (Inhalable particulate matter)	1 mg/m ³	ACGIH
butan-1-ol	71-36-3	TWA	20 ppm 60 mg/m ³	CA AB OEL
		TWA	15 ppm	CA BC OEL
		C	30 ppm	CA BC OEL
		C	50 ppm 152 mg/m ³	CA QC OEL
		TWA	20 ppm	ACGIH
4-hydroxy-4-methylpentan-2-one	123-42-2	TWA	50 ppm 238 mg/m ³	CA AB OEL
		TWA	50 ppm	CA BC OEL
		TWAEV	50 ppm 238 mg/m ³	CA QC OEL
		TWA	50 ppm	ACGIH

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally required.

Hand protection
 Material : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water

SAFETY DATA SHEET



AIM® EC HERBICIDE

Version 1.9 Revision Date: 10/06/2022 SDS Number: 50001765 Date of last issue: 05/01/2019
Date of first issue: 05/01/2019

- Tightly fitting safety goggles
Wear face-shield and protective suit for abnormal processing problems.
- Skin and body protection : Impervious clothing
Choose body protection according to the amount and concentration of the dangerous substance at the work place.
- Protective measures : Ensure that eye flushing systems and safety showers are located close to the working place.
Wear suitable protective equipment.
When using do not eat, drink or smoke.
Always have on hand a first-aid kit, together with proper instructions.
- Hygiene measures : Avoid contact with skin, eyes and clothing.
When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and immediately after handling the product.
-

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : liquid
- Color : brown, orange
- Odor : aromatic
- Odor Threshold : No data available
- pH : 5.3
Concentration: 10 g/l
- Melting point/freezing point : No data available
- Initial boiling point and boiling range : No data available
- Flash point : 75.6 °C
Method: closed cup
- Upper explosion limit / Upper flammability limit : No data available
- Lower explosion limit / Lower flammability limit : No data available

SAFETY DATA SHEET



AIM® EC HERBICIDE

Version 1.9 Revision Date: 10/06/2022 SDS Number: 50001765 Date of last issue: 05/01/2019
Date of first issue: 05/01/2019

Vapor pressure : No data available

Relative vapor density : No data available

Density : 9 lb/gal

Solubility(ies)
Water solubility : No data available

Partition coefficient: n-octanol/water : No data available

Decomposition temperature : No data available

Viscosity
Viscosity, dynamic : No data available
Viscosity, kinematic : No data available

Explosive properties : No data available

Oxidizing properties : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reactions : No decomposition if stored and applied as directed.
Vapors may form explosive mixture with air.

Conditions to avoid : Heat, flames and sparks.

Incompatible materials : Not applicable

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : LD50 (Rat): 4,077 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 6.31 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat): > 4,000 mg/kg

SAFETY DATA SHEET



AIM® EC HERBICIDE

Version 1.9 Revision Date: 10/06/2022 SDS Number: 50001765 Date of last issue: 05/01/2019
Date of first issue: 05/01/2019

Skin corrosion/irritation

Not classified based on available information.

Product:

Species : Rabbit
Result : slight irritation

Remarks : May cause skin irritation and/or dermatitis.

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Result : slight irritation

Remarks : May cause irreversible eye damage.

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Product:

Result : Does not cause skin sensitization.

Germ cell mutagenicity

Not classified based on available information.

Components:

Solvent naphtha (petroleum), heavy arom.:

Genotoxicity in vitro : Test Type: reverse mutation assay
Method: OECD Test Guideline 471
Result: negative
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Bone marrow chromosome aberration.
Species: Rat
Application Route: inhalation (vapor)
Result: negative

carfentrazone-ethyl (ISO):

Genotoxicity in vitro : Test Type: reverse mutation assay
Result: negative

Test Type: Chromosome aberration test in vitro

SAFETY DATA SHEET



AIM® EC HERBICIDE

Version 1.9 Revision Date: 10/06/2022 SDS Number: 50001765 Date of last issue: 05/01/2019
Date of first issue: 05/01/2019

Test system: Chinese hamster ovary cells
Metabolic activation: Metabolic activation
Result: negative

Test Type: Chromosome aberration test in vitro
Test system: Chinese hamster ovary cells
Result: positive

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse (male and female)
Result: negative

Germ cell mutagenicity - Assessment : No genotoxic potential.

butan-1-ol:

Genotoxicity in vitro : Test Type: gene mutation test
Method: OECD Test Guideline 476
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse
Application Route: Oral
Method: OECD Test Guideline 474
Result: negative

4-hydroxy-4-methylpentan-2-one:

Genotoxicity in vitro : Test Type: reverse mutation assay
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative

Test Type: Chromosome aberration test in vitro
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 473
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 476
Result: negative

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

Carcinogenicity

Suspected of causing cancer.

Product:

Carcinogenicity - Assessment : Limited evidence of carcinogenicity in animal studies

SAFETY DATA SHEET



AIM® EC HERBICIDE

Version 1.9 Revision Date: 10/06/2022 SDS Number: 50001765 Date of last issue: 05/01/2019
Date of first issue: 05/01/2019

Reproductive toxicity

Not classified based on available information.

Components:

carfentrazone-ethyl (ISO):

- Effects on fertility : Test Type: Multi-generation study
Species: Rat, male and female
Application Route: Ingestion
Fertility: NOEL: 4,000 ppm
Result: negative
- Effects on fetal development : Test Type: Embryo-fetal development
Species: Rat, female
Application Route: Oral
General Toxicity Maternal: NOEL: 100 mg/kg bw/day
Embryo-fetal toxicity.: NOEL: 600 mg/kg bw/day
Result: negative
- Test Type: Embryo-fetal development
Species: Rabbit, female
Application Route: Oral
General Toxicity Maternal: NOEL: 150 mg/kg bw/day
Embryo-fetal toxicity.: NOEL: > 300 mg/kg bw/day
Result: negative
- Reproductive toxicity - Assessment : Animal testing showed no reproductive toxicity.

4-hydroxy-4-methylpentan-2-one:

- Effects on fertility : Test Type: one-generation reproductive toxicity
Species: Rat, male and female
Application Route: Oral
Dose: 30, 100, 300, 1000mg/kg/bw
Duration of Single Treatment: 45 d
General Toxicity Parent: LOAEL: 300 mg/kg bw/day
General Toxicity F1: NOAEL: 300 mg/kg bw/day
Method: OECD Test Guideline 422
- Effects on fetal development : Species: Rat
Application Route: Oral
Dose: 100, 300, 1000mg/kg/day
Duration of Single Treatment: 21 d
General Toxicity Maternal: NOAEL: > 1,000 mg/kg bw/day
Embryo-fetal toxicity.: NOAEL: > 1,000 mg/kg bw/day
Method: OECD Test Guideline 414
- Species: Rabbit
Application Route: Oral
Dose: 0, 100, 300, 800mg/kg/bw/day
Duration of Single Treatment: 29 d
General Toxicity Maternal: LOAEL: 800 mg/kg bw/day
Embryo-fetal toxicity.: LOAEL: 300 mg/kg bw/day
Method: OECD Test Guideline 414

SAFETY DATA SHEET



AIM® EC HERBICIDE

Version 1.9 Revision Date: 10/06/2022 SDS Number: 50001765 Date of last issue: 05/01/2019
Date of first issue: 05/01/2019

Reproductive toxicity - Assessment : Some evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments.

STOT-single exposure

Not classified based on available information.

Components:

carfentrazone-ethyl (ISO):

Remarks : No significant adverse effects were reported

butan-1-ol:

Assessment : May cause respiratory irritation., May cause drowsiness or dizziness.

4-hydroxy-4-methylpentan-2-one:

Target Organs : Respiratory Tract
Assessment : May cause respiratory irritation.

STOT-repeated exposure

Not classified based on available information.

Components:

carfentrazone-ethyl (ISO):

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

Solvent naphtha (petroleum), heavy arom.:

Species : Rat, male and female
NOAEC : 0.9 - 1.8 mg/l
Application Route : inhalation (vapor)
Exposure time : 12 months

carfentrazone-ethyl (ISO):

Species : Rat, male and female
NOEL : 1000 ppm
Application Route : Oral
Exposure time : 90 days

Species : Rat, male and female
NOEL : 1000 ppm
Application Route : Dermal
Exposure time : 21 days

SAFETY DATA SHEET



AIM® EC HERBICIDE

Version 1.9 Revision Date: 10/06/2022 SDS Number: 50001765 Date of last issue: 05/01/2019
Date of first issue: 05/01/2019

butan-1-ol:

Species : Rat
NOAEL : 1,500 mg/m³
Application Route : Inhalation

4-hydroxy-4-methylpentan-2-one:

Species : Rat, male and female
NOAEL : 600 mg/kg bw/day
Application Route : Oral
Exposure time : 13 weeks
Dose : 0, 25, 150, 600mg/kg bw/day
Method : OECD Test Guideline 408

Species : Rat, male and female
LOAEL : 300 mg/kg bw/day
Application Route : Oral
Exposure time : 45 d
Dose : 30, 100, 300, 1000mg/kgbw
Method : OECD Test Guideline 422

Species : Rat, male and female
NOAEL : 1000 ppm
Application Route : inhalation (vapor)
Exposure time : 6 weeks
Dose : 50, 225, 1000 ppm
Method : OECD Test Guideline 412

Aspiration toxicity

May be fatal if swallowed and enters airways.

Product:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

Experience with human exposure

Components:

Solvent naphtha (petroleum), heavy arom.:

Skin contact : Symptoms: Repeated exposure may cause skin dryness or cracking.

Neurological effects

Components:

carfentrazone-ethyl (ISO):

No neurotoxicity observed in animal studies.

Further information

Product:

SAFETY DATA SHEET



AIM® EC HERBICIDE

Version 1.9 Revision Date: 10/06/2022 SDS Number: 50001765 Date of last issue: 05/01/2019
Date of first issue: 05/01/2019

Remarks : Solvents may decrease the skin.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Solvent naphtha (petroleum), heavy arom.:

- Toxicity to fish : LL50 (Oncorhynchus mykiss (rainbow trout)): 2 - 5 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): 1.4 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
- Toxicity to algae/aquatic plants : EL50 (Pseudokirchneriella subcapitata (green algae)): 1 - 3 mg/l
Exposure time: 24 h
Method: OECD Test Guideline 201
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EL50 (Daphnia magna (Water flea)): 0.89 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211
- Toxicity to microorganisms : LL50 (Tetrahymena pyriformis): 677.9 mg/l
Exposure time: 72 h
Test Type: Growth inhibition

carfentrazone-ethyl (ISO):

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 1.6 mg/l
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : LC50 (Daphnia magna (Water flea)): > 9.8 mg/l
Exposure time: 48 h
- Toxicity to algae/aquatic plants : EC50 (Anabaena flos-aquae (cyanobacterium)): 0.012 mg/l
Exposure time: 72 h
- NOEC (algae): 0.001 mg/l
Exposure time: 96 h
- EC50 (Lemna gibba (gibbous duckweed)): 0.0057 mg/l
Exposure time: 14 d
- Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): 0.11 mg/l
Exposure time: 28 d
- Toxicity to daphnia and other aquatic invertebrates (Chronic) : NOEC (Crustaceans): 0.22 mg/l
Exposure time: 21 d

SAFETY DATA SHEET



AIM® EC HERBICIDE

Version 1.9 Revision Date: 10/06/2022 SDS Number: 50001765 Date of last issue: 05/01/2019
Date of first issue: 05/01/2019

ic toxicity)

Toxicity to soil dwelling organisms : LC50 (*Eisenia fetida* (earthworms)): > 820 mg/kg

Toxicity to terrestrial organisms : LD50 (*Anas platyrhynchos* (Mallard duck)): > 5,620 ppm
End point: Acute oral toxicity
Remarks: Dietary

LD50 (*Colinus virginianus* (Bobwhite quail)): > 5,620 ppm
End point: Acute oral toxicity
Remarks: Dietary

LD50 (*Apis mellifera* (bees)): > 200 µg/bee
End point: Acute oral toxicity

LD50 (*Apis mellifera* (bees)): > 200 µg/bee
End point: Acute contact toxicity

butan-1-ol:

Toxicity to fish : LC50 (*Pimephales promelas* (fathead minnow)): 1,376 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): 1,328 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : NOEC (*Pseudokirchneriella subcapitata* (green algae)): 225 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 201

EC50 (*Pseudokirchneriella subcapitata* (green algae)): 225 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (*Daphnia magna* (Water flea)): 4.1 mg/l
Exposure time: 21 d

Toxicity to microorganisms : EC50 (*Anabaena flos-aquae* (cyanobacterium)): 225 mg/l
Exposure time: 4 d

EC50 (Natural microorganism): 4,390 mg/l
Exposure time: 17 h

4-hydroxy-4-methylpentan-2-one:

Toxicity to fish : LC50 (*Oryzias latipes* (Orange-red killifish)): > 100 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): > 1,000 mg/l
Exposure time: 48 h

SAFETY DATA SHEET



AIM® EC HERBICIDE

Version 1.9 Revision Date: 10/06/2022 SDS Number: 50001765 Date of last issue: 05/01/2019
Date of first issue: 05/01/2019

Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (algae)): > 1,000 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (algae)): >= 1,000 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : LOEC (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211

Toxicity to microorganisms : EC50 (activated sludge): > 1,000 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209

Persistence and degradability

Components:

Solvent naphtha (petroleum), heavy arom.:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 58.6 %
Exposure time: 28 d
Method: OECD Test Guideline 301F
Remarks: Based on data from similar materials

carfentrazone-ethyl (ISO):

Biodegradability : Result: Not readily biodegradable.

butan-1-ol:

Biodegradability : Result: Readily biodegradable.
Remarks: Expected to be biodegradable

4-hydroxy-4-methylpentan-2-one:

Biodegradability : Inoculum: activated sludge
Result: Readily biodegradable.
Method: OECD Test Guideline 301A

Bioaccumulative potential

Components:

Solvent naphtha (petroleum), heavy arom.:

Bioaccumulation : Remarks: The product/substance has a potential to bioaccumulate.

Partition coefficient: n-octanol/water : log Pow: 3.72
Method: QSAR

SAFETY DATA SHEET



AIM® EC HERBICIDE

Version 1.9 Revision Date: 10/06/2022 SDS Number: 50001765 Date of last issue: 05/01/2019
Date of first issue: 05/01/2019

carfentrazone-ethyl (ISO):

Bioaccumulation : Species: Fish
Bioconcentration factor (BCF): 176
Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : log Pow: 3.36 (20 °C)

butan-1-ol:

Partition coefficient: n-octanol/water : Pow: 1 (25 °C)

4-hydroxy-4-methylpentan-2-one:

Partition coefficient: n-octanol/water : log Pow: -0.09
Method: QSAR

Mobility in soil

Components:

Solvent naphtha (petroleum), heavy arom.:

Distribution among environmental compartments : Remarks: Expected to partition to sediment and wastewater solids. Moderately volatile.

carfentrazone-ethyl (ISO):

Distribution among environmental compartments : Remarks: The substance/mixture and its soil metabolites have a potential for being mobile, but were not detected in a field leaching study.

Koc: 866, log Koc: 2.93

Stability in soil :

Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life with long lasting effects.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.

SAFETY DATA SHEET



AIM® EC HERBICIDE

Version 1.9 Revision Date: 10/06/2022 SDS Number: 50001765 Date of last issue: 05/01/2019
Date of first issue: 05/01/2019

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.
Do not burn, or use a cutting torch on, the empty drum.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Carfentrazone-ethyl)
Class : 9
Packing group : III
Labels : 9

IATA-DGR

UN/ID No. : UN 3082
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.
(Carfentrazone-ethyl)
Class : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo aircraft) : 964
Packing instruction (passenger aircraft) : 964

IMDG-Code

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Carfentrazone-ethyl)
Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

TDG

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Carfentrazone-ethyl)
Class : 9
Packing group : III
Labels : 9
ERG Code : 171

SAFETY DATA SHEET



AIM® EC HERBICIDE

Version 1.9 Revision Date: 10/06/2022 SDS Number: 50001765 Date of last issue: 05/01/2019
Date of first issue: 05/01/2019

Marine pollutant : yes
Remarks : Display "inhalation hazard" mark on package in accordance with TDG 4.23.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

NPRI Components : Solvent naphtha (petroleum), heavy arom. butan-1-ol

The ingredients of this product are reported in the following inventories:

TCSI : On the inventory, or in compliance with the inventory
TSCA : Product contains substance(s) not listed on TSCA inventory.
AIIC : Not in compliance with the inventory
DSL : This product contains the following components that are not on the Canadian DSL nor NDSL.

ETHYL (RS)-2-CHLORO-3-{2-CHLORO-5-[4-(DIFLUOROMETHYL)-4,5-DIHYDRO-3-METHYL-5-OXO-1H-1,2,4-TRIAZOL-1-YL]-4-FLUOROPHENYL}PROPIONATE

ENCS : Not in compliance with the inventory
ISHL : On the inventory, or in compliance with the inventory
KECI : On the inventory, or in compliance with the inventory
PICCS : Not in compliance with the inventory
IECSC : On the inventory, or in compliance with the inventory
NZIoC : Not in compliance with the inventory
TECI : Not in compliance with the inventory

Canadian lists

No substances are subject to a Significant New Activity Notification.

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
CA AB OEL : Canada. Alberta, Occupational Health and Safety Code (table

SAFETY DATA SHEET



AIM® EC HERBICIDE

Version 1.9 Revision Date: 10/06/2022 SDS Number: 50001765 Date of last issue: 05/01/2019
Date of first issue: 05/01/2019

CA BC OEL : 2: OEL)
CA QC OEL : Canada. British Columbia OEL
CA QC OEL : Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants
ACGIH / TWA : 8-hour, time-weighted average
CA AB OEL / TWA : 8-hour Occupational exposure limit
CA BC OEL / TWA : 8-hour time weighted average
CA BC OEL / C : ceiling limit
CA QC OEL / TWAEV : Time-weighted average exposure value
CA QC OEL / C : Ceiling

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions

SAFETY DATA SHEET



AIM® EC HERBICIDE

Version	Revision Date:	SDS Number:	Date of last issue: 05/01/2019
1.9	10/06/2022	50001765	Date of first issue: 05/01/2019

and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

CA / EN

Prepared by:

FMC Corporation

FMC Logo - Trademark of FMC Corporation

© 2021 FMC Corporation. All Rights Reserved.

End of Material Safety Data Sheet