

SAFETY DATA SHEET



POUNCE 384 EC

Version 1.10 Revision Date: 12/09/2022 SDS Number: 50000489 Date of last issue: 12/09/2022
Date of first issue: 11/07/2017

Carcinogenicity : Category 2
Specific target organ toxicity : Category 2 (Central nervous system)
- single exposure
Specific target organ toxicity : Category 2 (Central nervous system)
- repeated exposure
Aspiration hazard : Category 1

GHS label elements

Hazard pictograms :

Signal Word : Danger

Hazard Statements : H227 Combustible liquid.
H302 + H332 Harmful if swallowed or if inhaled.
H304 May be fatal if swallowed and enters airways.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.
H336 May cause drowsiness or dizziness.
H351 Suspected of causing cancer.
H371 May cause damage to organs (Central nervous system).
H373 May cause damage to organs (Central nervous system) through prolonged or repeated exposure.

Precautionary Statements : **Prevention:**
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P260 Do not breathe mist or vapors.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
Response:
P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308 + P311 IF exposed or concerned: Call a POISON CENTER/ doctor.

SAFETY DATA SHEET



POUNCE 384 EC

Version 1.10 Revision Date: 12/09/2022 SDS Number: 50000489 Date of last issue: 12/09/2022
Date of first issue: 11/07/2017

P331 Do NOT induce vomiting.
P337 + P313 If eye irritation persists: Get medical advice/ attention.
P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

Storage:

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.
P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Chemical nature : Insecticide

Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
Solvent naphtha (petroleum), light arom.	Solvent naphtha (petroleum), light arom.; Low boiling point naphtha - unspecified	64742-95-6	>= 30 - < 60
permethrin (ISO)	permethrin (ISO)	52645-53-1	38.4

SECTION 4. FIRST AID MEASURES

General advice : Move out of dangerous area.
Show this safety data sheet to the doctor in attendance.
Symptoms of poisoning may appear several hours later.
Do not leave the victim unattended.

If inhaled : Consult a physician after significant exposure.
If unconscious, place in recovery position and seek medical advice.

In case of skin contact : If skin irritation persists, call a physician.
If on skin, rinse well with water.
If on clothes, remove clothes.

In case of eye contact : Immediately flush eye(s) with plenty of water.
Remove contact lenses.

SAFETY DATA SHEET



POUNCE 384 EC

Version 1.10 Revision Date: 12/09/2022 SDS Number: 50000489 Date of last issue: 12/09/2022
Date of first issue: 11/07/2017

- Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.
- If swallowed : Clean mouth with water and drink afterwards plenty of water.
Keep respiratory tract clear.
Do NOT induce vomiting.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
Take victim immediately to hospital.
- Most important symptoms and effects, both acute and delayed : Harmful if swallowed or if inhaled.
May be fatal if swallowed and enters airways.
Causes serious eye irritation.
May cause respiratory irritation.
May cause drowsiness or dizziness.
Suspected of causing cancer.
May cause damage to organs.
May cause damage to organs through prolonged or repeated exposure.
- Protection of first-aiders : Avoid inhalation, ingestion and contact with skin and eyes.
- Notes to physician : Treat symptomatically.
Do not induce vomiting: contains petroleum distillates and/or aromatic solvents.
-

SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Dry chemical, CO₂, water spray or regular foam.
- Unsuitable extinguishing media : Do not spread spilled material with high-pressure water streams.

High volume water jet
- Specific hazards during fire fighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : Carbon oxides
Hazardous combustion products
Halogenated compounds
- Specific extinguishing methods : Remove undamaged containers from fire area if it is safe to do so.
Use a water spray to cool fully closed containers.
- Further information : Standard procedure for chemical fires.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must

SAFETY DATA SHEET



POUNCE 384 EC

Version 1.10 Revision Date: 12/09/2022 SDS Number: 50000489 Date of last issue: 12/09/2022
Date of first issue: 11/07/2017

be disposed of in accordance with local regulations.
For safety reasons in case of fire, cans should be stored separately in closed containments.

Special protective equipment for fire-fighters : Firefighters should wear protective clothing and self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Evacuate personnel to safe areas.
Use personal protective equipment.
If it can be safely done, stop the leak.
Do not touch or walk through the spilled material.
Ensure adequate ventilation.
Use personal protective equipment.
Ensure adequate ventilation.
- Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Collect as much of the spill as possible with a suitable absorbent material.
Pick up and transfer to properly labeled containers.
Never return spills in original containers for re-use.
-

SECTION 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Do not spray on a naked flame or any incandescent material.
Keep away from open flames, hot surfaces and sources of ignition.
- Advice on safe handling : Avoid formation of aerosol.
Do not breathe vapors/dust.
Avoid exposure - obtain special instructions before use.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Provide sufficient air exchange and/or exhaust in work rooms.
Dispose of rinse water in accordance with local and national regulations.
- Conditions for safe storage : No smoking.
Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Observe label precautions.
Electrical installations / working materials must comply with the technological safety standards.

SAFETY DATA SHEET



POUNCE 384 EC

Version 1.10 Revision Date: 12/09/2022 SDS Number: 50000489 Date of last issue: 12/09/2022
Date of first issue: 11/07/2017

Materials to avoid : Do not store near acids.

Further information on storage stability : No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Solvent naphtha (petroleum), light arom.	64742-95-6	TWA	200 mg/m ³ (total hydrocarbon vapor)	CA AB OEL
		TWA	200 mg/m ³ (total hydrocarbon vapor)	ACGIH

Personal protective equipment

Respiratory protection : In the case of dust or aerosol formation use respirator with an approved filter.

Hand protection
Material : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water
Tightly fitting safety goggles
Wear face-shield and protective suit for abnormal processing problems.

Skin and body protection : Impervious clothing
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Protective measures : Plan first aid action before beginning work with this product.

Hygiene measures : General industrial hygiene practice.
Avoid contact with skin, eyes and clothing.
Do not inhale aerosol.
When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

SAFETY DATA SHEET



POUNCE 384 EC

Version 1.10 Revision Date: 12/09/2022 SDS Number: 50000489 Date of last issue: 12/09/2022
Date of first issue: 11/07/2017

Color : amber

Odor : hydrocarbon-like

Odor Threshold : No data available

pH : 4.8 (25 °C)

Melting point/range : No data available

Boiling point/boiling range : No data available

Flash point : 79.4 - 82 °C
Method: closed cup

Flammability (liquids) : Sustains combustion

Self-ignition : No data available

Upper explosion limit / Upper flammability limit : No data available
No data available

Lower explosion limit / Lower flammability limit : No data available

Vapor pressure : No data available

Relative density : 8.89

Density : No data available

Solubility(ies)
Water solubility : emulsifiable

Partition coefficient: n-octanol/water : No data available

Autoignition temperature : No data available

Decomposition temperature : No data available
No data available

Viscosity
Viscosity, dynamic : No data available
Viscosity, kinematic : No data available

SAFETY DATA SHEET



POUNCE 384 EC

Version	Revision Date:	SDS Number:	Date of last issue: 12/09/2022
1.10	12/09/2022	50000489	Date of first issue: 11/07/2017

Explosive properties : Not explosive
Oxidizing properties : Non-oxidizing

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.
Chemical stability : No decomposition if stored and applied as directed.
Possibility of hazardous reactions : No decomposition if stored and applied as directed.
Vapors may form explosive mixture with air.
Conditions to avoid : Heat, flames and sparks.
Avoid extreme temperatures.
Avoid formation of aerosol.
Incompatible materials : Avoid strong acids, bases, and oxidizers.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Harmful if swallowed or if inhaled.

Product:

Acute oral toxicity : LD50 (Rat): 789 mg/kg
Acute inhalation toxicity : LC50 (Rat): 1.4 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Product:

Species : Rabbit
Assessment : Causes mild skin irritation.
Result : Mild skin irritation
Remarks : May cause skin irritation and/or dermatitis.

Serious eye damage/eye irritation

Causes serious eye irritation.

Product:

Species : Rabbit

SAFETY DATA SHEET



POUNCE 384 EC

Version 1.10 Revision Date: 12/09/2022 SDS Number: 50000489 Date of last issue: 12/09/2022
Date of first issue: 11/07/2017

Result : Eye irritation
Assessment : Irritating to eyes.

Remarks : May cause irreversible eye damage.

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Product:

Assessment : Does not cause skin sensitization.
Result : Not a skin sensitizer.

Germ cell mutagenicity

Not classified based on available information.

Components:

Solvent naphtha (petroleum), light arom.:

Genotoxicity in vitro : Test Type: in vitro DNA damage and/or repair study
Test system: Chinese hamster ovary cells
Metabolic activation: with and without metabolic activation
Result: negative

Test Type: reverse mutation assay
Metabolic activation: with and without metabolic activation
Result: negative

Genotoxicity in vivo : Test Type: Bone marrow chromosome aberration.
Species: Rat (male and female)
Application Route: Inhalation
Result: negative

permethrin (ISO):

Genotoxicity in vitro : Test Type: Ames test
Result: negative

Test Type: Mouse lymphoma assay
Result: negative

Genotoxicity in vivo : Test Type: dominant lethal test
Species: Mouse (male)
Result: negative

Test Type: Sex-linked Recessive Lethal Test
Species: Drosophila melanogaster (vinegar fly)
Result: negative

SAFETY DATA SHEET



POUNCE 384 EC

Version 1.10 Revision Date: 12/09/2022 SDS Number: 50000489 Date of last issue: 12/09/2022
Date of first issue: 11/07/2017

Carcinogenicity

Suspected of causing cancer.

Product:

Carcinogenicity - Assessment : Limited evidence of carcinogenicity in animal studies

Reproductive toxicity

Not classified based on available information.

Components:

Solvent naphtha (petroleum), light arom.:

Effects on fertility : Test Type: Three-generation study
Species: Rat
Application Route: inhalation (vapor)
Fertility: NOAEC Mating/Fertility: 7.5 mg/l
Result: negative
Remarks: Based on data from similar materials

Effects on fetal development : Species: Mouse
Application Route: inhalation (vapor)
General Toxicity Maternal: LOAEC: 500 part per million
Symptoms: Maternal effects.

permethrin (ISO):

Effects on fertility : Test Type: Three-generation study
Species: Rat, male and female
Application Route: Oral
Result: negative

Effects on fetal development : Test Type: Embryo-fetal development
Species: Rabbit
Application Route: Oral
Symptoms: No maternal effects.
Result: negative

STOT-single exposure

May cause respiratory irritation.
May cause drowsiness or dizziness.
May cause damage to organs (Central nervous system).

Product:

Target Organs : Central nervous system
Assessment : The substance or mixture is classified as specific target organ toxicant, single exposure, category 2.

STOT-repeated exposure

May cause damage to organs (Central nervous system) through prolonged or repeated exposure.

Product:

Target Organs : Central nervous system

SAFETY DATA SHEET



POUNCE 384 EC

Version 1.10 Revision Date: 12/09/2022 SDS Number: 50000489 Date of last issue: 12/09/2022
Date of first issue: 11/07/2017

Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.

Repeated dose toxicity

Components:

Solvent naphtha (petroleum), light arom.:

Species : Rat, male and female
NOAEC : 0.8 - 0.9 mg/l
Application Route : Inhalation
Test atmosphere : vapor
Remarks : Based on data from similar materials

Species : Rat, male
NOAEL : 600 mg/kg
Application Route : Oral
Remarks : Based on data from similar materials

permethrin (ISO):

Species : Rat
NOAEL : 270 mg/kg
Application Route : Oral - feed
Exposure time : 90 days
Symptoms : No adverse effects.

Species : Rat
NOAEL : 20 mg/kg
Application Route : Oral - feed
Exposure time : 90 days
Symptoms : Liver effects

Species : Dog
Application Route : Oral - feed
Exposure time : 13 weeks
Symptoms : No adverse effects.

Aspiration toxicity

May be fatal if swallowed and enters airways.

Components:

Solvent naphtha (petroleum), light arom.:

May be fatal if swallowed and enters airways.

permethrin (ISO):

No data available

SAFETY DATA SHEET



POUNCE 384 EC

Version 1.10 Revision Date: 12/09/2022 SDS Number: 50000489 Date of last issue: 12/09/2022
Date of first issue: 11/07/2017

Neurological effects

Components:

permethrin (ISO):

No neurotoxicity observed in animal studies.

Further information

Product:

Remarks : Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.
Concentrations substantially above the TLV value may cause narcotic effects.
Solvents may degrease the skin.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Solvent naphtha (petroleum), light arom.:

Toxicity to fish : NOEC (Oncorhynchus mykiss (rainbow trout)): 4.5 mg/l
Exposure time: 96 h
Test Type: semi-static test
Method: OECD Test Guideline 203
Remarks: Based on data from similar materials

LL50 (Pimephales promelas (fathead minnow)): 8.2 mg/l
Exposure time: 96 h
Test Type: semi-static test
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): 4.5 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : EL50 (Pseudokirchneriella subcapitata (microalgae)): 3.1 mg/l
Exposure time: 72 h
Test Type: static test
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials

Toxicity to fish (Chronic toxicity) : NOELR (Pimephales promelas (fathead minnow)): 2.6 mg/l
Exposure time: 14 d
Method: OECD Test Guideline 204
Remarks: Based on data from similar materials

Toxicity to daphnia and other : NOELR (Daphnia magna (Water flea)): 2.6 mg/l

SAFETY DATA SHEET



POUNCE 384 EC

Version 1.10 Revision Date: 12/09/2022 SDS Number: 50000489 Date of last issue: 12/09/2022
Date of first issue: 11/07/2017

aquatic invertebrates (Chronic toxicity) Exposure time: 21 d
Method: OECD Test Guideline 211

Toxicity to microorganisms : EC50 (Tetrahymena pyriformis): 15.41 mg/l
Exposure time: 40 h
Test Type: Growth inhibition
Remarks: The value is given based on a SAR/AAR approach using OECD Toolbox, DEREK, VEGA QSAR models (CAESAR models), etc.

permethrin (ISO):

Toxicity to fish : LC50 (Fish): 5.3 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Crustaceans): 0.001 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (algae): 0.0125 mg/l
Exposure time: 72 h

NOEC (algae): 0.9 µg/l
Exposure time: 96 h

Toxicity to fish (Chronic toxicity) : NOEC (Fish): 0.3 µg/l
Exposure time: 21 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Crustaceans): 0.039 µg/l
Exposure time: 21 d

Persistence and degradability

Components:

Solvent naphtha (petroleum), light arom.:

Biodegradability : Concentration: 49.2 mg/l
Result: Inherently biodegradable.
Biodegradation: 77.05 %
Exposure time: 28 d
Method: OECD Test Guideline 301F

permethrin (ISO):

Biodegradability : Result: Not readily biodegradable.

Bioaccumulative potential

Components:

permethrin (ISO):

Bioaccumulation : Remarks: The product may be accumulated in organisms.

Partition coefficient: n-octanol/water : Remarks: No data available

SAFETY DATA SHEET



POUNCE 384 EC

Version 1.10 Revision Date: 12/09/2022 SDS Number: 50000489 Date of last issue: 12/09/2022
Date of first issue: 11/07/2017

Mobility in soil

Components:

permethrin (ISO):

Distribution among environmental compartments : Remarks: immobile

Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life with long lasting effects.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.
Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Permethrin)
Class : 9
Packing group : III
Labels : 9

IATA-DGR

UN/ID No. : UN 3082
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.
(Permethrin)
Class : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo) : 964

SAFETY DATA SHEET



POUNCE 384 EC

Version 1.10 Revision Date: 12/09/2022 SDS Number: 50000489 Date of last issue: 12/09/2022
Date of first issue: 11/07/2017

aircraft)
Packing instruction (passenger aircraft) : 964
Environmentally hazardous : yes

IMDG-Code

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Permethrin)
Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

TDG

Not regulated as a dangerous good
Remarks : Display "inhalation hazard" mark on package in accordance with TDG 4.23.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

NPRI Components : Solvent naphtha (petroleum), light arom. butan-1-ol
Oxirane, polymer with methyloxirane, mono(nonylphenyl) ether
ethylene oxide
methyloxirane

The ingredients of this product are reported in the following inventories:

TCSI : On the inventory, or in compliance with the inventory
TSCA : Product contains substance(s) not listed on TSCA inventory.
AIIC : Not in compliance with the inventory
DSL : This product contains the following components that are not on the Canadian DSL nor NDSL.
permethrin (ISO)
ENCS : Not in compliance with the inventory
ISHL : Not in compliance with the inventory

SAFETY DATA SHEET



POUNCE 384 EC

Version	Revision Date:	SDS Number:	Date of last issue: 12/09/2022
1.10	12/09/2022	50000489	Date of first issue: 11/07/2017

KECI : On the inventory, or in compliance with the inventory

PICCS : On the inventory, or in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

NZIoC : Not in compliance with the inventory

TECI : On the inventory, or in compliance with the inventory

Canadian lists

The following substance(s) is/are subject to a Significant New Activity Notification:
methyloxirane 75-56-9

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

CA AB OEL : Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)

ACGIH / TWA : 8-hour, time-weighted average

CA AB OEL / TWA : 8-hour Occupational exposure limit

AICC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recom-

SAFETY DATA SHEET



POUNCE 384 EC

Version	Revision Date:	SDS Number:	Date of last issue: 12/09/2022
1.10	12/09/2022	50000489	Date of first issue: 11/07/2017

recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

CA / EN

Prepared by:

FMC Corporation

FMC Logo - Trademark of FMC Corporation

© 2021 FMC Corporation. All Rights Reserved.

End of Material Safety Data Sheet