# **COMMAND® 360 ME HERBICIDE**



Version Revision Date: SDS Number: Date of last issue: 04/02/2019 02/23/2023 50001737 Date of first issue: 02/28/2019 1.0

**SECTION 1. IDENTIFICATION** 

**Product identifier** 

**Product name** COMMAND® 360 ME HERBICIDE

Other means of identification

**Product code** 50001737 PCP# 27827

Recommended use of the chemical and restrictions on use

Recommended use Can be used as herbicide only. Restrictions on use Use as recommended by the label.

Details of the supplier of the safety data sheet

Manufacturer FMC of Canada Ltd

6755 Mississauga Road, Suite 204

Mississauga, ON L5N 7Y2

Phone (AgHotline): 1-833-FMC-PPAC (1-833-362-7722),

Web: https://ag.fmc.com/ca/en

SDS-Info@fmc.com

**Supplier Address** FMC of Canada Limited

6755 Mississauga Road, Suite 204

Mississauga, ON L5N 7Y2

Canada

**Emergency telephone** 

For leak, fire, spill or accident emergencies, call:

1 800 / 424-9300 (CHEMTREC - U.S.A.) 1 703 / 741-5970 (CHEMTREC - International) 1 703 / 527-3887 (CHEMTREC - Alternate)

Medical emergency:

U.S.A. & Canada: +1 800 / 331-3148

All other countries: +1 651 / 632-6793 (Collect)

### **SECTION 2. HAZARDS IDENTIFICATION**

GHS classification in accordance with the Hazardous Products Regulations

Skin sensitization : Category 1

- single exposure

Specific target organ toxicity : Category 3 (Respiratory system)

# **COMMAND® 360 ME HERBICIDE**



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04/02/2019

 1.0
 02/23/2023
 50001737
 Date of first issue: 02/28/2019

**GHS** label elements

Hazard pictograms

Signal Word : Warning

Hazard Statements : H317 May cause an allergic skin reaction.

H335 May cause respiratory irritation.

Precautionary Statements : Prevention:

P261 Avoid breathing mist or vapors.

P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing should not be allowed out of

the workplace.

P280 Wear protective gloves.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.

P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/

doctor if you feel unwell.

P333 + P313 If skin irritation or rash occurs: Get medical advice/

attention.

P362 + P364 Take off contaminated clothing and wash it before

reuse.

Storage:

P403 + P233 Store in a well-ventilated place. Keep container

tightly closed.

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste dis-

posal plant.

Other hazards

None known.

## **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

## Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
clomazone (ISO)	clomazone (ISO)	81777-89-1	>= 10 - < 30 *
Corn oil	Corn oil	8001-30-7	>= 5 - < 10 *
sodium nitrate	sodium nitrate	7631-99-4	>= 5 - < 10 *
calcium chloride	calcium chloride	10043-52-4	>= 1 - < 5 *

Actual concentration or concentration range is withheld as a trade secret

## COMMAND® 360 ME HERBICIDE



Version Revision Date: SDS Number: Date of last issue: 04/02/2019 1.0 02/23/2023 50001737 Date of first issue: 02/28/2019

**SECTION 4. FIRST AID MEASURES** 

General advice : Move out of dangerous area.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

If inhaled : Consult a physician after significant exposure.

If unconscious, place in recovery position and seek medical

advice.

In case of skin contact : If on skin, rinse well with water.

In case of eye contact : Flush eyes with water as a precaution.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

Most important symptoms and effects, both acute and

Protection of first-aiders

delayed

May cause an allergic skin reaction.

May cause respiratory irritation.

Avoid inhalation, ingestion and contact with skin and eyes.

Notes to physician : Treat symptomatically.

## **SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media : Dry chemical, CO2, water spray or regular foam.

Unsuitable extinguishing

media

Do not spread spilled material with high-pressure water

streams.

Specific hazards during fire

fighting

Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion prod: :

ucts

Halogenated compounds
Nitrogen oxides (NOx)

Carbon oxides

Hazardous combustion products

Halogenated compounds Nitrogen oxides (NOx)

Carbon oxides

Hazardous combustion products

Specific extinguishing meth- : Remove undamaged containers from fire area if it is safe to do

## **COMMAND® 360 ME HERBICIDE**



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04/02/2019

 1.0
 02/23/2023
 50001737
 Date of first issue: 02/28/2019

ods so.

Use a water spray to cool fully closed containers.

Further information : Standard procedure for chemical fires.

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Special protective equipment:

for fire-fighters

Firefighters should wear protective clothing and self-contained

breathing apparatus.

# **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emer-

gency procedures

Evacuate personnel to safe areas.
Use personal protective equipment.

If it can be safely done, stop the leak.

Do not touch or walk through the spilled material.

Ensure adequate ventilation.

Environmental precautions : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for

containment and cleaning up

Never return spills in original containers for re-use.

Collect as much of the spill as possible with a suitable absor-

bent material.

Pick up and transfer to properly labeled containers.

### **SECTION 7. HANDLING AND STORAGE**

Advice on protection against :

fire and explosion

Normal measures for preventive fire protection.

Advice on safe handling : Avoid formation of aerosol.

Do not breathe vapors/dust.

Avoid exposure - obtain special instructions before use.

Avoid contact with skin and eyes. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Provide sufficient air exchange and/or exhaust in work rooms. Dispose of rinse water in accordance with local and national

regulations.

Persons susceptible to skin sensitization problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being

used.

# **COMMAND® 360 ME HERBICIDE**



Version Revision Date: SDS Number: Date of last issue: 04/02/2019 1.0 02/23/2023 50001737 Date of first issue: 02/28/2019

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated

place.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage. Observe label precautions.

Electrical installations / working materials must comply with

the technological safety standards.

Further information on stor-

age stability

No decomposition if stored and applied as directed.

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Corn oil	8001-30-7	TWAEV (Mist)	10 mg/m3	CA QC OEL
calcium chloride	10043-52-4	TWA	5 mg/m3	CA ON OEL

### Personal protective equipment

Respiratory protection : In the case of dust or aerosol formation use respirator with an

approved filter.

No personal respiratory protective equipment normally re-

quired.

Hand protection

Material : Wear chemical resistant gloves, such as barrier laminate,

butyl rubber or nitrile rubber.

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water

Tightly fitting safety goggles

Skin and body protection : Impervious clothing

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Protective measures : Wear suitable protective equipment.

Plan first aid action before beginning work with this product.

Hygiene measures : General industrial hygiene practice.

Avoid contact with skin, eyes and clothing.

Do not inhale aerosol.

When using do not eat or drink. When using do not smoke.

Wash hands before breaks and at the end of workday.

# **COMMAND® 360 ME HERBICIDE**



Version Revision Date: SDS Number: Date of last issue: 04/02/2019 1.0 02/23/2023 50001737 Date of first issue: 02/28/2019

### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : liquid

Color : brown

Odor : aromatic, slight

Odor Threshold : No data available

pH : 6.5 (20 °C)

Melting point/freezing point : No data available

Melting point/range No data available

Boiling point/boiling range : No data available

Flash point : > 94 °C

Method: closed cup No data available

Evaporation rate : No data available

Self-ignition : No data available

No data available

Upper explosion limit / Upper

flammability limit

No data available

No data available

Lower explosion limit / Lower

flammability limit

No data available

No data available

Vapor pressure : No data available

Relative vapor density : No data available

Relative density : No data available

Density : 9.59 lb/gal

Solubility(ies)

# **COMMAND® 360 ME HERBICIDE**



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04/02/2019

 1.0
 02/23/2023
 50001737
 Date of first issue: 02/28/2019

Water solubility : dispersible

Partition coefficient: n-

octanol/water

: No data available

Autoignition temperature : No data available

No data available

Decomposition temperature : No data available

No data available

Viscosity

Viscosity, dynamic : 417 - 430 mPa.s (23 °C)

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Non-oxidizing

Molecular weight : Not applicable

### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reac-

tions

No decomposition if stored and applied as directed.

Conditions to avoid : Avoid extreme temperatures.

Avoid formation of aerosol.

Incompatible materials : Avoid strong acids, bases, and oxidizers.

### **SECTION 11. TOXICOLOGICAL INFORMATION**

## **Acute toxicity**

Not classified based on available information.

**Product:** 

Acute oral toxicity : LD50 Oral (Rat): > 5,000 mg/kg

Assessment: The substance or mixture has no acute oral tox-

icity

# **COMMAND® 360 ME HERBICIDE**



Version Revision Date: SDS Number: Date of last issue: 04/02/2019 1.0 02/23/2023 50001737 Date of first issue: 02/28/2019

Acute inhalation toxicity : LC50 (Rat): > 3.86 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The component/mixture is minimally toxic after

short term inhalation.

Remarks: Highest attainable concentration.

no mortality

Acute dermal toxicity : LD50 Dermal (Rat): > 5,000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

#### Skin corrosion/irritation

Not classified based on available information.

**Product:** 

Species : Rabbit

Assessment : Not classified as irritant Result : slight or no skin irritation.

Remarks : May cause skin irritation in susceptible persons.

## Serious eye damage/eye irritation

Not classified based on available information.

**Product:** 

Species : Rabbit

Result : Slight or no eye irritation
Assessment : Not classified as irritant

Remarks : May cause skin and eye irritation in susceptible persons.

## Respiratory or skin sensitization

#### Skin sensitization

May cause an allergic skin reaction.

## Respiratory sensitization

Not classified based on available information.

**Product:** 

Assessment : May cause sensitization by skin contact.

Result : Slightly sensitising Remarks : Causes sensitization.

Remarks : Causes sensitization.

### Germ cell mutagenicity

Not classified based on available information.

# **COMMAND® 360 ME HERBICIDE**



Version Revision Date: SDS Number: Date of last issue: 04/02/2019 1.0 02/23/2023 50001737 Date of first issue: 02/28/2019

**Components:** 

clomazone (ISO):

Genotoxicity in vitro : Test Type: Ames test

Test system: Salmonella typhimurium

Result: negative

Test Type: gene mutation test

Test system: Chinese hamster ovary cells

Metabolic activation: with and without metabolic activation

Result: negative

Genotoxicity in vivo : Test Type: Cytogenetic assay

Species: Rat Result: negative

sodium nitrate:

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: negative

Genotoxicity in vivo : Test Type: unscheduled DNA synthesis assay

Species: Mouse Application Route: Oral Result: negative

Result. Hegative

calcium chloride:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test

Method: OECD Test Guideline 471

Result: negative

Carcinogenicity

Not classified based on available information.

Components:

clomazone (ISO):

Species : Rat, male and female

Application Route : Oral
Exposure time : 2 Years
Result : negative

Reproductive toxicity

Not classified based on available information.

**Components:** 

clomazone (ISO):

Effects on fertility : Test Type: Two-generation study

Species: Rat, male and female

Application Route: Oral

Result: negative

# **COMMAND® 360 ME HERBICIDE**



Version Revision Date: SDS Number: Date of last issue: 04/02/2019 1.0 02/23/2023 50001737 Date of first issue: 02/28/2019

Effects on fetal development : Test Type: Embryo-fetal development

Species: Rat

Application Route: Oral Symptoms: Maternal effects.

Result: negative

Test Type: Embryo-fetal development

Species: Rabbit Application Route: Oral Symptoms: Maternal effects.

Result: negative

sodium nitrate:

Effects on fertility : Test Type: reproductive and developmental toxicity study

Species: Rat

Application Route: Oral Result: negative

Remarks: Based on data from similar materials

Effects on fetal development : Test Type: reproductive and developmental toxicity study

Species: Rat

Application Route: Oral

Result: negative

calcium chloride:

Effects on fetal development : Test Type: reproductive and developmental toxicity study

Species: Rat

Application Route: Oral

Method: OECD Test Guideline 414

Remarks: No significant adverse effects were reported

STOT-single exposure

May cause respiratory irritation.

**Product:** 

Assessment : May cause respiratory irritation.

STOT-repeated exposure

Not classified based on available information.

Repeated dose toxicity

**Components:** 

clomazone (ISO):

Species : Rat, male and female

NOEL : 1000 ppm Application Route : Oral Exposure time : 90 days

Symptoms : increased liver weight

# **COMMAND® 360 ME HERBICIDE**



Version Revision Date: SDS Number: Date of last issue: 04/02/2019 1.0 02/23/2023 50001737 Date of first issue: 02/28/2019

### **Aspiration toxicity**

Not classified based on available information.

## **Components:**

## clomazone (ISO):

The substance does not have properties associated with aspiration hazard potential.

## **Further information**

**Product:** 

Remarks : No data available

### **SECTION 12. ECOLOGICAL INFORMATION**

## **Ecotoxicity**

**Product:** 

Toxicity to soil dwelling or-

ganisms

LC50 (Eisenia fetida (earthworms)): 4,830.2 mg/kg

Exposure time: 14 d

Toxicity to terrestrial organ-

isms

LD50 (Birds): > 2,000 mg/kg

Exposure time: 7 d

LD50 (Apis mellifera (bees)): > 277.8 µg/bee

Exposure time: 48 h

**Ecotoxicology Assessment** 

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

**Components:** 

clomazone (ISO):

Toxicity to fish : LC50 (Menidia beryllina (Silverside)): 6.3 mg/l

Exposure time: 96 h

LC50 (Oncorhynchus mykiss (rainbow trout)): 14.4 mg/l

Exposure time: 96 h

LC50 (Lepomis macrochirus (Bluegill sunfish)): 34 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia): 5.2 mg/l

Exposure time: 48 h

EC50 (Daphnia magna (Water flea)): 12.7 mg/l

Exposure time: 48 h Test Type: static test

# **COMMAND® 360 ME HERBICIDE**



Version Revision Date: SDS Number: Date of last issue: 04/02/2019 1.0 02/23/2023 50001737 Date of first issue: 02/28/2019

LC50 (Americamysis bahia (mysid shrimp)): 0.57 mg/l

Exposure time: 96 h

Test Type: flow-through test

LC50 (Crustaceans): 0.53 mg/l

Exposure time: 96 h

Toxicity to algae/aquatic

plants

EbC50 (Selenastrum capricornutum (green algae)): 2 mg/l

Exposure time: 72 h

ErC50 (Selenastrum capricornutum (green algae)): 4.1 mg/l

Exposure time: 72 h

ErC50 (Navicula pelliculosa (Freshwater diatom)): 0.136 mg/l

Exposure time: 120 h

NOEC (Navicula pelliculosa (Freshwater diatom)): 0.05 mg/l

End point: Growth rate Exposure time: 120 h

EC50 (Lemna gibba (duckweed)): 13.9 mg/l

Exposure time: 7 d

Toxicity to fish (Chronic tox-

icity)

NOEC (Oncorhynchus mykiss (rainbow trout)): 2.3 mg/l

Exposure time: 21 d

Test Type: flow-through test

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 2.2 mg/l

Exposure time: 21 d

NOEC (Americamysis bahia (mysid shrimp)): 0.032 mg/l

Exposure time: 28 d

Test Type: flow-through test

NOEC (Daphnia magna (Water flea)): 1.25 mg/l

Exposure time: 21 d Test Type: static test

Toxicity to soil dwelling or-

ganisms

LC50 (Eisenia fetida (earthworms)): 156 mg/kg

Exposure time: 14 d

Toxicity to terrestrial organ-

isms

LD50 (Anas platyrhynchos (Mallard duck)): > 2,510 mg/kg

LC50 (Anas platyrhynchos (Mallard duck)): > 5620 ppm

Remarks: Dietary

LC50 (Apis mellifera (bees)): > 85.29

LC50 (Apis mellifera (bees)): > 100

Remarks: Contact

LD50 (Coturnix japonica (Japanese quail)): > 2000

# **COMMAND® 360 ME HERBICIDE**



Version Revision Date: SDS Number: Date of last issue: 04/02/2019 1.0 02/23/2023 50001737 Date of first issue: 02/28/2019

NOEC (Colinius virginianus): 94 mg/kg

End point: Reproduction Test

**Ecotoxicology Assessment** 

Acute aquatic toxicity : Very toxic to aquatic life.

Corn oil:

Toxicity to fish : Remarks: No data available

sodium nitrate:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 8,600 mg/l

Exposure time: 24 h

Method: OECD Test Guideline 202

Toxicity to fish (Chronic tox-

icity)

NOEC (Pimephales promelas (fathead minnow)): 157 mg/l

Exposure time: 32 d

Toxicity to microorganisms : EC50: > 1,000 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209

calcium chloride:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 4,630 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 2,400 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

EC50 (Chlorella vulgaris (Fresh water algae)): 2,900 mg/l

Exposure time: 72 h

EC10 (Chlorella vulgaris (Fresh water algae)): 1,000 mg/l

Exposure time: 72 h

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

EC10: 320 mg/l Exposure time: 21 d

### Persistence and degradability

### Components:

clomazone (ISO):

Biodegradability : Result: Not readily biodegradable.

Remarks: Substance/product is moderately persistent in the

environment.

Primary degradation half-lives vary with circumstances, from a

# **COMMAND® 360 ME HERBICIDE**



Version Revision Date: SDS Number: Date of last issue: 04/02/2019 1.0 02/23/2023 50001737 Date of first issue: 02/28/2019

few weeks to a few months in aerobic soil and water.

sodium nitrate:

Biodegradability : Remarks: The methods for determining biodegradability are

not applicable to inorganic substances.

**Bioaccumulative potential** 

**Components:** 

clomazone (ISO):

Bioaccumulation : Bioconcentration factor (BCF): 27 - 40

Remarks: Low potential for bioaccumulation

Partition coefficient: n-

octanol/water

log Pow: 2.5

Mobility in soil

**Components:** 

clomazone (ISO):

Distribution among environ-

mental compartments

Koc: 300 ml/g, log Koc: 2.47 Remarks: Mobile in soils

Stability in soil

Other adverse effects

**Product:** 

Additional ecological infor-

mation

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Very toxic to aquatic life with long lasting effects.

**SECTION 13. DISPOSAL CONSIDERATIONS** 

**Disposal methods** 

Waste from residues : The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

# **COMMAND® 360 ME HERBICIDE**



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04/02/2019

 1.0
 02/23/2023
 50001737
 Date of first issue: 02/28/2019

#### **SECTION 14. TRANSPORT INFORMATION**

## **International Regulations**

**UNRTDG** 

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Clomazone)

Class : 9
Packing group : III
Labels : 9

**IATA-DGR** 

UN/ID No. : UN 3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.

(Clomazone)

Class : 9 Packing group : III

Labels : Miscellaneous

Packing instruction (cargo : 964

aircraft)

Packing instruction (passen- : 964

ger aircraft)

Environmentally hazardous : yes

**IMDG-Code** 

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

Class (Clomazone)

Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

# Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### **Domestic regulation**

#### **TDG**

Not regulated as a dangerous good

# Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### **SECTION 15. REGULATORY INFORMATION**

# The ingredients of this product are reported in the following inventories:

TCSI : On the inventory, or in compliance with the inventory





Version Revision Date: SDS Number: Date of last issue: 04/02/2019 1.0 02/23/2023 50001737 Date of first issue: 02/28/2019

TSCA: Product contains substance(s) not listed on TSCA inventory.

AIIC : Not in compliance with the inventory

DSL : This product contains the following components that are not

on the Canadian DSL nor NDSL.

2-(2-CHLOROBENZYL)-4,4-DIMETHYLISOXAZOLIDIN-3-

ONE

ENCS : Not in compliance with the inventory

ISHL : Not in compliance with the inventory

KECI : On the inventory, or in compliance with the inventory

PICCS : Not in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

NZIoC : Not in compliance with the inventory

TECI: Not in compliance with the inventory

### **Canadian lists**

No substances are subject to a Significant New Activity Notification.

#### **SECTION 16. OTHER INFORMATION**

### Full text of other abbreviations

CA ON OEL : Ontario Table of Occupational Exposure Limits made under

the Occupational Health and Safety Act.

CA QC OEL : Québec. Regulation respecting occupational health and safe-

ty, Schedule 1, Part 1: Permissible exposure values for air-

borne contaminants

CA ON OEL / TWA : Time-Weighted Average Limit (TWA)
CA QC OEL / TWAEV : Time-weighted average exposure value

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Con-

# **COMMAND® 360 ME HERBICIDE**



Version Revision Date: SDS Number: Date of last issue: 04/02/2019 1.0 02/23/2023 50001737 Date of first issue: 02/28/2019

centration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

### **Disclaimer**

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

CA / EN

### Prepared by:

**FMC Corporation** 

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2023 FMC Corporation. All Rights Reserved.

End of Material Safety Data Sheet