

# SAFETY DATA SHEET

Zeus® XC Herbicide

SDS # : 1466-11-A  
Revision date: 2015-04-17  
Format: NA  
Version 1



## 1. PRODUCT AND COMPANY IDENTIFICATION

### Product Identifier

**Product Name** Zeus® XC Herbicide

### Other means of identification

**Product Code(s)** 1466-11-A

**Synonyms** SULFENTRAZONE (FMC 97285):  
2',4'-dichloro-5'-(4-difluoromethyl-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl)  
methanesulfonanilide; N-[2,4-dichloro-5-[4-(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1H-  
1,2,4-triazol-1-yl]phenyl] methanesulfonamide

**Active Ingredient(s)** Sulfentrazone

**Chemical Family** Triazolinones

**Alternate Commercial Name** Authority® 4 F; Boral™ 480 SC; Spartan™ 4F

### Recommended use of the chemical and restrictions on use

**Recommended Use:** Herbicide

**Restrictions on Use:** Use as recommended by the label

### Manufacturer Address

FMC Corporation  
1735 Market Street  
Philadelphia, PA 19103  
(215) 299-6000 (General Information)  
msdsinfo@fmc.com (E-Mail General Information)

### Emergency telephone number

For leak, fire, spill or accident emergencies, call:  
1 800 / 424 9300 (CHEMTREC - U.S.A.)  
1 703 / 527 3887 (CHEMTREC - Collect - All Other Countries)  
Medical Emergencies:  
1 800 / 331-3148 (PROSAR - U.S.A. & Canada)  
1 651 / 632-6793 (PROSAR - All Other Countries - Collect)

## 2. HAZARDS IDENTIFICATION

### Classification

#### OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

Specific target organ toxicity (repeated exposure)

Category 2

GHS Label elements, including precautionary statements**EMERGENCY OVERVIEW****Warning****Hazard Statements**

H373 - May cause damage to organs through prolonged or repeated exposure

**Precautionary Statements - Prevention**

P260 - Do not breathe dust/fume/gas/mist/vapors/spray

**Precautionary Statements - Response**

P314 - Get medical advice/ attention if you feel unwell

**Precautionary Statements - Disposal**

P501 - Dispose of contents/ container to an approved waste disposal plant

**Hazards not otherwise classified (HNOC)**

No hazards not otherwise classified were identified.

**Other Information**

Very toxic to aquatic life.

**3. COMPOSITION/INFORMATION ON INGREDIENTS****Chemical Family** Triazolinones.

Chemical name	CAS-No	Weight %
Sulfentrazone	122836-35-5	40
Propylene glycol	57-55-6	5-10
Toluene	108-88-3	1-5

Synonyms are provided in Section 1.

**4. FIRST AID MEASURES****Eye Contact**

Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for further treatment advice.

**Skin Contact**

Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for further treatment advice.

**Inhalation**

Move to fresh air. If person is not breathing, contact emergency medical services, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

<b>Ingestion</b>	If swallowed, do not induce vomiting - seek medical advice. Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not induce vomiting or give anything by mouth to an unconscious person.
<b>Most important symptoms and effects, both acute and delayed</b>	Central nervous system effects.
<b>Indication of immediate medical attention and special treatment needed, if necessary</b>	Treat symptomatically.

## 5. FIRE-FIGHTING MEASURES

<b>Suitable Extinguishing Media</b>	Carbon dioxide (CO <sub>2</sub> ). Foam. Dry powder. Water spray.
<b>Specific Hazards Arising from the Chemical</b>	Thermal decomposition can lead to release of irritating and toxic gases and vapors.
<b>Hazardous Combustion Products</b>	Carbon oxides (CO <sub>x</sub> ), Nitrogen oxides (NO <sub>x</sub> ), Sulfur oxides, Hydrogen chloride, Hydrogen fluoride.
<b>Explosion data</b>	
<b>Sensitivity to Mechanical Impact</b>	Not sensitive.
<b>Sensitivity to Static Discharge</b>	Not sensitive.
<b>Protective equipment and precautions for firefighters</b>	Wear self-contained breathing apparatus and protective suit.

## 6. ACCIDENTAL RELEASE MEASURES

<b>Personal Precautions</b>	Isolate and post spill area. Remove all sources of ignition. Wear suitable protective clothing, gloves and eye/face protection. For personal protection see section 8.
<b>Other</b>	For further clean-up instructions, call FMC Emergency Hotline number listed in Section 1 "Product and Company Identification" above.
<b>Environmental Precautions</b>	Keep people and animals away from and upwind of spill/leak. Keep material out of lakes, streams, ponds, and sewer drains.
<b>Methods for Containment</b>	Dike to prevent runoff. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.
<b>Methods for cleaning up</b>	Clean and neutralize spill area, tools and equipment by washing with bleach water and soap. Absorb rinsate and add to the collected waste. Waste must be classified and labeled prior to recycling or disposal. Dispose of waste as indicated in Section 13.

## 7. HANDLING AND STORAGE

<b>Handling</b>	Do not contaminate other pesticides, fertilizers, water, food, or feed by storage or disposal.
<b>Storage</b>	Keep in a dry, cool and well-ventilated place. Keep away from open flames, hot surfaces and sources of ignition. Keep out of reach of children and animals. Store in original container.
<b>Incompatible products</b>	None known

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters

Chemical name	ACGIH TLV	OSHA PEL	NIOSH	Mexico
---------------	-----------	----------	-------	--------

Toluene 108-88-3	TWA: 20 ppm	TWA: 200 ppm Ceiling: 300 ppm	IDLH: 500 ppm TWA: 100 ppm TWA: 375 mg/m <sup>3</sup> STEL: 150 ppm STEL: 560 mg/m <sup>3</sup>	Mexico: S* Mexico: TWA 50 ppm Mexico: TWA 188 mg/m <sup>3</sup>
<b>Chemical name</b>	<b>British Columbia</b>	<b>Quebec</b>	<b>Ontario TWAEV</b>	<b>Alberta</b>
Propylene glycol 57-55-6	-	-	TWA: 10 mg/m <sup>3</sup> (aerosol only)  TWA: 50 ppm (aerosol and vapor)  TWA: 155 mg/m <sup>3</sup> (aerosol and vapor)	-
Toluene 108-88-3	TWA: 20 ppm	TWA: 50 ppm TWA: 188 mg/m <sup>3</sup> Skin	TWA: 20 ppm	TWA: 50 ppm TWA: 188 mg/m <sup>3</sup> Skin

**Appropriate engineering controls**

**Engineering measures** Apply technical measures to comply with the occupational exposure limits. When working in confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for breathing and wear the recommended equipment.

**Individual protection measures, such as personal protective equipment**

**Eye/Face Protection** For dust, splash, mist or spray exposure, wear chemical protective goggles.

**Skin and Body Protection** Wear long-sleeved shirt, long pants, socks, and shoes.

**Hand Protection** Protective gloves

**Respiratory Protection** For dust, splash, mist or spray exposures wear a filtering mask.

**Hygiene measures** Clean water should be available for washing in case of eye or skin contamination. Wash skin prior to eating, drinking, chewing gum or using tobacco. Shower or bathe at the end of working. Remove and wash contaminated clothing before re-use. Launder work clothing separately from regular household laundry.

**General information** If the product is used in mixtures, it is recommended that you contact the appropriate protective equipment suppliers. These recommendations apply to the product as supplied.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**Information on basic physical and chemical properties**

<b>Appearance</b>	Off-white, Liquid
<b>Physical State</b>	Liquid
<b>Color</b>	Off-white
<b>Odor</b>	Low Alcohol
<b>Odor threshold</b>	No information available
<b>pH</b>	5.3-6.0 @ 20 °C
<b>Melting point/freezing point</b>	123 °C
<b>Boiling Point/Range</b>	No information available
<b>Flash point</b>	> 94 °C / > 201 °F Tag Closed Cup
<b>Evaporation Rate</b>	No information available
<b>Flammability (solid, gas)</b>	No information available
<b>Flammability Limit in Air</b>	
<b>Upper flammability limit:</b>	No information available
<b>Lower flammability limit:</b>	No information available
<b>Vapor pressure</b>	1 x 10 <sup>-9</sup> mm Hg at 25°C

Vapor density	No information available
Density	10.07 lb/gal
Specific gravity	1.206 @ 20 °C (water = 1) @ 20 °C
Water solubility	Dispersible in water
Solubility in other solvents	No information available
Partition coefficient	No information available
Autoignition temperature	No information available
Decomposition temperature	No information available
Viscosity, kinematic	No information available
Viscosity, dynamic	No information available
Explosive properties	No information available
Oxidizing properties	No data available
Molecular weight	No information available
Bulk density	No information available

## 10. STABILITY AND REACTIVITY

Reactivity	None under normal use conditions.
Chemical Stability	Stable.
Possibility of Hazardous Reactions	None under normal processing.
Hazardous polymerization	Hazardous polymerization does not occur.
Conditions to avoid	Excessive heat
Incompatible materials	None known.
Hazardous Decomposition Products	Carbon oxides (COx), Nitrogen oxides (NOx), Sulfur oxides, Hydrogen chloride, Hydrogen fluoride.

## 11. TOXICOLOGICAL INFORMATION

### Product Information

LD50 Oral	2084 mg/kg (rat)
LD50 Dermal	> 2000 mg/kg (rabbit)
LC50 Inhalation	> 2.72 mg/L 4 hr (rat) - Maximum attainable concentration (zero mortality) - Maximum attainable concentration (zero mortality)
Serious eye damage/eye irritation	Non-irritating.
Skin corrosion/irritation	Slightly irritating.
Sensitization	Did not cause sensitization on laboratory animals.

### Information on toxicological effects

Symptoms	Signs of toxicity in laboratory animals given sulfentrazone included clonic convulsions, ataxia, hypersensitivity to touch, chromorhinorrhea, abdominogenital staining, decreased locomotion, lacrimation, nasal discharge, and squinting eyes.
----------	---

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Chronic toxicity	Sulfentrazone: Prolonged exposure cause decreased hemoglobin content and hematocrit, and increased spleen weight and splenic extramedullary hematopoiesis at high doses in animal studies.
Mutagenicity	Sulfentrazone: Not genotoxic in animal studies
Carcinogenicity	Sulfentrazone: No evidence of carcinogenicity from animal studies.
Neurological effects	Sulfentrazone: Clinical signs of neurotoxicity in laboratory animals was observed at high dose levels.
Reproductive toxicity	Sulfentrazone: No toxicity to reproduction in animal studies.

**Developmental toxicity** Sulfentrazone: Fetal weight decreased; delayed skeletal ossification observed at maternally non-toxic doses are reversible effects and a dose-response is established; malformations observed in fetuses at maternally toxic doses and consistent with the mode of action for protoporphyrongen oxidase inhibitors. Developmental toxicity testing and results were generated for sulfentrazone with toluene present as an impurity.

**STOT - single exposure** Not classified.

**STOT - repeated exposure** May cause damage to organs through prolonged or repeated exposure.

**Target organ effects** Sulfentrazone: Hematopoietic system.

**Neurological effects** Sulfentrazone: Clinical signs of neurotoxicity in laboratory animals was observed at high dose levels.

**Aspiration hazard** No information available.

Chemical name	ACGIH	IARC	NTP	OSHA
Toluene 108-88-3		Group 3		

**12. ECOLOGICAL INFORMATION**

**Ecotoxicity**

<b>Sulfentrazone (122836-35-5)</b>				
Active Ingredient(s)	Duration	Species	Value	Units
Sulfentrazone	72 h EC50	Algae	32.8	mg/L
	48 h EC50	Crustacea	60.4	mg/L
	96 h LC50	Fish	94	mg/L
	21 d NOEC	Fish	5.9	mg/L
	21 d NOEC	Crustacea	0.51	mg/L

**Persistence and degradability** Sulfentrazone: Persistent, Does not readily hydrolyze, Not readily biodegradable.

**Bioaccumulation** Sulfentrazone: The substance does not have a potential for bioconcentration.

**Mobility** Sulfentrazone: Mobile, Has potential to reach ground water.

**13. DISPOSAL CONSIDERATIONS**

**Waste disposal methods** Improper disposal of excess pesticide, spray mixture, or rinsate is prohibited. If these wastes cannot be disposed of by use according to label instructions, contact appropriate disposal authorities for guidance.

**Contaminated Packaging** Containers must be disposed of in accordance with local, state and federal regulations. Refer to the product label for container disposal instructions.

**14. TRANSPORT INFORMATION**

**DOT** This material is not a hazardous material as defined by U.S. Department of Transportation at 49 CFR Parts 100 through 185.

**TDG** Classification below is only applicable when shipped by vessel and is not applicable when shipped by road or rail only.

**UN/ID no** UN3082

**Proper Shipping Name** Environmentally hazardous substance, liquid, n.o.s.

**Hazard class** 9

**Packing Group** III

**Marine Pollutant** Sulfentrazone.

**Description** UN3082, Environmentally hazardous substance, liquid, n.o.s. (sulfentrazone), 9, PGIII, Marine pollutant

**ICAO/IATA**

UN/ID no UN3082  
 Proper Shipping Name Environmentally hazardous substance, liquid, n.o.s.  
 Hazard class 9  
 Packing Group III  
 Description UN3082, Environmentally hazardous substance, liquid, n.o.s. (sulfentrazone), 9, PGIII, Marine pollutant

**IMDG/IMO**

UN/ID no UN3082  
 Hazard class 9  
 Packing Group III  
 EmS No. F-A, S-F  
 Marine Pollutant Sulfentrazone  
 Description UN3082, Environmentally hazardous substance, liquid, n.o.s. (sulfentrazone), 9, PGIII, Marine pollutant

**15. REGULATORY INFORMATION****U.S. Federal Regulations****SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical name	CAS-No	Weight %	SARA 313 - Threshold Values %
Toluene - 108-88-3	108-88-3	1-5	1.0

**SARA 311/312 Hazard Categories**

Acute health hazard Yes  
 Chronic health hazard Yes  
 Fire hazard No  
 Sudden release of pressure hazard No  
 Reactive Hazard No

**Clean Water Act**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Toluene 108-88-3	1000 lb	X	X	X

**CERCLA**

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Toluene 108-88-3	1000 lb		RQ 1000 lb final RQ RQ 454 kg final RQ

**FIFRA Information**

*This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:*

**CAUTION**

*Causes moderate eye irritation. Harmful if inhaled, swallowed, or absorbed through skin.  
 This pesticide is toxic to marine/estuarine invertebrates*

**US State Regulations**

**California Proposition 65**

This product contains the following Proposition 65 chemicals:

Chemical name	California Prop. 65
Toluene - 108-88-3	Developmental Female Reproductive
Sodium o-phenylphenate - 132-27-4	Carcinogen

**U.S. State Right-to-Know Regulations**

Chemical name	New Jersey	Massachusetts	Pennsylvania
Propylene glycol 57-55-6	X		X
Toluene 108-88-3	X	X	X

**International Inventories**

Component	TSCA (United States)	DSL (Canada)	EINECS/ELI NCS (Europe)	ENCS (Japan)	China (IECSC)	KECL (Korea)	PICCS (Philippines)	AICS (Australia)
Propylene glycol 57-55-6 ( 5-10 )	X	X	X	X	X	X	X	X
Toluene 108-88-3 ( 1-5 )	X	X	X	X	X	X	X	X

**Mexico - Grade**

Slight risk, Grade 1

**WHMIS Statement**

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR

**WHMIS Hazard Class**

D2A - Very toxic materials

**16. OTHER INFORMATION**

NFPA	Health Hazards 1	Flammability 1	Instability 0	Special Hazards -
HMIS	Health Hazards 1*	Flammability 1	Physical hazard 0	Personal Protection X

Revision date:

2015-04-17

Revision note

Initial Release



**Disclaimer**

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. **NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, IS MADE CONCERNING THE INFORMATION PROVIDED HEREIN.** The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. Use of this product is regulated by the U.S. Environmental Protection Agency (EPA). It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Further, since the conditions and methods of use are beyond the control of FMC Corporation, FMC corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

**Prepared By:**

FMC Corporation

FMC Logo - Trademark of FMC Corporation

© 2015 FMC Corporation. All Rights Reserved.

**End of Safety Data Sheet**